

Prepare



Connect with trusted communities to share information

Cyber Against Humanity

Prepare



Implement a central log management system

Cyber Against Humanity

Prepare



Implement event and alert management system for effective first triage

Cyber Against Humanity

Prepare



Implement case management system for effective incident handling

Cyber Against Humanity

Prepare



Implement automation and orchestration to support analysts during first triage and incident investigations

Cyber Against Humanity

Prepare



Implement detection use cases to cover the needed scope

Cyber Against Humanity

Prepare



Build knowhow for new threats and provide needed trainings to analysts

Cyber Against Humanity

Prepare



Establish visibility into all critical assets and platform

Cyber Against Humanity

Prepare



Ensure central log collection for relevant logs on systems in monitoring and incident response scope

Cyber Against Humanity

Prepare



Deploy remote forensics software

Cyber Against Humanity

Prepare



Deploy tools and capabilities for containment

Cyber Against Humanity

Prepare



Prepare decision tree and establish processes for GDPR readiness

Cyber Against Humanity

Prepare



Attend or organize internal and external exercises

Cyber Against Humanity

Prepare



Prepare and build coordination and escalation team for major incidents

Cyber Against Humanity

Prepare



Prepare and implement playbooks for assisting analysts

Cyber Against Humanity

Prepare



Prepare a list of critical assets for prioritisation

Cyber Against Humanity

Prepare



Ensure knowledge of all used operating systems in the team

Cyber Against Humanity

Prepare



Establish different kinds of communication channel for various stakeholders

Cyber Against Humanity

Prepare



Make a list of contact details for relevant peers

Cyber Against Humanity

Prepare



Ensure and implement collaboration between SOC and CSIRT and clarify responsibilities during an incident

Cyber Against Humanity

Prepare



Build backup infrastructure in case of emergency

Cyber Against Humanity

Prepare



Search for threats through regular threat hunting

Cyber Against Humanity

Prepare



Implement detection to find sensitive data which was indexed in a public search engine

Cyber Against Humanity

Prepare



Joker - invent a new preparation step

Cyber Against Humanity

Prepare



Joker - invent a new preparation step

Cyber Against Humanity

Prepare



Joker - invent a new preparation step

Cyber Against Humanity

Detect



Search for email attributes inside all of your mailboxes

Cyber Against Humanity

Detect



Search for cron jobs on linux server

Detect



Search for config settings on remote system

Detect



Search for malicious config changes on remote system

Cyber Against Humanity

Cyber Against Humanity

Cyber Against Humanity

Detect



Search for processes on a remote host

Detect



Search for files on a remote host

Detect



Search for file hash on a remote host

Cyber Against Humanity

Cyber Against Humanity

Cyber Against Humanity

Detect



Search for destination IPs in network logs

Detect



Search for source IPs in your network logs

Detect



Search for domains in your network logs

Cyber Against Humanity

Cyber Against Humanity

Cyber Against Humanity

Detect



Search for referer in your network logs

Cyber Against Humanity

Detect



Search for user agent in your network logs

Cyber Against Humanity

Detect



Search for URL in your network logs

Cyber Against Humanity

Detect



Search for leaked data in public search engines and paste sites

Cyber Against Humanity

Detect



Detect credential abuse by looking at login anomalies

Cyber Against Humanity

Detect



Detect credential leakage through monitoring external paste sites

Cyber Against Humanity

Detect



Detect leaked sensitive information on public source code repository

Cyber Against Humanity

Detect



Detect lateral movement with pipes

Cyber Against Humanity

Detect



Detect lateral movement with local admin

Cyber Against Humanity

Detect



Detect lateral movement with credential abuse

Cyber Against Humanity

Detect



Run Yara scan on remote host to find malware

Cyber Against Humanity

Detect



Run in-memory malware detection on remote host

Cyber Against Humanity

Detect



Detect malicious process injection

Cyber Against Humanity

Detect



Detect leaked information through active cybercrime forum monitoring

Cyber Against Humanity

Detect



Check GDPR relevance for current incident

Cyber Against Humanity

Detect



Detect unauthorized access on remote system

Cyber Against Humanity

Detect



Detect unkown domain administrator in your user management

Cyber Against Humanity

Detect



Detect unkown local administrator account on compromised system

Cyber Against Humanity

Detect



Find attacker through attacker's real IP which leaked because of bad opsec

Detect



Joker - invent a new detection method

Detect



Joker - invent a new detection method

Detect



Joker - invent a new detection method

Respond



Remove persistence mechanisms on compromised system

Respond



Remove malicious config settings on a compromised system

Respond



Remove malware on compromised system

Respond



Stop malicious process on compromised system

Respond



Stop data leakage on compromised system

Respond



Remove sensitive data on public accessible website

Cyber Against Humanity

Respond



Start first response to gather volatile data

Cyber Against Humanity

Respond



Collect and analyse logs from compromised system

Cyber Against Humanity

Respond



Collect evidence from compromised system

Cyber Against Humanity

Respond



Collect files from compromised system

Cyber Against Humanity

Respond



Collect the list of local accounts from compromised system

Cyber Against Humanity

Respond



Create and collect disk image for a compromised system

Cyber Against Humanity

Respond



Create file system timeline for a disk image

Cyber Against Humanity

Respond



Extract C2 IPs from a malware sample

Cyber Against Humanity

Respond



Search for found C2 servers

Cyber Against Humanity

Respond



Search for other affected systems
after initial compromise

Cyber Against Humanity

Respond



Block domain names

Cyber Against Humanity

Respond



Block IPs

Cyber Against Humanity

Respond



Block URLs

Cyber Against Humanity

Respond



Block access to API

Cyber Against Humanity

Respond



Block employee account

Cyber Against Humanity

Respond



Isolate system

Cyber Against Humanity

Respond



Take remote system offline

Cyber Against Humanity

Respond



Disable network connectivity on remote system

Cyber Against Humanity

Respond



Delete malicious emails in employees mailboxes

Cyber Against Humanity

Respond



Sinkhole C2 server

Cyber Against Humanity

Respond



Capture traffic to a C2 server

Cyber Against Humanity

Respond



Force password reset

Cyber Against Humanity

Respond



Add evidence to long time storage

Cyber Against Humanity

Respond



Mitigate a DDoS attack

Cyber Against Humanity

Respond



Initiate hot patching or immediate fix of exploited vulnerability

Cyber Against Humanity

Respond



Create a GDPR notification

Cyber Against Humanity

Respond



Document indicators of attack and indicators of compromise centrally.

Cyber Against Humanity

Respond



Share indicators of attack and of compromise with the community

Cyber Against Humanity

Respond



Joker - invent a new respond action

Cyber Against Humanity

Respond



Joker - invent a new respond action

Cyber Against Humanity

Respond



Joker - invent a new respond action

Cyber Against Humanity


Respond



Joker - invent a new respond action

Cyber Against Humanity


Recover



Initiate fresh installation of compromised system from trusted install sources

Cyber Against Humanity


Recover



Initiate the patching of a critical vulnerability

Cyber Against Humanity


Recover



Initiate an audit on a platform


Cyber Against Humanity

Recover




Restore backup

Recover




Bring the service online which you took offline during the incident

Recover




Rotate API keys for a compromised account

Recover




Change credentials for a compromised service account which was disabled during the incident

Recover




Implement long term monitoring through new security monitoring use cases and incident response processes

Recover




Add a security deficit to the policy framework

Recover




Joker - invent a new recover action

Recover



Joker - invent a new recover action

Recover



Joker - invent a new recover action

Cyber Against Humanity

Cyber Against Humanity

Cyber Against Humanity

Lessons Learned



Organize and perform lessons learned meeting

Cyber Against Humanity

Lessons Learned



Define technical depts and report them accordingly

Cyber Against Humanity

Lessons Learned



Document results and new knowledge for the team and company

Cyber Against Humanity

Lessons Learned



Improve incident response processes

Cyber Against Humanity

Lessons Learned



Improve incident detection capabilities

Cyber Against Humanity

Lessons Learned



Add new detection rule to internal and external repositories

Cyber Against Humanity

Lessons Learned



Joker - invent a new lessons learned step

Cyber Against Humanity

Lessons Learned



Joker - invent a new lessons learned step

Cyber Against Humanity

Lessons Learned



Joker - invent a new lessons learned step

Cyber Against Humanity

Lessons Learned



Joker - invent a new lessons learned step

Cyber Against Humanity

Communication



Publish external news article



Inform public relations department about possible questions from outside

Cyber Against Humanity

Communication



Communicate findings to management

Cyber Against Humanity

Communication



Create an incident report

Cyber Against Humanity



Write answer to request made on external platform

Cyber Against Humanity


Communication



Joker - invent a new communication way

Cyber Against Humanity

Communication



Joker - invent a new communication way

Cyber Against Humanity

Communication



Joker - invent a new communication way

Cyber Against Humanity

Scenario



A supplier of your HRM software was targeted and a backdoored version was distributed. You may already upgraded. Indicators of compromise were published.

Cyber Against Humanity

Scenario



Your national CERT has published some indicators of compromise for your country and specifically for your industrial sector. Report back if you found hits.

Cyber Against Humanity

Scenario



Different employee accounts were abused for further attacks against your customers. During initial analysis, you found that all of them visited a typo domain of your corporate portal.

Cyber Against Humanity

Scenario



An employee's workstation was infected with a banking trojan which not only changed network settings but also installed email monitoring software. It is related to a recent malvertising campaign.

Cyber Against Humanity

Scenario



You are notified that one of your ticketing systems is compromised and malware was placed on that server. It connects to other systems reachable from the ticketing server.

Cyber Against Humanity

Scenario



Spear phishing attack against an employee and employee reports login in into a similar looking company portal.

Cyber Against Humanity

Scenario



Spear phishing attack against an employee using a malicious document which after it was opened executed code on the computer.

Cyber Against Humanity

Scenario



Employee downloads a malware through a fake software package which connects back to command and control servers using DNS.

Cyber Against Humanity

Scenario



Vulnerability was exploited on one of your servers and an attacker had access to the database with customer data. A increased bandwidth was registered on the network device.

Cyber Against Humanity

Scenario



A database with customer data was exposed to the Internet through a misconfigured firewall and someone on Twitter is leaking data from that database.

Cyber Against Humanity

Scenario



A public git repository leaked internal credentials and it's unclear whether the credentials were already abused.

Cyber Against Humanity

Scenario



Servers from your main online service were targeted by a DDoS and are unavailable.

Cyber Against Humanity

Scenario



Malicious code was distributed to your endpoints during the routine update of a signed application.

Cyber Against Humanity

Scenario



A domain admin has run a malicious attachment after loudly proclaiming how dumb their users are for doing the same.

Cyber Against Humanity

Scenario



Security company has released an APT group PDF at BH USA. The list of IOCs includes a host in your ASN.

Cyber Against Humanity

Scenario



Every night new corporate accounts are abused for sending spam.

Cyber Against Humanity

Scenario



Email infrastructure got compromised. Attackers have full access to your mailboxes.

Cyber Against Humanity

Scenario



Attackers got domain admin in your environment. What should you scary more? Backdoor accounts or the sudden activation of disk encryption software?

Cyber Against Humanity

Scenario



An adversary has access to your jenkins server.

Cyber Against Humanity

Scenario



An adversary has access to your vulnerable jenkins server. Jenkins jobs with credentials are visible to everyone.

Cyber Against Humanity

Scenario



Someone is impersonating you to customer support.

Cyber Against Humanity

Scenario



Your DNS was modified to respond with an attacker's DKIM key.

Cyber Against Humanity

Scenario



Due to a botched CI/CD script, complete source code exposure on production.

Cyber Against Humanity

Scenario



A bug in your webapp has allowed every record to be accessed via URL enumeration and IDOR.

Cyber Against Humanity

Scenario



Your subscription database is hacked. Thousands of new accounts are added and hard to distinguish from old.

Cyber Against Humanity

Scenario



New paste on a public paste site was found with password hashes and emails from your customer DB from 3 years ago. More recent hashes are missing.

Cyber Against Humanity

Scenario



Your reception software has leaked all of your visitor logs. They are available via torrent.

Cyber Against Humanity

Scenario



A script has been logging exported variables containing full user registration objects. This logging method is full of plaintext passwords.

Cyber Against Humanity

Scenario



Joker - be evil and invent a new nightmare and worst case scenario. What scenario will get your team struggling? (If you want to get crazy then contribute your scary scenario for the sake of humanity.)

Cyber Against Humanity

Scenario



Joker - be evil and invent a new nightmare and worst case scenario. What scenario will get your team struggling? (If you want to get crazy then contribute your scary scenario for the sake of humanity.)

Cyber Against Humanity

Scenario



Joker - be evil and invent a new nightmare and worst case scenario. What scenario will get your team struggling? (If you want to get crazy then contribute your scary scenario for the sake of humanity.)

Cyber Against Humanity

Scenario



A developer has just typo'd an upstream package installation to their laptop. There was a malicious package waiting for that typo and post-installation code is exfiltrating data.

Cyber Against Humanity

An engineer has typo'd a package they are adding to a product repository. It is malicious. The CI/CD and prod environment variables are exfiltrated to a C&C

Cyber Against Humanity

Scenario



A malicious browser extension was installed on different corporate computers. It injects keyloggers into websites.

Cyber Against Humanity

Scenario



Your build imports from an employee's personal NPM package. They quit, and vandalize the package, causing a public incident.

Cyber Against Humanity

Scenario



An adversary takes control of your MDM service account. Your MDM support team cannot be reached for account recovery.

Cyber Against Humanity

Scenario



Your DNS was modified to respond with an attacker's DKIM key. Spearphishes will be signed by your domain in 30 minutes.

Cyber Against Humanity

Scenario



The certificates involved with your primary code signing process have been compromised and used to sign malicious apps.

Cyber Against Humanity

Scenario



An employee has left a firewall rule wide open after several hours of troubleshooting a network issue.

Cyber Against Humanity

Scenario



An employee has left a firewall rule wide open after a faulty change request was implemented. Bruteforcing attempts were registered on previously protected servers.

Cyber Against Humanity

Scenario



You allow customers to upload sensitive information to your platform to share them with others. However, the data was left unprotected and anyone could access and download the content.

Cyber Against Humanity

Scenario



You were informed that one of your website directories used to share files with external parties were accessible and writable by any anonymous user. Suspicious files were found.

Cyber Against Humanity