□□□□□□□



Connect with trusted communities to share threat information

Defensomania

□□□□□□□



Implement a central log management system

Defensomania

□□□□□□□



Implement an event and alert management system for effective first triage

Defensomania

□□□□□□□



Implement a case management system for effective incident handling

Defensomania

□□□□□□□



Implement automation and orchestration to support analysts during first triage and investigations

Defensomania

□□□□□□□



Implement detection use cases that cover the required scope

Defensomania

□□□□□□□



Build know-how about new threats and train analysts

Defensomania

□□□□□□□



Establish visibility into all critical assets and platforms

Defensomania

□□□□□□□



Ensure central collection of relevant logs from systems in monitoring and incident response scope

Defensomania

□□□□□□□



Deploy remote forensics software

Defensomania

□□□□□□□



Deploy tools and capabilities for containment

Defensomania

□□□□□□□



Prepare a decision tree and establish processes for GDPR readiness

Defensomania

□□□□□□□



Attend or organize internal and external exercises

Defensomania

□□□□□□□



Build a coordination and escalation team for major incidents

Defensomania

□□□□□□□



Prepare and implement playbooks to assist analysts

Defensomania

□□□□□□□



Prepare a list of critical assets for prioritisation

Defensomania

□□□□□□□



Ensure the team knows all operating systems in use

Defensomania

□□□□□□□



Establish different communication channels for various stakeholders

Defensomania

□□□□□□□



Make a list of contact details for relevant peers

Defensomania

□□□□□□□



Ensure collaboration between SOC and CSIRT and clarify responsibilities during an incident

Defensomania

□□□□□□□



Build backup infrastructure for emergencies

Defensomania

□□□□□□□



Perform regular threat hunting

Defensomania

□□□□□□□



Implement detection for sensitive data indexed by public search engines

Defensomania

□□□□□□□



Joker - invent a new preparation step

Defensomania

□□□□□□□



Joker - invent a new preparation step

Defensomania

□□□□□□□



Joker - invent a new preparation step

Defensomania

□□□□□□



Search for email attributes across all mailboxes

Defensomania

□□□□□□



Search for cron jobs on a Linux server

Defensomania

□□□□□□



Search for configuration settings on a remote system

Defensomania

□□□□□□



Search for malicious configuration changes on a remote system

Defensomania

□□□□□□



Search for processes on a remote host

Defensomania

□□□□□□



Search for files on a remote host

Defensomania

□□□□□□



Search for a file hash on a remote host

Defensomania

□□□□□□



Search for destination IPs in your network logs

Defensomania

□□□□□□



Search for source IPs in your network logs

Defensomania

□□□□□□



Search for domains in your network logs

Defensomania

□□□□□□



Search for referrers in your network logs

Defensomania

□□□□□□



Search for user agents in your network logs

Defensomania

□□□□□□



Search for URLs in your network logs

Defensomania

□□□□□□



Search for leaked data on public search engines and paste sites

Defensomania

□□□□□□



Detect credential abuse through login anomalies

Defensomania

□□□□□□



Detect credential leakage by monitoring external paste sites

Defensomania

□□□□□□



Detect leaked sensitive information in public source code repositories

Defensomania

□□□□□□



Detect lateral movement via named pipes

Defensomania

□□□□□□



Detect lateral movement via local admin accounts

Defensomania

□□□□□□



Detect lateral movement via credential abuse

Defensomania

□□□□□□



Detect malicious process injection

Defensomania

□□□□□□



Detect leaked information by actively monitoring cybercrime forums

Defensomania

□□□□□□



Detect unauthorized access on a remote system

Defensomania

□□□□□□



Detect unknown domain administrators in your user management

Defensomania

□□□□□□



Detect unknown local administrator accounts on a compromised system

Defensomania

□□□□□□



Detect in-memory malware on a remote host

Defensomania

□□□□□□



Check GDPR relevance

Defensomania

□□□□□□



Find the attacker through their real IP, leaked by bad OPSEC

Defensomania

□□□□□□



Correlate application grants, service principal activity and mailbox audit events to tell delegated access from normal sign-ins

Defensomania

□□□□□□



Joker - invent a new detection method

Defensomania

□□□□□□



Joker - invent a new detection method

Defensomania

□□□□□□



Joker - invent a new detection method

Defensomania

□□□□□□□



Remove persistence mechanisms from the compromised system

Defensomania

□□□□□□□



Remove malicious configuration settings from a compromised system

Defensomania

□□□□□□□



Remove malware from a compromised system

Defensomania

□□□□□□□



Stop a malicious process on a compromised system

Defensomania

□□□□□□□



Stop data leakage from a compromised system

Defensomania

□□□□□□□



Remove sensitive data from a publicly accessible website

Defensomania

□□□□□□□



Start first response and gather volatile data

Defensomania

□□□□□□□



Collect and analyse logs from a compromised system

Defensomania

□□□□□□□



Collect evidence from a compromised system

Defensomania

□□□□□□□



Collect files from a compromised system

Defensomania

□□□□□□□



Collect the list of local accounts from a compromised system

Defensomania

□□□□□□□



Create and collect a disk image of a compromised system

Defensomania

□□□□□□□



Create a file system timeline from a disk image

Defensomania

□□□□□□□



Extract C2 IPs from a malware sample

Defensomania



Search for activity related to the identified C2 servers

Defensomania



Search for other affected systems after the initial compromise

Defensomania



Block domain names

Defensomania



Block IPs

Defensomania



Block URLs

Defensomania



Block access to an API

Defensomania



Block an employee account

Defensomania



Isolate a system

Defensomania



Take a remote system offline

Defensomania



Disable network connectivity on a remote system

Defensomania



Delete malicious emails from employee mailboxes

Defensomania



Sinkhole a C2 server

Defensomania



Capture traffic to a C2 server

Defensomania



Force a password reset

Defensomania



Add evidence to long-term storage

Defensomania



Mitigate a DDoS attack

Defensomania



Initiate hot patching or an immediate fix for the exploited vulnerability

Defensomania



Create a GDPR notification

Defensomania

□□□□□□□



Document indicators of attack and compromise centrally

Defensomania

□□□□□□□



Share indicators of attack and compromise with the community

Defensomania

□□□□□□□



Revoke the malicious application's grant and sessions, record identifiers and audit evidence as urgency permits, and verify that access has stopped

Defensomania

□□□□□□□



Joker - invent a new respond action

Defensomania

□□□□□□□



Joker - invent a new respond action

Defensomania

□□□□□□□



Joker - invent a new respond action

Defensomania


□□□□□□□



Joker - invent a new respond action

Defensomania


□□□□□□□



Initiate a fresh installation of the compromised system from trusted install sources

Defensomania


□□□□□□□



Initiate patching of a critical vulnerability

Defensomania


□□□□□□□



Initiate an audit of a platform

Defensomania


□□□□□□□



Restore from backup

Defensomania


□□□□□□□



Bring the service you took offline during the incident back online

Defensomania


□□□□□□□



Rotate API keys of a compromised account

Defensomania


□□□□□□□



Change credentials of a compromised service account that was disabled during the incident

Defensomania


□□□□□□□



Implement long-term monitoring through new detection use cases and incident response processes

Defensomania


□□□□□□□



Add an identified security gap to the policy framework

Defensomania


□□□□□□□



Test the restoration in an isolated environment and validate monitoring before returning the service to its agreed scope

Defensomania


□□□□□□□



Joker - invent a new recover action

Defensomania


□□□□□□□



Joker - invent a new recover action

Defensomania

□□□□□□□



Joker - invent a new recover action

Defensomania

□□□□□□□□□□□□□□□



Organize and run a lessons learned meeting

Defensomania

□□□□□□□□□□□□□□□



Define technical debt and report it accordingly

Defensomania

□□□□□□□□□□□□□□□



Document results and new knowledge for the team and company

Defensomania

□□□□□□□□□□□□□□□



Improve incident response processes

Defensomania

□□□□□□□□□□□□□□□



Improve incident detection capabilities

Defensomania

□□□□□□□□□□□□□□□



Add new detection rules to internal and external repositories

Defensomania

□□□□□□□□□□□□□□□



Record time boundaries, missing telemetry and uncertainty behind response metrics before comparing exercise results

Defensomania



Joker - invent a new lessons learned step

Defensomania



Joker - invent a new lessons learned step

Defensomania



Joker - invent a new lessons learned step

Defensomania



Joker - invent a new lessons learned step

Defensomania



Publish an external news article

Defensomania



Inform the public relations department about possible questions from outside

Defensomania



Communicate findings to management

Defensomania



Create an incident report

Defensomania



Write a reply to a request made on an external platform

Defensomania



Joker - invent a new communication channel

Defensomania



Joker - invent a new communication channel

Defensomania



Joker - invent a new communication channel

Defensomania



Your HRM software supplier was compromised and distributed a backdoored version. You may already have upgraded. Indicators of compromise are published.

Defensomania



Your national CERT has published indicators of compromise for your country and your industrial sector. Report back if you find any hits.

Defensomania



Several employee accounts were abused for further attacks against your customers. Initial analysis shows that all of them visited a typosquatted domain of your corporate portal.

Defensomania



An employee's workstation was infected with a banking Trojan that changed network settings and installed email monitoring software. It is linked to a recent malvertising campaign.

Defensomania



One of your ticketing systems is compromised and malware was placed on it. The malware connects to other systems reachable from that server.

Defensomania



Spear phishing attack against an employee, who reports logging into a look-alike company portal.

Defensomania



Spear phishing attack against an employee using a malicious document that executed code on the computer when opened.

Defensomania



An employee downloads malware disguised as a software package. It connects back to command and control servers using DNS.

Defensomania



A vulnerability on one of your servers was exploited and an attacker accessed the customer database. Increased bandwidth was registered on the network device.

Defensomania



A database with customer data was exposed to the Internet through a misconfigured firewall and someone on Twitter is leaking data from that database.

Defensomania



A public git repository leaked internal credentials and it's unclear whether they were already abused.

Defensomania



Servers of your main online service were targeted by a DDoS attack and are unavailable.

Defensomania



Malicious code was distributed to your endpoints during a routine update of a signed application.

Defensomania



A domain admin ran a malicious attachment after loudly proclaiming how dumb their users are for doing the same.

Defensomania



A security company has released an APT group PDF at BH USA. The list of IOCs includes a host in your ASN.

Defensomania



Every night, new corporate accounts are abused for sending spam.

Defensomania



Your email infrastructure was compromised. Attackers have full access to your mailboxes.

Defensomania



Attackers gained domain admin in your environment. Backdoor accounts were created and disk encryption software was activated.

Defensomania



An adversary has access to your Jenkins server.

Defensomania



An adversary has access to your vulnerable Jenkins server. Jenkins jobs with credentials are visible to everyone.

Defensomania



Someone is impersonating you to customer support at one of your service providers.

Defensomania



Your DNS was modified to respond with an attacker's DKIM key.

Defensomania



Due to a botched CI/CD script, the complete source code is exposed on production.

Defensomania



A bug in your web app allowed every record to be accessed via URL enumeration and IDOR.

Defensomania



Your subscription database was hacked. Thousands of new accounts were added and are hard to distinguish from existing ones.

Defensomania



A new paste on a public paste site contains password hashes and emails from your customer database from three years ago. More recent hashes are missing.

Defensomania



Your reception software leaked all of your visitor logs. They are available via torrent.

Defensomania



A script has been logging exported variables containing full user registration objects. The logs are full of plaintext passwords.

Defensomania



After a user's password reset, mailbox reads continue under an unfamiliar OAuth grant. A legitimate integration has the same scope. Business email must stay available.

Defensomania



A ransomware alert is followed by a gap in endpoint telemetry. The host appears online, backups have not yet been tested, and operations requests an immediate restart.

Defensomania



Joker - be evil and invent a new nightmare scenario that gets your team struggling. (If you want to go crazy, contribute your scary scenario for the sake of humanity.)

Defensomania



Joker - be evil and invent a new nightmare scenario that gets your team struggling. (If you want to go crazy, contribute your scary scenario for the sake of humanity.)

Defensomania



Joker - be evil and invent a new nightmare scenario that gets your team struggling. (If you want to go crazy, contribute your scary scenario for the sake of humanity.)

Defensomania



A developer just mistyped an upstream package name while installing it on their laptop. A malicious package was waiting for that typo and its post-install code is exfiltrating data.

Defensomania



An engineer mistyped a package name in a product repository. The package is malicious and exfiltrates CI/CD and production environment variables to a C&C server.

Defensomania



A malicious browser extension was installed on several corporate computers. It injects keyloggers into websites.

Defensomania



Your software build imports an employee's personal NPM package. The employee quits and vandalizes the package, causing a public incident.

Defensomania



An adversary takes control of your MDM service account. Your MDM support team cannot be reached for account recovery.

Defensomania



Your DNS was modified to respond with an attacker's DKIM key. Spear phishing emails will be signed by your domain in 30 minutes.

Defensomania



The certificates of your primary code signing process were compromised and used to sign malicious apps.

Defensomania



An employee left a firewall rule wide open after several hours of troubleshooting a network issue.

Defensomania



An employee left a firewall rule wide open after a faulty change request was implemented. Brute-force attempts were registered on previously protected servers.

Defensomania

□□□□□□□□



You allow customers to upload sensitive information to your platform to share with others. However, the data was left unprotected and anyone could access and download it.

Defensomania

□□□□□□□□



You were informed that one of your website directories used to share files with external parties was accessible and writable by any anonymous user. Suspicious files were found.

Defensomania

□□□□□□□□



You were informed that your MDM solution was compromised and over 75% of your employees' mobile devices are infected with malware.

Defensomania

□□□□□□□□



You were informed that your firewalls were compromised and malware was executed on these devices to steal information.

Defensomania