□□□□□□□□



Connect with trusted communities to share threat information

Defensomania

□□□□□□□□



Implement a central log management system

Defensomania

□□□□□□□□



Implement an event and alert management system for effective first triage

Defensomania



Implement a case management system for effective incident handling

Defensomania

□□□□□□□□



Implement automation and orchestration to support analysts during first triage and investigations

Defensomania

□□□□□□□□



Implement detection use cases that cover the required scope

Defensomania

□□□□□□□□



Build know-how about new threats and train analysts

Defensomania

□□□□□□□□



Establish visibility into all critical assets and platforms

Defensomania

□□□□□□□□



Ensure central collection of relevant logs from systems in monitoring and incident response scope

Defensomania

□□□□□□□□



Deploy remote forensics software

Defensomania

□□□□□□□□



Deploy tools and capabilities for containment

Defensomania

□□□□□□□□



Prepare a decision tree and establish processes for GDPR readiness

Defensomania

□□□□□□□□



Attend or organize internal and external exercises

Defensomania

□□□□□□□□



Build a coordination and escalation team for major incidents

Defensomania

□□□□□□□□



Prepare and implement playbooks to assist analysts

Defensomania

□□□□□□□□



Prepare a list of critical assets for prioritisation

Defensomania

□□□□□□□□



Ensure the team knows all operating systems in use

Defensomania

□□□□□□□□



Establish different communication channels for various stakeholders

Defensomania

□□□□□□□□



Make a list of contact details for relevant peers

Defensomania

□□□□□□□□



Ensure collaboration between SOC and CSIRT and clarify responsibilities during an incident

Defensomania

□□□□□□□□



Build backup infrastructure for emergencies

Defensomania

□□□□□□□□



Perform regular threat hunting

Defensomania

□□□□□□□□



Implement detection for sensitive data indexed by public search engines

Defensomania

□□□□□□□□



Joker - invent a new preparation step

Defensomania

□□□□□□□□



Joker - invent a new preparation step

Defensomania

□□□□□□□□



Joker - invent a new preparation step

Defensomania

□□□□□□



Search for email attributes across all mailboxes

Defensomania

□□□□□□



Search for cron jobs on a Linux server

Defensomania

□□□□□□



Search for configuration settings on a remote system

Defensomania

□□□□□□



Search for malicious configuration changes on a remote system

Defensomania

□□□□□□



Search for processes on a remote host

Defensomania

□□□□□□



Search for files on a remote host

Defensomania

□□□□□□



Search for a file hash on a remote host

Defensomania

□□□□□□



Search for destination IPs in your network logs

Defensomania

□□□□□□



Search for source IPs in your network logs

Defensomania

□□□□□□



Search for domains in your network logs

Defensomania

□□□□□□



Search for referrers in your network logs

Defensomania

□□□□□□



Search for user agents in your network logs

Defensomania

□□□□□□



Search for URLs in your network logs

Defensomania

□□□□□□



Search for leaked data on public search engines and paste sites

Defensomania

□□□□□□



Detect credential abuse through login anomalies

Defensomania

□□□□□□



Detect credential leakage by monitoring external paste sites

Defensomania

□□□□□□



Detect leaked sensitive information in public source code repositories

Defensomania

□□□□□□



Detect lateral movement via named pipes

Defensomania

□□□□□□



Detect lateral movement via local admin accounts

Defensomania

□□□□□□



Detect lateral movement via credential abuse

Defensomania

□□□□□□



Detect malicious process injection

Defensomania

□□□□□□



Detect leaked information by actively monitoring cybercrime forums

Defensomania

□□□□□□



Detect unauthorized access on a remote system

Defensomania

□□□□□□



Detect unknown domain administrators in your user management

Defensomania

□□□□□□



Detect unknown local administrator accounts on a compromised system

Defensomania

□□□□□□



Detect in-memory malware on a remote host

Defensomania

□□□□□□



Check GDPR relevance

Defensomania

□□□□□□



Find the attacker through their real IP, leaked by bad OPSEC

Defensomania

□□□□□□



Correlate application grants, service principal activity and mailbox audit events to tell delegated access from normal sign-ins

Defensomania

□□□□□□



Joker - invent a new detection method

Defensomania

□□□□□□



Joker - invent a new detection method

Defensomania

□□□□□□



Joker - invent a new detection method

Defensomania

□□□□□□□□



Remove persistence mechanisms from the compromised system

Defensomania

□□□□□□□□



Remove malicious configuration settings from a compromised system

Defensomania

□□□□□□□□



Remove malware from a compromised system

Defensomania

□□□□□□□□



Stop a malicious process on a compromised system

Defensomania

□□□□□□□□



Stop data leakage from a compromised system

Defensomania

□□□□□□□□



Remove sensitive data from a publicly accessible website

Defensomania

□□□□□□□□



Start first response and gather volatile data

Defensomania

□□□□□□□□



Collect and analyse logs from a compromised system

Defensomania

□□□□□□□□



Collect evidence from a compromised system

Defensomania

□□□□□□□□



Collect files from a compromised system

Defensomania

□□□□□□□□



Collect the list of local accounts from a compromised system

Defensomania

□□□□□□□□



Create and collect a disk image of a compromised system

Defensomania

□□□□□□□□



Create a file system timeline from a disk image

Defensomania

□□□□□□□□



Extract C2 IPs from a malware sample

Defensomania

□□□□□□□



Search for activity related to the identified C2 servers

Defensomania

□□□□□□□□



Search for other affected systems after the initial compromise

Defensomania

□□□□□□□□



Block domain names

Defensomania

□□□□□□□□



Block IPs

Defensomania

□□□□□□□□



Block URLs

Defensomania

□□□□□□□□



Block access to an API

Defensomania

□□□□□□□□



Block an employee account

Defensomania

□□□□□□□□



Isolate a system

Defensomania

□□□□□□□□



Take a remote system offline

Defensomania

□□□□□□□□



Disable network connectivity on a remote system

Defensomania

□□□□□□□



Delete malicious emails from employee mailboxes

Defensomania

□□□□□□□□



Sinkhole a C2 server

Defensomania

□□□□□□□□



Capture traffic to a C2 server

Defensomania

□□□□□□□□



Force a password reset

Defensomania

□□□□□□□□



Add evidence to long-term storage

Defensomania

□□□□□□□□



Mitigate a DDoS attack

Defensomania

□□□□□□□□



Initiate hot patching or an immediate fix for the exploited vulnerability

Defensomania

□□□□□□□□



Create a GDPR notification

Defensomania

□□□□□□□□



Document indicators of attack and compromise centrally

Defensomania

□□□□□□□□



Share indicators of attack and compromise with the community

Defensomania

□□□□□□□



Revoke the malicious application's grant and sessions, record identifiers and audit evidence as urgency permits, and verify that access has stopped

Defensomania

□□□□□□□□



Joker - invent a new respond action

Defensomania

□□□□□□□□



Joker - invent a new respond action

Defensomania

□□□□□□□□



Joker - invent a new respond action

Defensomania


□□□□□□□□



Joker - invent a new respond action

Defensomania


□□□□□□□□



Initiate a fresh installation of the compromised system from trusted install sources

Defensomania


□□□□□□□□



Initiate patching of a critical vulnerability

Defensomania


□□□□□□□□



Initiate an audit of a platform

Defensomania


□□□□□□□□



Restore from backup

Defensomania


□□□□□□□□



Bring the service you took offline during the incident back online

Defensomania


□□□□□□□□



Rotate API keys of a compromised account

Defensomania


□□□□□□□□



Change credentials of a compromised service account that was disabled during the incident

Defensomania


□□□□□□□□



Implement long-term monitoring through new detection use cases and incident response processes

Defensomania


□□□□□□□□



Add an identified security gap to the policy framework

Defensomania


□□□□□□□□



Test the restoration in an isolated environment and validate monitoring before returning the service to its agreed scope

Defensomania


□□□□□□□□



Joker - invent a new recover action

Defensomania


□□□□□□□□



Joker - invent a new recover action

Defensomania

□□□□□□□□



Joker - invent a new recover action

Defensomania

□□□□□□□□□□□□□□□□



Organize and run a lessons learned meeting

Defensomania

□□□□□□□□□□□□□□□□□



Define technical debt and report it accordingly

Defensomania

□□□□□□□□□□□□□□□□



Document results and new knowledge for the team and company

Defensomania

□□□□□□□□□□□□□□□□



Improve incident response processes

Defensomania

□□□□□□□□□□□□□□□□□



Improve incident detection capabilities

Defensomania

□□□□□□□□□□□□□□□□



Add new detection rules to internal and external repositories

Defensomania

□□□□□□□□□□□□□□□□



Record time boundaries, missing telemetry and uncertainty behind response metrics before comparing exercise results

Defensomania

□□□□□□□□□□□□□□□□□



Joker - invent a new lessons learned step

Defensomania

□□□□□□□□□□□□□□□□□



Joker - invent a new lessons learned step

Defensomania

□□□□□□□□□□□□□□□□□



Joker - invent a new lessons learned step

Defensomania


□□□□□□□□□□□□□□□□□



Joker - invent a new lessons learned step

Defensomania


□□□□□□□□□□□□□□□



Publish an external news article

Defensomania


□□□□□□□□□□□□□□□



Inform the public relations department about possible questions from outside

Defensomania


□□□□□□□□□□□□□□□



Communicate findings to management

Defensomania


□□□□□□□□□□□□□□□



Create an incident report

Defensomania


□□□□□□□□□□□□□□□



Write a reply to a request made on an external platform

Defensomania


□□□□□□□□□□□□□□□



Joker - invent a new communication channel

Defensomania


□□□□□□□□□□□□□□□



Joker - invent a new communication channel

Defensomania

□□□□□□□□□□□□□□□



Joker - invent a new communication channel

Defensomania