

Paquete Tip_Perfect

- **Clase: Tip_Perfect**

```
package tip_perfect;

import graficos.portada;
import java.util.Timer;
import java.util.TimerTask;

public class Tip_Perfect {

    public static void main(String[] args) {

        portada calculadora = new portada();
        Timer tiempo_espera = new Timer();
        TimerTask tarea = new TimerTask() {

            @Override
            public void run() {
                calculadora.setVisible(true);
            }
        };
        tiempo_espera.schedule(tarea, 1000);
    }
}
```

- **Clase: imagen**

```
package tip_perfect;

//se importan las clases requeridas
import java.awt.Graphics;
```

```
import java.awt.Graphics2D;

import java.net.URL;

import javax.swing.ImageIcon;

import javax.swing.JLabel;


// se crea la clase hija de JLabel, JLbales es quien crea iconos/imagenes

public class imagen extends JLabel {


    // Se crea un atributo que guardara la ruta de cada imagen

    private String ruta = "";


    // Se sobrescribe el metodo paintComponent, esto para poder pintar las
    imagenes en la ventana

    @Override

    protected void paintComponent(Graphics gg) {

        Graphics2D g = (Graphics2D)gg;

        URL rutaAbsolute = getClass().getResource(ruta);

        if(rutaAbsolute != null){

            ImageIcon imagen = new ImageIcon(rutaAbsolute);

            g.drawImage(imagen.getImage(),0,0,this.getWidth(), this.getHeight(), null);

        }

        g.dispose();

    }

}
```

```
public String getRuta() {  
    return ruta;  
}  
  
public void setRuta(String ruta) {  
    this.ruta = ruta;  
}  
}
```

- **Clase: redondeado**

```
package tip_perfect;  
  
import java.awt.Color;  
import java.awt.Graphics;  
import java.awt.Graphics2D;  
import java.awt.geom.RoundRectangle2D;  
import javax.swing.JPanel;  
  
public class redondeado extends JPanel{  
  
    private double arco_ancho = 100;  
    private double arco_altura = 100;
```

```

private Color Borde = new Color(0, 204, 255);

@Override
protected void paintComponent(Graphics g) {
    super.paintComponent(g);

    Graphics2D g2 = (Graphics2D)g.create();

    RoundRectangle2D.Double redonda = new
    RoundRectangle2D.Double(0,0,this.getWidth()-1,this.getHeight()-
    1,arco_ancho,arco_altura);

    g2.setColor(this.getBackground());
    g2.fill(redonda);
    g2.setColor(Borde);
    g2.draw(redonda);
    g2.dispose();
}
}

```

Paquete gráficos

- **Clase portada:**

```

package graficos;

import java.awt.Color;

```

```

public class portada extends javax.swing.JFrame {

    private int propina_total;
    private String propina_string;

    public portada(){
        setUndecorated(true);
        initComponents();
        setResizable(false);
        setLocationRelativeTo(null);
        fondo.requestFocus();
        fondo.setOpaque(false);
        setBackground(new Color(0,0,0,0));
    }

    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">
    private void initComponents() {

        jLabel1 = new javax.swing.JLabel();
        fondo = new tip_perfect.redondeado();
        jButton1 = new javax.swing.JButton();
        cerrar = new javax.swing.JLabel();
        imagen2 = new tip_perfect.imagen();
        jPanel2 = new javax.swing.JPanel();
        jLabel4 = new javax.swing.JLabel();

        jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
        jLabel1.setForeground(new java.awt.Color(153, 153, 255));
        jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
        jLabel1.setText("Por favor digite el total de su compra");

        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
        setName("frame"); // NOI18N
        setPreferredSize(new java.awt.Dimension(530, 650));
        setResizable(false);

        fondo.setBackground(new java.awt.Color(165, 235, 255));
        fondo.setLayout(null);

        jButton1.setBackground(new java.awt.Color(0, 102, 255));
        jButton1.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N
        jButton1.setForeground(new java.awt.Color(255, 255, 255));
        jButton1.setText("Siguiete");
        jButton1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
        jButton1.addMouseListener(new java.awt.event.MouseAdapter() {

```

```

        public void mousePressed(java.awt.event.MouseEvent evt) {
            jButton1MousePressed(evt);
        }
    });
    fondo.add(jButton1);
    jButton1.setBounds(120, 530, 270, 50);

    cerrar.setFont(new java.awt.Font("Footlight MT Light", 1, 48)); // NOI18N
    cerrar.setForeground(new java.awt.Color(153, 51, 0));
    cerrar.setText("X");
    cerrar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
    cerrar.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
            cerrarMouseClicked(evt);
        }
        public void mouseEntered(java.awt.event.MouseEvent evt) {
            cerrarMouseEntered(evt);
        }
        public void mouseExited(java.awt.event.MouseEvent evt) {
            cerrarMouseExited(evt);
        }
    });
    fondo.add(cerrar);
    cerrar.setBounds(480, 20, 40, 40);

    imagen2.setText("imagen2");
    imagen2.setRuta("/recursos/logo.png");
    fondo.add(imagen2);
    imagen2.setBounds(120, 220, 270, 260);

    jPanel2.setBackground(new java.awt.Color(204, 204, 255));

    jLabel4.setFont(new java.awt.Font("Segoe UI", 1, 16)); // NOI18N
    jLabel4.setForeground(new java.awt.Color(153, 153, 255));
    jLabel4.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
    jLabel4.setText("CALCULE EL VALOR DE SU PROPINA");

    javax.swing.GroupLayout jPanel2Layout = new
    javax.swing.GroupLayout(jPanel2);
    jPanel2.setLayout(jPanel2Layout);
    jPanel2Layout.setHorizontalGroup(

    jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addComponent(jLabel4, javax.swing.GroupLayout.PREFERRED_SIZE,
316, javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addGap(0, 4, Short.MAX_VALUE))
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    NG)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
            .addGap(0, 0, Short.MAX_VALUE)
            .addComponent(jLabel4, javax.swing.GroupLayout.PREFERRED_SIZE,
50, javax.swing.GroupLayout.PREFERRED_SIZE))
        );

    fondo.add(jPanel2);
    jPanel2.setBounds(100, 110, 320, 50);

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 530,
Short.MAX_VALUE)
        );
    layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 650,
Short.MAX_VALUE)
        );

    getAccessibleContext().setAccessibleName("Form1");
    getAccessibleContext().setAccessibleParent(this);

    pack();
} // </editor-fold>

private void cerrarMouseClicked(java.awt.event.MouseEvent evt) {
    System.exit(0);
}

private void cerrarMouseEntered(java.awt.event.MouseEvent evt) {
    cerrar.setForeground(new Color(255, 51, 51));
}

private void cerrarMouseExited(java.awt.event.MouseEvent evt) {
    cerrar.setForeground(new Color(153, 51, 0));
}

```

```

private void jButton1MousePressed(java.awt.event.MouseEvent evt) {
this.dispose();
interfaz comienzo = new interfaz();
comienzo.setVisible(true);
}

```

```

// Variables declaration - do not modify
private javax.swing.JLabel cerrar;
private javax.swing.JPanel fondo;
private tip_perfect.imagen imagen2;
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel4;
private javax.swing.JPanel jPanel2;
// End of variables declaration
}

```

- **Clase interfaz:**

```

package graficos;

```

```

import java.awt.Color;

```

```

public class interfaz extends javax.swing.JFrame {

```

```

    static int compra;

```

```

    public interfaz() {

```



```
    init();  
}
```

```
// Se fija valores a la pestaña
```

```
public void init(){  
  
    setUndecorated(true);  
  
    initComponents();  
  
    setResizable(false);  
  
    setLocationRelativeTo(null);  
  
    fondo.requestFocus();  
  
    fondo.setOpaque(false);  
  
    setBackground(new Color(0,0,0,0));  
  
    total_compra.setText("");  
}
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```

```
fondo = new tip_perfect.redondeado();

numero1 = new javax.swing.JButton();

numero2 = new javax.swing.JButton();

numero3 = new javax.swing.JButton();

numero4 = new javax.swing.JButton();

numero5 = new javax.swing.JButton();

numero6 = new javax.swing.JButton();

numero7 = new javax.swing.JButton();

numero8 = new javax.swing.JButton();

numero9 = new javax.swing.JButton();

numero0 = new javax.swing.JButton();

jLabel2 = new javax.swing.JLabel();

jPanel1 = new javax.swing.JPanel();

total_compra = new javax.swing.JLabel();

comenzar = new javax.swing.JButton();

imagen1 = new tip_perfect.imagen();

jPanel2 = new javax.swing.JPanel();
```

```
jLabel1 = new javax.swing.JLabel();

cerrar = new javax.swing.JLabel();

imagen2 = new tip_perfect.imagen();


setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

setName("frame"); // NOI18N

setPreferredSize(new java.awt.Dimension(530, 650));

setResizable(false);


fondo.setBackground(new java.awt.Color(165, 235, 255));

fondo.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        fondoMousePressed(evt);

    }

});

fondo.setLayout(null);


numero1.setBackground(new java.awt.Color(102, 204, 255));
```

```
numero1.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero1.setText("1");

numero1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero1.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero1MousePressed(evt);

    }

});

fondo.add(numero1);

numero1.setBounds(150, 220, 70, 70);


numero2.setBackground(new java.awt.Color(102, 204, 255));

numero2.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero2.setText("2");

numero2.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero2.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero2MousePressed(evt);

    }

});
```

```
    }

});

fondo.add(numero2);

numero2.setBounds(230, 220, 70, 70);


numero3.setBackground(new java.awt.Color(102, 204, 255));

numero3.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero3.setText("3");

numero3.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero3.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero3MousePressed(evt);

    }

});

fondo.add(numero3);

numero3.setBounds(310, 220, 70, 70);


numero4.setBackground(new java.awt.Color(102, 204, 255));
```

```
numero4.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero4.setText("4");

numero4.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero4.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero4MousePressed(evt);

    }

});

fondo.add(numero4);

numero4.setBounds(150, 300, 70, 70);


numero5.setBackground(new java.awt.Color(102, 204, 255));

numero5.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero5.setText("5");

numero5.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero5.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero5MousePressed(evt);

    }

});
```

```
    }

});

fondo.add(numero5);

numero5.setBounds(230, 300, 70, 70);


numero6.setBackground(new java.awt.Color(102, 204, 255));

numero6.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero6.setText("6");

numero6.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero6.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero6MousePressed(evt);

    }

});

fondo.add(numero6);

numero6.setBounds(310, 300, 70, 70);


numero7.setBackground(new java.awt.Color(102, 204, 255));
```

```
numero7.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero7.setText("7");

numero7.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero7.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero7MousePressed(evt);

    }

});

fondo.add(numero7);

numero7.setBounds(150, 380, 70, 70);


numero8.setBackground(new java.awt.Color(102, 204, 255));

numero8.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero8.setText("8");

numero8.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero8.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero8MousePressed(evt);

    }

});
```



```

    }

});

fondo.add(numero8);

numero8.setBounds(230, 380, 70, 70);


numero9.setBackground(new java.awt.Color(102, 204, 255));

numero9.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero9.setText("9");

numero9.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero9.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero9MousePressed(evt);

    }

});

fondo.add(numero9);

numero9.setBounds(310, 380, 70, 70);


numero0.setBackground(new java.awt.Color(102, 204, 255));

```

```
numero0.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N

numero0.setText("0");

numero0.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

numero0.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        numero0MousePressed(evt);

    }

});

fondo.add(numero0);

numero0.setBounds(230, 460, 70, 70);


jLabel2.setText("        ");

jLabel2.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

fondo.add(jLabel2);

jLabel2.setBounds(410, 230, 70, 40);


jPanel1.setBackground(new java.awt.Color(204, 204, 204));
```

```
total_compra.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N
```

```
    javax.swing.GroupLayout jPanel1Layout = new  
    javax.swing.GroupLayout(jPanel1);  
  
    jPanel1.setLayout(jPanel1Layout);  
  
    jPanel1Layout.setHorizontalGroup(  
  
    jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel1Layout.createSequentialGroup()  
        .addGap(10, 10, 10)  
        .addComponent(total_compra,  
            javax.swing.GroupLayout.PREFERRED_SIZE, 324,  
            javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addGap(10, 10, 10)  
    )  
    );  
  
    jPanel1Layout.setVerticalGroup(  
    javax.swing.GroupLayout.Alignment.LEADING,  
    new javax.swing.GroupLayout(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE, 100,  
    javax.swing.GroupLayout.PREFERRED_SIZE),  
    jPanel1Layout);  
}
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel1Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(total_compra,  
javax.swing.GroupLayout.PREFERRED_SIZE, 50,  
javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(jPanel1);
```

```
jPanel1.setBounds(100, 140, 330, 50);
```

```
comenzar.setBackground(new java.awt.Color(0, 102, 255));
```

```
comenzar.setForeground(new java.awt.Color(255, 255, 255));
```

```
comenzar.setText("Encuesta de satisfaccion");
```

```
comenzar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
comenzar.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mousePressed(java.awt.event.MouseEvent evt) {
```

```
        comenzarMousePressed(evt);

    }

});

fondo.add(comenzar);

comenzar.setBounds(130, 550, 270, 50);


imagen1.setText("imagen1");

imagen1.setRuta("/recursos/flecha.png");

imagen1.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        imagen1MousePressed(evt);

    }

});

fondo.add(imagen1);

imagen1.setBounds(410, 230, 70, 40);


jPanel2.setBackground(new java.awt.Color(204, 204, 255));
```

```
jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
```

```
jLabel1.setForeground(new java.awt.Color(153, 153, 255));
```

```
jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel1.setText("POR FAVOR DIGITE EL TOTAL DE SU COMPRA");
```

```
javax.swing.GroupLayout jPanel2Layout = new
```

```
javax.swing.GroupLayout(jPanel2);
```

```
jPanel2.setLayout(jPanel2Layout);
```

```
jPanel2Layout.setHorizontalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    NG)
```

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel2Layout.createSequentialGroup()
```

```
            .addGap(0, 0, Short.MAX_VALUE)
```

```
            .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,  
270, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
    );
```

```
jPanel2Layout.setVerticalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel2Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(jPanel2);
```

```
jPanel2.setBounds(140, 70, 270, 40);
```

```
cerrar.setFont(new java.awt.Font("Footlight MT Light", 1, 48)); // NOI18N
```

```
cerrar.setForeground(new java.awt.Color(153, 51, 0));
```

```
cerrar.setText("X");
```

```
cerrar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
cerrar.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        cerrarMouseClicked(evt);

    }

    public void mouseEntered(java.awt.event.MouseEvent evt) {

        cerrarMouseEntered(evt);

    }

    public void mouseExited(java.awt.event.MouseEvent evt) {

        cerrarMouseExited(evt);

    }

});

fondo.add(cerrar);

cerrar.setBounds(480, 20, 40, 40);


imagen2.setText("imagen2");

imagen2.setRuta("/recursos/logo.png");

fondo.add(imagen2);

imagen2.setBounds(20, 30, 90, 90);


javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
```



```
getContentPane().setLayout(layout);

layout.setHorizontalGroup(

    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 530,
Short.MAX_VALUE)

);

layout.setVerticalGroup(

    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 650,
Short.MAX_VALUE)

);

getAccessibleContext().setAccessibleName("Form1");

getAccessibleContext().setAccessibleParent(this);

pack();

} // </editor-fold>

private void numero1MousePressed(java.awt.event.MouseEvent evt) {
```

```
total_compra.setText(total_compra.getText()+"1");
```

```
fondo.requestFocus();
```

```
}
```

```
private void numero2MousePressed(java.awt.event.MouseEvent evt) {
```

```
total_compra.setText(total_compra.getText()+"2");
```

```
fondo.requestFocus();
```

```
}
```

```
private void numero3MousePressed(java.awt.event.MouseEvent evt) {
```

```
total_compra.setText(total_compra.getText()+"3");
```

```
fondo.requestFocus();
```

```
}
```

```
private void numero4MousePressed(java.awt.event.MouseEvent evt) {
```

```
total_compra.setText(total_compra.getText()+"4");
```

```
fondo.requestFocus();
```

```
}
```

```
private void numero5MousePressed(java.awt.event.MouseEvent evt) {  
  
    total_compra.setText(total_compra.getText()+"5");  
  
    fondo.requestFocus();  
  
}
```

```
private void numero6MousePressed(java.awt.event.MouseEvent evt) {  
  
    total_compra.setText(total_compra.getText()+"6");  
  
    fondo.requestFocus();  
  
}
```

```
private void numero7MousePressed(java.awt.event.MouseEvent evt) {  
  
    total_compra.setText(total_compra.getText()+"7");  
  
    fondo.requestFocus();  
  
}
```

```
private void numero8MousePressed(java.awt.event.MouseEvent evt) {  
  
    total_compra.setText(total_compra.getText()+"8");  
  
}
```

```
fondo.requestFocus();
```

```
}
```

```
private void numero9MousePressed(java.awt.event.MouseEvent evt) {
```

```
total_compra.setText(total_compra.getText()+"9");
```

```
fondo.requestFocus();
```

```
}
```

```
private void numero0MousePressed(java.awt.event.MouseEvent evt) {
```

```
total_compra.setText(total_compra.getText()+"0");
```

```
fondo.requestFocus();
```

```
}
```

```
private void imagen1MousePressed(java.awt.event.MouseEvent evt) {
```

```
int caracter_borrado = total_compra.getText().length();
```

```
String nueva_palabra = "";
```

```
for(int i = 0; i<total_compra.getText().length();i++){
```

```
    if(caracter_borrado-1 != i){
```

```
        nueva_palabra = nueva_palabra + total_compra.getText().charAt(i);

    }

}

total_compra.setText(nueva_palabra);

fondo.requestFocus();

}
```

```
private void fondoMousePressed(java.awt.event.MouseEvent evt) {

fondo.requestFocus();

}
```

```
private void comenzarMousePressed(java.awt.event.MouseEvent evt) {

if(total_compra.getText()==""){

    total_compra.setText("0");

}

}
```

```
compra = Integer.parseInt(total_compra.getText());

this.dispose();

encuesta primera = new encuesta();
```

```
primera.setVisible(true);
```

```
}
```

```
private void cerrarMouseClicked(java.awt.event.MouseEvent evt) {
```

```
    System.exit(0);
```

```
}
```

```
private void cerrarMouseEntered(java.awt.event.MouseEvent evt) {
```

```
    cerrar.setForeground(new Color(255, 51, 51));
```

```
}
```

```
private void cerrarMouseExited(java.awt.event.MouseEvent evt) {
```

```
    cerrar.setForeground(new Color(153, 51, 0));
```

```
}
```

```
// Variables declaration - do not modify
```

```
private javax.swing.JLabel cerrar;
```

```
private javax.swing.JButton comenzar;
```

```
private javax.swing.JPanel fondo;

private tip_perfect.imagen imagen1;

private tip_perfect.imagen imagen2;

private javax.swing.JLabel jLabel1;

private javax.swing.JLabel jLabel2;

private javax.swing.JPanel jPanel1;

private javax.swing.JPanel jPanel2;

private javax.swing.JButton numero0;

private javax.swing.JButton numero1;

private javax.swing.JButton numero2;

private javax.swing.JButton numero3;

private javax.swing.JButton numero4;

private javax.swing.JButton numero5;

private javax.swing.JButton numero6;

private javax.swing.JButton numero7;

private javax.swing.JButton numero8;

private javax.swing.JButton numero9;

private javax.swing.JLabel total_compra;
```

```
// End of variables declaration
```

```
}
```

- **Clase encuesta:**

```
package graficos;
```

```
import java.awt.Color;
```

```
import javax.swing.BorderFactory;
```

```
import javax.swing.border.Border;
```

```
public class encuesta extends javax.swing.JFrame {
```

```
    static int propina1;
```

```
    public encuesta() {
```

```
        init();
```

```
    }
```



```
// Se fija valores a la pestaña
```

```
public void init(){
```

```
    setUndecorated(true);
```

```
    initComponents();
```

```
    setResizable(false);
```

```
    setLocationRelativeTo(null);
```

```
    fondo.requestFocus();
```

```
    fondo.setOpaque(false);
```

```
    setBackground(new Color(0,0,0,0));
```

```
}
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```

```
    jLabel2 = new javax.swing.JLabel();
```

```
    jPanel6 = new javax.swing.JPanel();
```

```
fondo = new tip_perfect.redondeado();
```

```
jPanel1 = new javax.swing.JPanel();
```

```
jLabel1 = new javax.swing.JLabel();
```

```
jButton1 = new javax.swing.JButton();
```

```
jPanel9 = new javax.swing.JPanel();
```

```
jLabel8 = new javax.swing.JLabel();
```

```
jPanel10 = new javax.swing.JPanel();
```

```
jLabel9 = new javax.swing.JLabel();
```

```
jPanel11 = new javax.swing.JPanel();
```

```
jLabel10 = new javax.swing.JLabel();
```

```
jPanel12 = new javax.swing.JPanel();
```

```
jLabel11 = new javax.swing.JLabel();
```

```
jPanel13 = new javax.swing.JPanel();
```

```
jLabel13 = new javax.swing.JLabel();
```

```
cerrar = new javax.swing.JLabel();
```

```
panel5r = new javax.swing.JPanel();
```

```
star5r = new javax.swing.JLabel();
```

```
panel4 = new javax.swing.JPanel();
```

```
star4 = new javax.swing.JLabel();
```

```
panel3 = new javax.swing.JPanel();
```

```
star3 = new javax.swing.JLabel();
```

```
panel2 = new javax.swing.JPanel();
```

```
star2 = new javax.swing.JLabel();
```

```
panel1 = new javax.swing.JPanel();
```

```
star1 = new javax.swing.JLabel();
```

```
imagen2 = new tip_perfect.imagen();
```

```
jLabel2.setText("jLabel2");
```

```
jPanel6.setBackground(new java.awt.Color(102, 255, 0));
```

```
javax.swing.GroupLayout jPanel6Layout = new  
javax.swing.GroupLayout(jPanel6);
```

```
jPanel6.setLayout(jPanel6Layout);
```

```
jPanel6Layout.setHorizontalGroup(
```

```
jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addGap(0, 270, Short.MAX_VALUE)
```

```
);
```

```
jPanel6Layout.setVerticalGroup(
```

```
jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addGap(0, 40, Short.MAX_VALUE)
```

```
);
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
setName("frame"); // NOI18N
```

```
setPreferredSize(new java.awt.Dimension(530, 650));
```

```
setResizable(false);
```

```
fondo.setBackground(new java.awt.Color(165, 235, 255));
```

```
fondo.setLayout(null);
```

```
jPanel1.setBackground(new java.awt.Color(204, 204, 255));
```

```
jLabel1.setForeground(new java.awt.Color(153, 153, 255));
```

```
jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel1.setText("Atención recibida por parte del personal del restaurante.");
```

```
javax.swing.GroupLayout jPanel1Layout = new
```

```
javax.swing.GroupLayout(jPanel1);
```

```
jPanel1.setLayout(jPanel1Layout);
```

```
jPanel1Layout.setHorizontalGroup(
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    NG)
```

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel1Layout.createSequentialGroup()
```

```
            .addGap(0, 6, Short.MAX_VALUE)
```

```
            .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,  
309, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,
50, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(jPanel1);

jPanel1.setBounds(170, 70, 310, 50);

jButton1.setBackground(new java.awt.Color(0, 102, 255));

jButton1.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N

jButton1.setForeground(new java.awt.Color(255, 255, 255));

jButton1.setText("Guardar y continuar");

jButton1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
jButton1.addMouseListener(new java.awt.event.MouseAdapter() {  
  
    public void mousePressed(java.awt.event.MouseEvent evt) {  
  
        jButton1MousePressed(evt);  
  
    }  
  
});  
  
fondo.add(jButton1);  
  
jButton1.setBounds(330, 580, 180, 50);  
  
  
jPanel9.setBackground(new java.awt.Color(0, 204, 102));  
  
  
jLabel8.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);  
  
jLabel8.setText(" La atención fue excepcional y superó las expectativas.");  
  
  
  
javax.swing.GroupLayout jPanel9Layout = new  
javax.swing.GroupLayout(jPanel9);  
  
jPanel9.setLayout(jPanel9Layout);  
  
jPanel9Layout.setHorizontalGroup(
```

```
jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel9Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
jPanel9Layout.setVerticalGroup(
```

```
jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel9Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```



```
fondo.add(jPanel9);
```

```
jPanel9.setBounds(130, 180, 370, 40);
```

```
jPanel10.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel9.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel9.setText(" La atención fue excepcional y superó las expectativas.");
```

```
javax.swing.GroupLayout jPanel10Layout = new  
javax.swing.GroupLayout(jPanel10);
```

```
jPanel10.setLayout(jPanel10Layout);
```

```
jPanel10Layout.setHorizontalGroup(
```

```
jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel10Layout.createSequentialGroup()
```

```
        .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
jPanel10Layout.setVerticalGroup(
```

```
jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel10Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE, 40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(jPanel10);
```

```
jPanel10.setBounds(130, 250, 370, 40);
```

```
jPanel11.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel10.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel10.setText(" La atención fue excepcional y superó las expectativas.");
```

```
javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);

jPanel11.setLayout(jPanel11Layout);

jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()

.addGap(0, 0, Short.MAX_VALUE)

.addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE,
370, javax.swing.GroupLayout.PREFERRED_SIZE))

);

jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()
```

```
.addGap(0, 0, Short.MAX_VALUE)

.addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);
```

```
fondo.add(jPanel11);
```

```
jPanel11.setBounds(130, 320, 370, 40);
```

```
jPanel12.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel11.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel11.setText(" La atención fue excepcional y superó las expectativas.");
```

```
javax.swing.GroupLayout jPanel12Layout = new
javax.swing.GroupLayout(jPanel12);
```

```
jPanel12.setLayout(jPanel12Layout);
```

```
jPanel12Layout.setHorizontalGroup(
```

```
jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel12Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel11, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
jPanel12Layout.setVerticalGroup(
```

```
jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel12Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel11, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(jPanel12);
```

```
jPanel12.setBounds(130, 390, 370, 40);
```

```
jPanel13.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel13.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel13.setText(" La atención fue excepcional y superó las expectativas.");
```

```
javax.swing.GroupLayout jPanel13Layout = new  
javax.swing.GroupLayout(jPanel13);
```

```
jPanel13.setLayout(jPanel13Layout);
```

```
jPanel13Layout.setHorizontalGroup(
```

```
jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel13Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
jPanel13Layout.setVerticalGroup(
```

```
jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel13Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE, 40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(jPanel13);
```

```
jPanel13.setBounds(130, 460, 370, 40);
```

```
cerrar.setFont(new java.awt.Font("Footlight MT Light", 1, 48)); // NOI18N
```

```
cerrar.setForeground(new java.awt.Color(153, 51, 0));
```

```
cerrar.setText("X");
```

```
cerrar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
cerrar.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mouseClicked(java.awt.event.MouseEvent evt) {

        cerrarMouseClicked(evt);

    }

    public void mouseEntered(java.awt.event.MouseEvent evt) {

        cerrarMouseEntered(evt);

    }

    public void mouseExited(java.awt.event.MouseEvent evt) {

        cerrarMouseExited(evt);

    }

});

fondo.add(cerrar);

cerrar.setBounds(480, 20, 40, 40);


panel5r.setBackground(new java.awt.Color(0, 102, 255));


star5r.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N

star5r.setForeground(new java.awt.Color(255, 255, 255));
```



```
star5r.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);

star5r.setText("5: Muy satisfecho");

star5r.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

star5r.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mouseClicked(java.awt.event.MouseEvent evt) {

        star5rMouseClicked(evt);

    }

    public void mouseEntered(java.awt.event.MouseEvent evt) {

        star5rMouseEntered(evt);

    }

    public void mouseExited(java.awt.event.MouseEvent evt) {

        star5rMouseExited(evt);

    }

});
```

```
javax.swing.GroupLayout panel5rLayout = new
javax.swing.GroupLayout(panel5r);

panel5r.setLayout(panel5rLayout);

panel5rLayout.setHorizontalGroup(
```

```
panel5rLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
panel5rLayout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(star5r, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
panel5rLayout.setVerticalGroup(
```

```
panel5rLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
panel5rLayout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(star5r, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(panel5r);
```

```
panel5r.setBounds(20, 180, 100, 40);
```

```
panel4.setBackground(new java.awt.Color(0, 102, 255));
```

```
star4.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star4.setForeground(new java.awt.Color(255, 255, 255));
```

```
star4.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star4.setText("4: Satisfecho");
```

```
star4.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star4.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star4MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star4MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star4MouseExited(evt);  
  
    }  
  
});
```

```
    javax.swing.GroupLayout panel4Layout = new  
    javax.swing.GroupLayout(panel4);  
  
    panel4.setLayout(panel4Layout);  
  
    panel4Layout.setHorizontalGroup(  
  
    panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
    panel4Layout.createSequentialGroup()  
        .addGroup(0, 0, Short.MAX_VALUE)  
        .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );  
  
    panel4Layout.setVerticalGroup(
```

```
panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel4Layout.createSequentialGroup()  
  
    .addGap(0, 0, Short.MAX_VALUE)  
  
    .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(panel4);
```

```
panel4.setBounds(20, 250, 100, 40);
```

```
panel3.setBackground(new java.awt.Color(0, 102, 255));
```

```
star3.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star3.setForeground(new java.awt.Color(255, 255, 255));
```

```
star3.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star3.setText("3: Acceptable");
```

```
star3.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star3.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star3MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star3MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star3MouseExited(evt);
```

```
    }
```

```
});
```

```
javax.swing.GroupLayout panel3Layout = new
```

```
javax.swing.GroupLayout(panel3);
```

```
panel3.setLayout(panel3Layout);
```

```
panel3Layout.setHorizontalGroup(
```

```
panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
panel3Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
panel3Layout.setVerticalGroup(
```

```
panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
panel3Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(panel3);
```

```
panel3.setBounds(20, 320, 100, 40);
```

```
panel2.setBackground(new java.awt.Color(0, 102, 255));
```

```
star2.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star2.setForeground(new java.awt.Color(255, 255, 255));
```

```
star2.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star2.setText("2: Insatisfecho");
```

```
star2.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star2.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star2MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star2MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```



```
        star2MouseExited(evt);  
  
    }  
  
});
```

```
    javax.swing.GroupLayout panel2Layout = new  
    javax.swing.GroupLayout(panel2);  
  
    panel2.setLayout(panel2Layout);  
  
    panel2Layout.setHorizontalGroup(  
  
    panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    NG)  
  
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
    panel2Layout.createSequentialGroup()  
  
        .addGap(0, 0, Short.MAX_VALUE)  
  
        .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,  
    100, javax.swing.GroupLayout.PREFERRED_SIZE))  
  
    );  
  
    panel2Layout.setVerticalGroup(  

```

```
panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel2Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(panel2);
```

```
panel2.setBounds(20, 390, 100, 40);
```

```
panel1.setBackground(new java.awt.Color(0, 102, 255));
```

```
star1.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star1.setForeground(new java.awt.Color(255, 255, 255));
```

```
star1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star1.setText("1: Muy insatisfecho");
```

```
star1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star1.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star1MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star1MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star1MouseExited(evt);
```

```
    }
```

```
});
```

```
javax.swing.GroupLayout panel1Layout = new
```

```
javax.swing.GroupLayout(panel1);
```

```
panel1.setLayout(panel1Layout);
```

```
panel1Layout.setHorizontalGroup(
```

```
panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
panel1Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
panel1Layout.setVerticalGroup(
```

```
panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
panel1Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(panel1);
```

```
panel1.setBounds(20, 460, 100, 40);
```

```
imagen2.setText("imagen2");
```

```
imagen2.setRuta("/recursos/logo.png");
```

```
fondo.add(imagen2);
```

```
imagen2.setBounds(30, 40, 110, 110);
```

```
javax.swing.GroupLayout layout = new  
javax.swing.GroupLayout(getContentPane());
```

```
getContentPane().setLayout(layout);
```

```
layout.setHorizontalGroup(
```

```
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE,
```

```
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
);
```

```
layout.setVerticalGroup(
```

```
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE,  
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
  
        );  
  
        getAccessibleContext().setAccessibleName("Form1");  
  
        getAccessibleContext().setAccessibleParent(this);  
  
        pack();  
    }// </editor-fold>
```

```
private void jButton1MousePressed(java.awt.event.MouseEvent evt) {  
  
    this.dispose();  
  
    encuesta2 segunda = new encuesta2();  
  
    segunda.setVisible(true);  
  
}
```

```
private void cerrarMouseClicked(java.awt.event.MouseEvent evt) {  
  
    System.exit(0);  
  
}
```

```
private void cerrarMouseEntered(java.awt.event.MouseEvent evt) {  
  
    cerrar.setForeground(new Color(255, 51, 51));  
  
}
```

```
private void cerrarMouseExited(java.awt.event.MouseEvent evt) {  
  
    cerrar.setForeground(new Color(153, 51, 0));  
  
}
```

```
private void star5rMouseClicked(java.awt.event.MouseEvent evt) {  
  
    propina1 = (int)((interfaz.compra*2.0)/100);  
  
    panel5r.setBackground(new Color(0,255,153));  
  
    panel1.setBackground(new Color(0,102,255));  
  
    panel2.setBackground(new Color(0,102,255));  
  
    panel3.setBackground(new Color(0,102,255));  
  
    panel4.setBackground(new Color(0,102,255));  
  
}
```

```
private void star5rMouseEntered(java.awt.event.MouseEvent evt) {  
  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
  
    star5r.setBorder(borde);  
  
}
```

```
private void star5rMouseExited(java.awt.event.MouseEvent evt) {  
  
    star5r.setBorder(null);  
  
}
```

```
private void star4MouseClicked(java.awt.event.MouseEvent evt) {  
  
    propina1 = (int)((interfaz.compra*1.6)/100);  
  
    panel4.setBackground(new Color(0,255,153));  
  
    panel1.setBackground(new Color(0,102,255));  
  
    panel2.setBackground(new Color(0,102,255));  
  
    panel3.setBackground(new Color(0,102,255));  
  
    panel5r.setBackground(new Color(0,102,255));  
  
}
```



```
private void star4MouseEntered(java.awt.event.MouseEvent evt) {  
  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
  
    star4.setBorder(borde);  
  
}
```

```
private void star4MouseExited(java.awt.event.MouseEvent evt) {  
  
    star4.setBorder(null);  
  
}
```

```
private void star3MouseClicked(java.awt.event.MouseEvent evt) {  
  
    propina1 = (int)((interfaz.compra*1.2)/100);  
  
    panel3.setBackground(new Color(0,255,153));  
  
    panel1.setBackground(new Color(0,102,255));  
  
    panel2.setBackground(new Color(0,102,255));  
  
    panel4.setBackground(new Color(0,102,255));  
  
    panel5r.setBackground(new Color(0,102,255));  
  
}
```

```
private void star3MouseEntered(java.awt.event.MouseEvent evt) {  
  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
  
    star3.setBorder(borde);  
  
}
```

```
private void star3MouseExited(java.awt.event.MouseEvent evt) {  
  
    star3.setBorder(null);  
  
}
```

```
private void star2MouseClicked(java.awt.event.MouseEvent evt) {  
  
    propina1 = (int)((interfaz.compra*0.8)/100);  
  
    panel2.setBackground(new Color(0,255,153));  
  
    panel1.setBackground(new Color(0,102,255));  
  
    panel3.setBackground(new Color(0,102,255));  
  
    panel4.setBackground(new Color(0,102,255));  
  
    panel5r.setBackground(new Color(0,102,255));  
  
}
```

```
private void star2MouseEntered(java.awt.event.MouseEvent evt) {  
  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
  
    star2.setBorder(borde);  
  
}
```

```
private void star2MouseExited(java.awt.event.MouseEvent evt) {  
  
    star2.setBorder(null);  
  
}
```

```
private void star1MouseClicked(java.awt.event.MouseEvent evt) {  
  
    propina1 = (int)((interfaz.compra*0.4)/100);  
  
    panel1.setBackground(new Color(0,255,153));  
  
    panel2.setBackground(new Color(0,102,255));  
  
    panel3.setBackground(new Color(0,102,255));  
  
    panel4.setBackground(new Color(0,102,255));  
  
    panel5r.setBackground(new Color(0,102,255));  
  
}
```

```
private void star1MouseEntered(java.awt.event.MouseEvent evt) {  
  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
  
    star1.setBorder(borde);  
  
}
```

```
private void star1MouseExited(java.awt.event.MouseEvent evt) {  
  
    star1.setBorder(null);  
  
}
```

```
public int getPropina1() {  
  
    return propina1;  
  
}
```

```
// Variables declaration - do not modify
```

```
private javax.swing.JLabel cerrar;
```

```
private javax.swing.JPanel fondo;
```

```
private tip_perfect.imagen imagen2;
```

private javax.swing.JButton jButton1;

private javax.swing.JLabel jLabel1;

private javax.swing.JLabel jLabel10;

private javax.swing.JLabel jLabel11;

private javax.swing.JLabel jLabel13;

private javax.swing.JLabel jLabel2;

private javax.swing.JLabel jLabel8;

private javax.swing.JLabel jLabel9;

private javax.swing.JPanel jPanel1;

private javax.swing.JPanel jPanel10;

private javax.swing.JPanel jPanel11;

private javax.swing.JPanel jPanel12;

private javax.swing.JPanel jPanel13;

private javax.swing.JPanel jPanel6;

private javax.swing.JPanel jPanel9;

private javax.swing.JPanel panel1;

private javax.swing.JPanel panel2;

private javax.swing.JPanel panel3;

```
private javax.swing.JPanel panel4;

private javax.swing.JPanel panel5r;

private javax.swing.JLabel star1;

private javax.swing.JLabel star2;

private javax.swing.JLabel star3;

private javax.swing.JLabel star4;

private javax.swing.JLabel star5r;

// End of variables declaration

}
```

- **Clase encuesta 2:**

```
package graficos;

import java.awt.Color;

import javax.swing.BorderFactory;

import javax.swing.border.Border;

public class encuesta2 extends javax.swing.JFrame {

    static int propina2;
```

```
public encuesta2() {  
    init();  
}
```

```
// Se fija valores a la pestaña
```

```
public void init(){  
    setUndecorated(true);  
    initComponents();  
    setResizable(false);  
    setLocationRelativeTo(null);  
    fondo.requestFocus();  
    fondo.setOpaque(false);  
    setBackground(new Color(0,0,0,0));  
  
}
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {  
  
    jLabel2 = new javax.swing.JLabel();  
    jPanel6 = new javax.swing.JPanel();  
    fondo = new tip_perfect.redondeado();  
    jPanel1 = new javax.swing.JPanel();
```

```
jLabel1 = new javax.swing.JLabel();
jButton1 = new javax.swing.JButton();
jPanel9 = new javax.swing.JPanel();
jLabel8 = new javax.swing.JLabel();
jPanel10 = new javax.swing.JPanel();
jLabel9 = new javax.swing.JLabel();
jPanel11 = new javax.swing.JPanel();
jLabel10 = new javax.swing.JLabel();
jPanel12 = new javax.swing.JPanel();
jLabel11 = new javax.swing.JLabel();
jPanel13 = new javax.swing.JPanel();
jLabel13 = new javax.swing.JLabel();
cerrar = new javax.swing.JLabel();
panel5 = new javax.swing.JPanel();
star5 = new javax.swing.JLabel();
panel4 = new javax.swing.JPanel();
star4 = new javax.swing.JLabel();
panel3 = new javax.swing.JPanel();
star3 = new javax.swing.JLabel();
panel2 = new javax.swing.JPanel();
star2 = new javax.swing.JLabel();
panel1 = new javax.swing.JPanel();
star1 = new javax.swing.JLabel();
imagen2 = new tip_perfect.imagen();
```



```
jLabel2.setText("jLabel2");
```

```
jPanel6.setBackground(new java.awt.Color(102, 255, 0));
```

```
javax.swing.GroupLayout jPanel6Layout = new  
javax.swing.GroupLayout(jPanel6);  
jPanel6.setLayout(jPanel6Layout);  
jPanel6Layout.setHorizontalGroup
```

```
jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGap(0, 270, Short.MAX_VALUE)
```

```
);
```

```
jPanel6Layout.setVerticalGroup
```

```
jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGap(0, 40, Short.MAX_VALUE)
```

```
);
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
setName("frame"); // NOI18N
```

```
setPreferredSize(new java.awt.Dimension(530, 650));
```

```
setResizable(false);
```

```
fondo.setBackground(new java.awt.Color(165, 235, 255));
```

```
fondo.setLayout(null);
```

```
jPanel1.setBackground(new java.awt.Color(204, 204, 255));
```

```
jLabel1.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
```

```
jLabel1.setForeground(new java.awt.Color(153, 153, 255));
```

```
jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel1.setText("Menú ofrecido en calidad y variedad.");
```

```
javax.swing.GroupLayout jPanel1Layout = new
```

```
javax.swing.GroupLayout(jPanel1);
```

```
jPanel1.setLayout(jPanel1Layout);
```

```
jPanel1Layout.setHorizontalGroup(
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel1Layout.createSequentialGroup()
```

```
        .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,
```

```
        309, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addGap(0, 6, Short.MAX_VALUE))
```

```

jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,
50, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(jPanel1);

jPanel1.setBounds(170, 70, 310, 50);

jButton1.setBackground(new java.awt.Color(0, 102, 255));
jButton1.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
jButton1.setForeground(new java.awt.Color(255, 255, 255));
jButton1.setText("Guardar y continuar");
jButton1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
jButton1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mousePressed(java.awt.event.MouseEvent evt) {
        jButton1MousePressed(evt);
    }
});

```

```

fondo.add(jButton1);

jButton1.setBounds(330, 580, 180, 50);


jPanel9.setBackground(new java.awt.Color(0, 204, 102));


jLabel8.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);

jLabel8.setText("El menú ofrecido fue excepcional y superó mis
expectativas.");


javax.swing.GroupLayout jPanel9Layout = new
javax.swing.GroupLayout(jPanel9);

jPanel9.setLayout(jPanel9Layout);

jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel9Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,
370, javax.swing.GroupLayout.PREFERRED_SIZE))

    );

jPanel9Layout.setVerticalGroup(

```

```
jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel9Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(jPanel9);
```

```
jPanel9.setBounds(130, 180, 370, 40);
```

```
jPanel10.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel9.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel9.setText("El menú ofrecido fue bueno y cumplió con mis  
expectativas.");
```

```
javax.swing.GroupLayout jPanel10Layout = new
```

```
javax.swing.GroupLayout(jPanel10);
```

```
jPanel10.setLayout(jPanel10Layout);
```

```
jPanel10Layout.setHorizontalGroup(
```

```
jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
```

ING)

```
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel10Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))  
);  
jPanel10Layout.setVerticalGroup(
```

```
jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
ING)
```

```
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel10Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(jPanel10);
```

```
jPanel10.setBounds(130, 250, 370, 40);
```

```
jPanel11.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel10.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel10.setText("El menú ofrecido estuvo en un nivel aceptable, ni bueno ni malo.");
```

```
javax.swing.GroupLayout jPanel11Layout = new
```

```
javax.swing.GroupLayout(jPanel11);
```

```
jPanel11.setLayout(jPanel11Layout);
```

```
jPanel11Layout.setHorizontalGroup(
```

```
jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel11Layout.createSequentialGroup()
```

```
        .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE, 370, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING, jPanel11Layout.createSequentialGroup()
```

```
            .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE, 370, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel11Layout.createSequentialGroup()
```

```
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING, jPanel11Layout.createSequentialGroup()
```

```
            .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE, 40, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
);
```

```
fondo.add(jPanel11);
```

```
jPanel11.setBounds(130, 320, 370, 40);
```

```
jPanel12.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel11.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel11.setText("El menú ofrecido fue deficiente y no cumplió con mis  
expectativas.");
```

```
javax.swing.GroupLayout jPanel12Layout = new
```

```
javax.swing.GroupLayout(jPanel12);
```

```
jPanel12.setLayout(jPanel12Layout);
```

```
jPanel12Layout.setHorizontalGroup(
```

```
jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel12Layout.createSequentialGroup()
```

```
        .addComponent(jLabel11, javax.swing.GroupLayout.PREFERRED_SIZE,
```

```
        370, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addGroup(jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
            .addGroup(jPanel12Layout.createSequentialGroup()
```

```
                .addComponent(jLabel12, javax.swing.GroupLayout.PREFERRED_SIZE,
```



```
jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel12Layout.createSequentialGroup()
```

```
    .addGap(0, 0, Short.MAX_VALUE)
```

```
    .addComponent(jLabel11, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(jPanel12);
```

```
jPanel12.setBounds(130, 390, 370, 40);
```

```
jPanel13.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel13.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel13.setText(" La atención fue excepcional y superó las expectativas.");
```

```
javax.swing.GroupLayout jPanel13Layout = new
```

```
javax.swing.GroupLayout(jPanel13);
```

```
jPanel13.setLayout(jPanel13Layout);
```

```
jPanel13Layout.setHorizontalGroup(
```

```
jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
```

ING)

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel13Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );  
jPanel13Layout.setVerticalGroup(
```

```
jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
ING)
```

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel13Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );
```

```
fondo.add(jPanel13);
```

```
jPanel13.setBounds(130, 460, 370, 40);
```

```
cerrar.setFont(new java.awt.Font("Footlight MT Light", 1, 48)); // NOI18N
```

```
cerrar.setForeground(new java.awt.Color(153, 51, 0));
```

```
cerrar.setText("X");
```

```

cerrar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

cerrar.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mouseClicked(java.awt.event.MouseEvent evt) {

        cerrarMouseClicked(evt);

    }

    public void mouseEntered(java.awt.event.MouseEvent evt) {

        cerrarMouseEntered(evt);

    }

    public void mouseExited(java.awt.event.MouseEvent evt) {

        cerrarMouseExited(evt);

    }

});

fondo.add(cerrar);

cerrar.setBounds(480, 20, 40, 40);


panel5.setBackground(new java.awt.Color(0, 102, 255));

panel5.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));


star5.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
star5.setForeground(new java.awt.Color(255, 255, 255));
star5.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
star5.setText("5: Muy satisfecho");

star5.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mouseClicked(java.awt.event.MouseEvent evt) {

```

```

        star5MouseClicked(evt);
    }

    public void mouseEntered(java.awt.event.MouseEvent evt) {
        star5MouseEntered(evt);
    }

    public void mouseExited(java.awt.event.MouseEvent evt) {
        star5MouseExited(evt);
    }
});

```

```

    javax.swing.GroupLayout panel5Layout = new
    javax.swing.GroupLayout(panel5);
    panel5.setLayout(panel5Layout);
    panel5Layout.setHorizontalGroup(

    panel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
            panel5Layout.createSequentialGroup()
                .addGap(0, 0, Short.MAX_VALUE)
                .addComponent(star5, javax.swing.GroupLayout.PREFERRED_SIZE,
                    100, javax.swing.GroupLayout.PREFERRED_SIZE))
        );
    panel5Layout.setVerticalGroup(

```

```

panel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
panel5Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(star5, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(panel5);

panel5.setBounds(20, 180, 100, 40);

panel4.setBackground(new java.awt.Color(0, 102, 255));

panel4.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

star4.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
star4.setForeground(new java.awt.Color(255, 255, 255));
star4.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
star4.setText("4: Satisfecho");
star4.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        star4MouseClicked(evt);
    }
}

```

```

    public void mouseEntered(java.awt.event.MouseEvent evt) {
        star4MouseEntered(evt);
    }

    public void mouseExited(java.awt.event.MouseEvent evt) {
        star4MouseExited(evt);
    }
});

```

```

    javax.swing.GroupLayout panel4Layout = new
    javax.swing.GroupLayout(panel4);
    panel4.setLayout(panel4Layout);
    panel4Layout.setHorizontalGroup(

    panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
    panel4Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,
    100, javax.swing.GroupLayout.PREFERRED_SIZE))

    );
    panel4Layout.setVerticalGroup(

    panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

NG)

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel4Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );
```

```
fondo.add(panel4);
```

```
panel4.setBounds(20, 250, 100, 40);
```

```
panel3.setBackground(new java.awt.Color(0, 102, 255));
```

```
panel3.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star3.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star3.setForeground(new java.awt.Color(255, 255, 255));
```

```
star3.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star3.setText("3: Aceptable");
```

```
star3.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star3MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star3MouseEntered(evt);
```

```

    }

    public void mouseExited(java.awt.event.MouseEvent evt) {
        star3MouseExited(evt);
    }
});

```

```

    javax.swing.GroupLayout panel3Layout = new
    javax.swing.GroupLayout(panel3);
    panel3.setLayout(panel3Layout);
    panel3Layout.setHorizontalGroup(

    panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
    panel3Layout.createSequentialGroup()
        .addGap(0, 0, Short.MAX_VALUE)
        .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,
    100, javax.swing.GroupLayout.PREFERRED_SIZE))
    );
    panel3Layout.setVerticalGroup(

    panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

```



```
panel3Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(panel3);
```

```
panel3.setBounds(20, 320, 100, 40);
```

```
panel2.setBackground(new java.awt.Color(0, 102, 255));
```

```
panel2.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star2.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star2.setForeground(new java.awt.Color(255, 255, 255));
```

```
star2.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star2.setText("2: Insatisfecho");
```

```
star2.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star2MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star2MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star2MouseExited(evt);  
    }  
});
```

```
    javax.swing.GroupLayout panel2Layout = new  
    javax.swing.GroupLayout(panel2);  
    panel2.setLayout(panel2Layout);  
    panel2Layout.setHorizontalGroup(  
  
    panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
        panel2Layout.createSequentialGroup()  
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
                .addGap(0, 0, Short.MAX_VALUE)  
                .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))  
            .addContainerGap()  
        );  
    panel2Layout.setVerticalGroup(  
  
    panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
        panel2Layout.createSequentialGroup()  
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
                .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );
```

```
fondo.add(panel2);
```

```
panel2.setBounds(20, 390, 100, 40);
```

```
panel1.setBackground(new java.awt.Color(0, 102, 255));
```

```
panel1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star1.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star1.setForeground(new java.awt.Color(255, 255, 255));
```

```
star1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star1.setText("1: Muy insatisfecho");
```

```
star1.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star1MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star1MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star1MouseExited(evt);
```

```
    }
```

```
});
```

```
    javax.swing.GroupLayout panel1Layout = new  
    javax.swing.GroupLayout(panel1);  
    panel1.setLayout(panel1Layout);  
    panel1Layout.setHorizontalGroup(  
  
    panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
    panel1Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );  
    panel1Layout.setVerticalGroup(  
  
    panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
    panel1Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(panel1);
```

```
panel1.setBounds(20, 460, 100, 40);
```

```
imagen2.setText("imagen2");
```

```
imagen2.setRuta("/recursos/logo.png");
```

```
fondo.add(imagen2);
```

```
imagen2.setBounds(30, 40, 110, 110);
```

```
javax.swing.GroupLayout layout = new
```

```
javax.swing.GroupLayout(getContentPane());
```

```
getContentPane().setLayout(layout);
```

```
layout.setHorizontalGroup(
```

```
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 530,
```

```
Short.MAX_VALUE)
```

```
);
```

```
layout.setVerticalGroup(
```

```
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 650,
```

```
Short.MAX_VALUE)
```

```
);
```

```
getAccessibleContext().setAccessibleName("Form1");

getAccessibleContext().setAccessibleParent(this);


pack();
} // </editor-fold>


private void jButton1MousePressed(java.awt.event.MouseEvent evt) {
    this.dispose();

    encuesta3 tercera = new encuesta3();
    tercera.setVisible(true);
}


private void cerrarMouseClicked(java.awt.event.MouseEvent evt) {
    System.exit(0);
}


private void cerrarMouseEntered(java.awt.event.MouseEvent evt) {
    cerrar.setForeground(new Color(255, 51, 51));
}


private void cerrarMouseExited(java.awt.event.MouseEvent evt) {
    cerrar.setForeground(new Color(153, 51, 0));
}
```

```
private void star5MouseClicked(java.awt.event.MouseEvent evt) {  
    propina2 = (int)((interfaz.compra*2.0)/100);  
    panel5.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
}
```

```
private void star5MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star5.setBorder(borde);  
}
```

```
private void star5MouseExited(java.awt.event.MouseEvent evt) {  
    star5.setBorder(null);  
}
```

```
private void star4MouseClicked(java.awt.event.MouseEvent evt) {  
    propina2 = (int)((interfaz.compra*1.6)/100);  
    panel4.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
}
```

```
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star4MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star4.setBorder(borde);  
}
```

```
private void star4MouseExited(java.awt.event.MouseEvent evt) {  
    star4.setBorder(null);  
}
```

```
private void star3MouseClicked(java.awt.event.MouseEvent evt) {  
    propina2 = (int)((interfaz.compra*1.2)/100);  
    panel3.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star3MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star3.setBorder(borde);  
}
```



```
}
```

```
private void star3MouseExited(java.awt.event.MouseEvent evt) {  
    star3.setBorder(null);  
}
```

```
private void star2MouseClicked(java.awt.event.MouseEvent evt) {  
    propina2 = (int)((interfaz.compra*0.8)/100);  
    panel2.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star2MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star2.setBorder(borde);  
}
```

```
private void star2MouseExited(java.awt.event.MouseEvent evt) {  
    star2.setBorder(null);  
}
```

```
private void star1MouseClicked(java.awt.event.MouseEvent evt) {  
    propina2 = (int)((interfaz.compra*0.4)/100);  
    panel1.setBackground(new Color(0,255,153));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star1MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star1.setBorder(borde);  
}
```

```
private void star1MouseExited(java.awt.event.MouseEvent evt) {  
    star1.setBorder(null);  
}
```

```
public int getPropina2() {  
    return propina2;  
}
```

// Variables declaration - do not modify

```
private javax.swing.JLabel cerrar;
```

```
private javax.swing.JPanel fondo;  
private tip_perfect.imagen imagen2;  
private javax.swing.JButton jButton1;  
private javax.swing.JLabel jLabel1;  
private javax.swing.JLabel jLabel10;  
private javax.swing.JLabel jLabel11;  
private javax.swing.JLabel jLabel13;  
private javax.swing.JLabel jLabel2;  
private javax.swing.JLabel jLabel8;  
private javax.swing.JLabel jLabel9;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel10;  
private javax.swing.JPanel jPanel11;  
private javax.swing.JPanel jPanel12;  
private javax.swing.JPanel jPanel13;  
private javax.swing.JPanel jPanel6;  
private javax.swing.JPanel jPanel9;  
private javax.swing.JPanel panel1;  
private javax.swing.JPanel panel2;  
private javax.swing.JPanel panel3;  
private javax.swing.JPanel panel4;  
private javax.swing.JPanel panel5;  
private javax.swing.JLabel star1;  
private javax.swing.JLabel star2;
```

```
private javax.swing.JLabel star3;  
private javax.swing.JLabel star4;  
private javax.swing.JLabel star5;  
// End of variables declaration  
}
```

- **Clase encuesta 3:**

```
package graficos;
```

```
import java.awt.Color;
```

```
import javax.swing.BorderFactory;
```

```
import javax.swing.border.Border;
```

```
public class encuesta3 extends javax.swing.JFrame {
```

```
    static int propina3;
```

```
    public encuesta3() {
```

```
        init();
```

```
    }
```

```
    // Se fija valores a la pestaña
```

```
    public void init(){
```

```
setUndecorated(true);

 initComponents();

setResizable(false);

 setLocationRelativeTo(null);

 fondo.requestFocus();

 fondo.setOpaque(false);

 setBackground(new Color(0,0,0,0));

}
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```

```
    jLabel2 = new javax.swing.JLabel();
    jPanel6 = new javax.swing.JPanel();
    fondo = new tip_perfect.redondeado();
    jPanel1 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jButton1 = new javax.swing.JButton();
    jPanel9 = new javax.swing.JPanel();
    jLabel8 = new javax.swing.JLabel();
    jPanel10 = new javax.swing.JPanel();
    jLabel9 = new javax.swing.JLabel();
```

```
jPanel11 = new javax.swing.JPanel();  
jLabel10 = new javax.swing.JLabel();  
jPanel12 = new javax.swing.JPanel();  
jLabel11 = new javax.swing.JLabel();  
jPanel13 = new javax.swing.JPanel();  
jLabel13 = new javax.swing.JLabel();  
cerrar = new javax.swing.JLabel();  
panel5 = new javax.swing.JPanel();  
star5 = new javax.swing.JLabel();  
panel4 = new javax.swing.JPanel();  
star4 = new javax.swing.JLabel();  
panel3 = new javax.swing.JPanel();  
star3 = new javax.swing.JLabel();  
panel2 = new javax.swing.JPanel();  
star2 = new javax.swing.JLabel();  
panel1 = new javax.swing.JPanel();  
star1 = new javax.swing.JLabel();  
imagen2 = new tip_perfect.imagen();  
  
jLabel2.setText("jLabel2");  
  
jPanel6.setBackground(new java.awt.Color(102, 255, 0));  
  
javax.swing.GroupLayout jPanel6Layout = new
```

```
javax.swing.GroupLayout(jPanel6);

jPanel6.setLayout(jPanel6Layout);

jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGap(0, 270, Short.MAX_VALUE)

);

jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGap(0, 40, Short.MAX_VALUE)

);

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

setName("frame"); // NOI18N

setPreferredSize(new java.awt.Dimension(530, 650));

setResizable(false);

fondo.setBackground(new java.awt.Color(165, 235, 255));

fondo.setLayout(null);

jPanel1.setBackground(new java.awt.Color(204, 204, 255));
```

```
jLabel1.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
jLabel1.setForeground(new java.awt.Color(153, 153, 255));
jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
jLabel1.setText("Ambiente del lugar percibido en el restaurante.");
```

```
javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,
309, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 6, Short.MAX_VALUE))
    );
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,
309, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 6, Short.MAX_VALUE))
    );
```



```
.addGap(0, 0, Short.MAX_VALUE)

.addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,
50, javax.swing.GroupLayout.PREFERRED_SIZE))

);
```

```
fondo.add(jPanel1);

jPanel1.setBounds(170, 70, 310, 50);
```

```
jButton1.setBackground(new java.awt.Color(0, 102, 255));

jButton1.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N

jButton1.setForeground(new java.awt.Color(255, 255, 255));

jButton1.setText("Guardar y continuar");

jButton1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

jButton1.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mousePressed(java.awt.event.MouseEvent evt) {

        jButton1MousePressed(evt);

    }

});
```

```
fondo.add(jButton1);

jButton1.setBounds(330, 580, 180, 50);
```

```
jPanel9.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel8.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel8.setText("El ambiente del lugar fue excepcional y superó mis  
expectativas.");
```

```
javax.swing.GroupLayout jPanel9Layout = new  
javax.swing.GroupLayout(jPanel9);  
jPanel9.setLayout(jPanel9Layout);  
jPanel9Layout.setHorizontalGroup(  
  
jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel9Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );  
jPanel9Layout.setVerticalGroup(  
  
jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel9Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,
```

```
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(jPanel9);

jPanel9.setBounds(130, 180, 370, 40);

jPanel10.setBackground(new java.awt.Color(0, 204, 102));

jLabel9.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);

jLabel9.setText("El ambiente del lugar fue agradable y cumplió con mis
expectativas.");

javax.swing.GroupLayout jPanel10Layout = new
javax.swing.GroupLayout(jPanel10);

jPanel10.setLayout(jPanel10Layout);

jPanel10Layout.setHorizontalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

jPanel10Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE,
370, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```

);

jPanel10Layout.setVerticalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

jPanel10Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(jPanel10);

jPanel10.setBounds(130, 250, 370, 40);

jPanel11.setBackground(new java.awt.Color(0, 204, 102));

jLabel10.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);

jLabel10.setText("El ambiente del lugar estuvo en un nivel aceptable, ni bueno
ni malo.");

javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);

jPanel11.setLayout(jPanel11Layout);

```

```
jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

jPanel11Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE,
370, javax.swing.GroupLayout.PREFERRED_SIZE))

);

jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

jPanel11Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(jPanel11);

jPanel11.setBounds(130, 320, 370, 40);
```

```
jPanel12.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel11.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel11.setText("El ambiente del lugar fue deficiente y no cumplió mis  
expectativas.");
```

```
javax.swing.GroupLayout jPanel12Layout = new
```

```
javax.swing.GroupLayout(jPanel12);
```

```
jPanel12.setLayout(jPanel12Layout);
```

```
jPanel12Layout.setHorizontalGroup(
```

```
jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel12Layout.createSequentialGroup()
```

```
        .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(jLabel11))
```

```
);
```

```
jPanel12Layout.setVerticalGroup(
```

```
jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel12Layout.createSequentialGroup()
```

```
.addGap(0, 0, Short.MAX_VALUE)

.addComponent(jLabel11, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);
```

```
fondo.add(jPanel12);

jPanel12.setBounds(130, 390, 352, 40);
```

```
jPanel13.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel13.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);

jLabel13.setText("El ambiente del lugar fue extremadamente deficiente.");
```

```
javax.swing.GroupLayout jPanel13Layout = new
javax.swing.GroupLayout(jPanel13);

jPanel13.setLayout(jPanel13Layout);

jPanel13Layout.setHorizontalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

jPanel13Layout.createSequentialGroup()

.addGap(0, 0, Short.MAX_VALUE)

.addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE,
```

```

370, javax.swing.GroupLayout.PREFERRED_SIZE))

);

jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

jPanel13Layout.createSequentialGroup()

.addGap(0, 0, Short.MAX_VALUE)

.addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE,

40, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(jPanel13);

jPanel13.setBounds(130, 460, 370, 40);

cerrar.setFont(new java.awt.Font("Footlight MT Light", 1, 48)); // NOI18N

cerrar.setForeground(new java.awt.Color(153, 51, 0));

cerrar.setText("X");

cerrar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

cerrar.addMouseListener(new java.awt.event.MouseAdapter() {

    public void mouseClicked(java.awt.event.MouseEvent evt) {

        cerrarMouseClicked(evt);

    }

}

```



```
public void mouseEntered(java.awt.event.MouseEvent evt) {  
    cerrarMouseEntered(evt);  
}  
  
public void mouseExited(java.awt.event.MouseEvent evt) {  
    cerrarMouseExited(evt);  
}  
});  
  
fondo.add(cerrar);  
  
cerrar.setBounds(480, 20, 40, 40);  
  
  
panel5.setBackground(new java.awt.Color(0, 102, 255));  
panel5.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));  
  
  
star5.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N  
star5.setForeground(new java.awt.Color(255, 255, 255));  
star5.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);  
star5.setText("5: Muy satisfecho");  
star5.addMouseListener(new java.awt.event.MouseAdapter() {  
    public void mouseClicked(java.awt.event.MouseEvent evt) {  
        star5MouseClicked(evt);  
    }  
  
    public void mouseEntered(java.awt.event.MouseEvent evt) {  
        star5MouseEntered(evt);  
    }  
})
```

```

        public void mouseExited(java.awt.event.MouseEvent evt) {
            star5MouseExited(evt);
        }
    });

```

```

        javax.swing.GroupLayout panel5Layout = new
        javax.swing.GroupLayout(panel5);
        panel5.setLayout(panel5Layout);
        panel5Layout.setHorizontalGroup(

        panel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
        panel5Layout.createSequentialGroup()

            .addGap(0, 0, Short.MAX_VALUE)

            .addComponent(star5, javax.swing.GroupLayout.PREFERRED_SIZE,
        100, javax.swing.GroupLayout.PREFERRED_SIZE))

        );
        panel5Layout.setVerticalGroup(

        panel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
        panel5Layout.createSequentialGroup()

```

```
.addGap(0, 0, Short.MAX_VALUE)

.addComponent(star5, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);
```

```
fondo.add(panel5);
```

```
panel5.setBounds(20, 180, 100, 40);
```

```
panel4.setBackground(new java.awt.Color(0, 102, 255));
```

```
panel4.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star4.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star4.setForeground(new java.awt.Color(255, 255, 255));
```

```
star4.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star4.setText("4: Satisfecho");
```

```
star4.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star4MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star4MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star4MouseExited(evt);
```

```
}  
});
```

```
javax.swing.GroupLayout panel4Layout = new  
javax.swing.GroupLayout(panel4);  
panel4.setLayout(panel4Layout);  
panel4Layout.setHorizontalGroup(  
  
panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel4Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );  
panel4Layout.setVerticalGroup(  
  
panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel4Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,
```

```
40, javax.swing.GroupLayout.PREFERRED_SIZE))

);

fondo.add(panel4);

panel4.setBounds(20, 250, 100, 40);

panel3.setBackground(new java.awt.Color(0, 102, 255));
panel3.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

star3.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
star3.setForeground(new java.awt.Color(255, 255, 255));
star3.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
star3.setText("3: Acceptable");
star3.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        star3MouseClicked(evt);
    }
    public void mouseEntered(java.awt.event.MouseEvent evt) {
        star3MouseEntered(evt);
    }
    public void mouseExited(java.awt.event.MouseEvent evt) {
        star3MouseExited(evt);
    }
});
```

```

    javax.swing.GroupLayout panel3Layout = new
    javax.swing.GroupLayout(panel3);

    panel3.setLayout(panel3Layout);

    panel3Layout.setHorizontalGroup(

    panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
    panel3Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,
    100, javax.swing.GroupLayout.PREFERRED_SIZE))

    );

    panel3Layout.setVerticalGroup(

    panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
    panel3Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,
    40, javax.swing.GroupLayout.PREFERRED_SIZE))

    );

```

```
fondo.add(panel3);

panel3.setBounds(20, 320, 100, 40);


panel2.setBackground(new java.awt.Color(0, 102, 255));
panel2.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));


star2.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
star2.setForeground(new java.awt.Color(255, 255, 255));
star2.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
star2.setText("2: Insatisfecho");
star2.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        star2MouseClicked(evt);
    }
    public void mouseEntered(java.awt.event.MouseEvent evt) {
        star2MouseEntered(evt);
    }
    public void mouseExited(java.awt.event.MouseEvent evt) {
        star2MouseExited(evt);
    }
});

javax.swing.GroupLayout panel2Layout = new
```

```

javax.swing.GroupLayout(panel2);

    panel2.setLayout(panel2Layout);

    panel2Layout.setHorizontalGroup(

panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
panel2Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,
100, javax.swing.GroupLayout.PREFERRED_SIZE))

    );

    panel2Layout.setVerticalGroup(

panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
panel2Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

    );

fondo.add(panel2);

```



```
panel2.setBounds(20, 390, 100, 40);
```

```
panel1.setBackground(new java.awt.Color(0, 102, 255));
```

```
panel1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
star1.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star1.setForeground(new java.awt.Color(255, 255, 255));
```

```
star1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star1.setText("1: Muy insatisfecho");
```

```
star1.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star1MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star1MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star1MouseExited(evt);
```

```
    }
```

```
});
```

```
javax.swing.GroupLayout panel1Layout = new
```

```
javax.swing.GroupLayout(panel1);
```

```
panel1.setLayout(panel1Layout);
```

```

panel1Layout.setHorizontalGroup(

panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
panel1Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,
100, javax.swing.GroupLayout.PREFERRED_SIZE))
);
panel1Layout.setVerticalGroup(

panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
panel1Layout.createSequentialGroup()

    .addGap(0, 0, Short.MAX_VALUE)

    .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))
);

fondo.add(panel1);

panel1.setBounds(20, 460, 100, 40);

```

```
imagen2.setText("imagen2");

imagen2.setRuta("/recursos/logo.png");

fondo.add(imagen2);

imagen2.setBounds(30, 40, 110, 110);


javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());

getContentPane().setLayout(layout);

layout.setHorizontalGroup(

    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 530,
Short.MAX_VALUE)

);

layout.setVerticalGroup(

    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 650,
Short.MAX_VALUE)

);


getAccessibleContext().setAccessibleName("Form1");

getAccessibleContext().setAccessibleParent(this);


pack();

} // </editor-fold>
```

```
private void jButton1MousePressed(java.awt.event.MouseEvent evt) {  
  
    this.dispose();  
  
    encuesta4 cuarta = new encuesta4();  
  
    cuarta.setVisible(true);  
  
}
```

```
private void cerrarMouseClicked(java.awt.event.MouseEvent evt) {  
  
    System.exit(0);  
  
}
```

```
private void cerrarMouseEntered(java.awt.event.MouseEvent evt) {  
  
    cerrar.setForeground(new Color(255, 51, 51));  
  
}
```

```
private void cerrarMouseExited(java.awt.event.MouseEvent evt) {  
  
    cerrar.setForeground(new Color(153, 51, 0));  
  
}
```

```
private void star5MouseClicked(java.awt.event.MouseEvent evt) {  
  
    propina3 = (int)((interfaz.compra*2.0)/100);  
  
    panel5.setBackground(new Color(0,255,153));  
  
    panel1.setBackground(new Color(0,102,255));  
  
    panel2.setBackground(new Color(0,102,255));  
  
}
```

```
panel3.setBackground(new Color(0,102,255));  
panel4.setBackground(new Color(0,102,255));  
}
```

```
private void star5MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star5.setBorder(borde);  
}
```

```
private void star5MouseExited(java.awt.event.MouseEvent evt) {  
    star5.setBorder(null);  
}
```

```
private void star4MouseClicked(java.awt.event.MouseEvent evt) {  
    propina3 = (int)((interfaz.compra*1.6)/100);  
    panel4.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star4MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);
```

```
    star4.setBorder(borde);  
}
```

```
private void star4MouseExited(java.awt.event.MouseEvent evt) {  
    star4.setBorder(null);  
}
```

```
private void star3MouseClicked(java.awt.event.MouseEvent evt) {  
    propina3 = (int)((interfaz.compra*1.2)/100);  
    panel3.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star3MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star3.setBorder(borde);  
}
```

```
private void star3MouseExited(java.awt.event.MouseEvent evt) {  
    star3.setBorder(null);  
}
```

```
private void star2MouseClicked(java.awt.event.MouseEvent evt) {  
    propina3 = (int)((interfaz.compra*0.8)/100);  
    panel2.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star2MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star2.setBorder(borde);  
}
```

```
private void star2MouseExited(java.awt.event.MouseEvent evt) {  
    star2.setBorder(null);  
}
```

```
private void star1MouseClicked(java.awt.event.MouseEvent evt) {  
    propina3 = (int)((interfaz.compra*0.4)/100);  
    panel1.setBackground(new Color(0,255,153));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));
```

```
panel4.setBackground(new Color(0,102,255));  
panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star1MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star1.setBorder(borde);  
}
```

```
private void star1MouseExited(java.awt.event.MouseEvent evt) {  
    star1.setBorder(null);  
}
```

```
public int getPropina3() {  
    return propina3;  
}
```

```
// Variables declaration - do not modify
```

```
private javax.swing.JLabel cerrar;  
private javax.swing.JPanel fondo;  
private tip_perfect.imagen imagen2;  
private javax.swing.JButton jButton1;  
private javax.swing.JLabel jLabel1;  
private javax.swing.JLabel jLabel10;
```



```
private javax.swing.JLabel jLabel11;  
private javax.swing.JLabel jLabel13;  
private javax.swing.JLabel jLabel2;  
private javax.swing.JLabel jLabel8;  
private javax.swing.JLabel jLabel9;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel10;  
private javax.swing.JPanel jPanel11;  
private javax.swing.JPanel jPanel12;  
private javax.swing.JPanel jPanel13;  
private javax.swing.JPanel jPanel6;  
private javax.swing.JPanel jPanel9;  
private javax.swing.JPanel panel1;  
private javax.swing.JPanel panel2;  
private javax.swing.JPanel panel3;  
private javax.swing.JPanel panel4;  
private javax.swing.JPanel panel5;  
private javax.swing.JLabel star1;  
private javax.swing.JLabel star2;  
private javax.swing.JLabel star3;  
private javax.swing.JLabel star4;  
private javax.swing.JLabel star5;  
  
// End of variables declaration  
  
}
```

- **Clase encuesta 4:**

```
package graficos;
```

```
import java.awt.Color;
```

```
import javax.swing.BorderFactory;
```

```
import javax.swing.border.Border;
```

```
public class encuesta4 extends javax.swing.JFrame {
```

```
    static int propina4;
```

```
    public encuesta4() {
```

```
        init();
```

```
    }
```

```
    // Se fija valores a la pestaña
```

```
    public void init(){
```

```
        setUndecorated(true);
```

```
        initComponents();
```

```
        setResizable(false);
```

```
        setLocationRelativeTo(null);
```

```
        fondo.requestFocus();
```

```
        fondo.setOpaque(false);
```

```
        setBackground(new Color(0,0,0,0));
```

```
    }
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {  
  
    jLabel2 = new javax.swing.JLabel();  
    jPanel6 = new javax.swing.JPanel();  
    fondo = new tip_perfect.redondeado();  
    jPanel1 = new javax.swing.JPanel();  
    jLabel1 = new javax.swing.JLabel();  
    jButton1 = new javax.swing.JButton();  
    jPanel9 = new javax.swing.JPanel();  
    jLabel8 = new javax.swing.JLabel();  
    jPanel10 = new javax.swing.JPanel();  
    jLabel9 = new javax.swing.JLabel();  
    jPanel11 = new javax.swing.JPanel();  
    jLabel10 = new javax.swing.JLabel();  
    jPanel12 = new javax.swing.JPanel();  
    jLabel11 = new javax.swing.JLabel();  
    jPanel13 = new javax.swing.JPanel();  
    jLabel13 = new javax.swing.JLabel();  
    cerrar = new javax.swing.JLabel();  
    panel5 = new javax.swing.JPanel();  
    star5 = new javax.swing.JLabel();  
    panel4 = new javax.swing.JPanel();  
    star4 = new javax.swing.JLabel();  
    panel3 = new javax.swing.JPanel();  
    star3 = new javax.swing.JLabel();  
    panel2 = new javax.swing.JPanel();  
    star2 = new javax.swing.JLabel();  
}
```

```
panel1 = new javax.swing.JPanel();
star1 = new javax.swing.JLabel();
imagen2 = new tip_perfect.imagen();
```

```
jLabel2.setText("jLabel2");
```

```
jPanel6.setBackground(new java.awt.Color(102, 255, 0));
```

```
javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
```

```
jPanel6.setLayout(jPanel6Layout);
```

```
jPanel6Layout.setHorizontalGroup(
```

```
jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGap(0, 270, Short.MAX_VALUE)
```

```
);
```

```
jPanel6Layout.setVerticalGroup(
```

```
jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGap(0, 40, Short.MAX_VALUE)
```

```
);
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
setName("frame"); // NOI18N
```

```
setPreferredSize(new java.awt.Dimension(530, 650));
```

```
setResizable(false);
```

```
fondo.setBackground(new java.awt.Color(165, 235, 255));
```

```
fondo.setLayout(null);
```

```
jPanel1.setBackground(new java.awt.Color(204, 204, 255));
```

```
jLabel1.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
```

```
jLabel1.setForeground(new java.awt.Color(153, 153, 255));
```

```
jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel1.setText("Tiempo de espera para ser atendido.");
```

```
javax.swing.GroupLayout jPanel1Layout = new  
javax.swing.GroupLayout(jPanel1);
```

```
jPanel1.setLayout(jPanel1Layout);
```

```
jPanel1Layout.setHorizontalGroup(
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel1Layout.createSequentialGroup()
```

```
        .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,  
309, javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addGap(0, 6, Short.MAX_VALUE))
```

```
);
```

```
jPanel1Layout.setVerticalGroup(
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel1Layout.createSequentialGroup()
```

```
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel1Layout.createSequentialGroup()   
            .addGap(0, 0, Short.MAX_VALUE)  
            .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE,  
50, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
fondo.add(jPanel1);
```

```
jPanel1.setBounds(170, 70, 310, 50);
```

```
jButton1.setBackground(new java.awt.Color(0, 102, 255));
```

```
jButton1.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
```

```
jButton1.setForeground(new java.awt.Color(255, 255, 255));
```

```
jButton1.setText("Guardar y finalizar");
```

```
jButton1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
jButton1.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mousePressed(java.awt.event.MouseEvent evt) {
```

```
        jButton1MousePressed(evt);
```

```
    }
```

```
});
```

```
fondo.add(jButton1);
```

```
jButton1.setBounds(330, 580, 180, 50);
```

```
jPanel9.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel8.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel8.setText("El tiempo de espera fue mínimo y la atención fue  
inmediata.");
```

```
javax.swing.GroupLayout jPanel9Layout = new  
javax.swing.GroupLayout(jPanel9);
```

```
jPanel9.setLayout(jPanel9Layout);
```

```
jPanel9Layout.setHorizontalGroup(
```

```
jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .add(jLabel8);
```

```
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel9Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))  
);  
jPanel9Layout.setVerticalGroup(
```

```
jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel9Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(jLabel8, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(jPanel9);  
jPanel9.setBounds(130, 180, 370, 40);
```

```
jPanel10.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel9.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);  
jLabel9.setText("El tiempo de espera fue razonable y no causó molestias  
significativas.");
```

```
javax.swing.GroupLayout jPanel10Layout = new  
javax.swing.GroupLayout(jPanel10);  
jPanel10.setLayout(jPanel10Layout);  
jPanel10Layout.setHorizontalGroup(
```

```
jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel10Layout.createSequentialGroup())
```

```
        .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE,  
370, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
    );
```

```
jPanel10Layout.setVerticalGroup(
```

```
jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel10Layout.createSequentialGroup())
```

```
        .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
    );
```

```
fondo.add(jPanel10);
```

```
jPanel10.setBounds(130, 250, 370, 40);
```

```
jPanel11.setBackground(new java.awt.Color(0, 204, 102));
```

```
jLabel10.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel10.setText("El tiempo de espera estuvo dentro de lo esperado y no fue  
excesivo.");
```

```
javax.swing.GroupLayout jPanel11Layout = new  
javax.swing.GroupLayout(jPanel11);
```

```
jPanel11.setLayout(jPanel11Layout);
```



```

jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE,
370, javax.swing.GroupLayout.PREFERRED_SIZE))

    );
jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(jLabel10, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

    );

fondo.add(jPanel11);
jPanel11.setBounds(130, 320, 370, 40);

jPanel12.setBackground(new java.awt.Color(0, 204, 102));

jLabel11.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
jLabel11.setText("El tiempo de espera fue considerable y causó molestias.");

javax.swing.GroupLayout jPanel12Layout = new
javax.swing.GroupLayout(jPanel12);

```

```
jPanel12.setLayout(jPanel12Layout);
jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel12Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(jLabel11, javax.swing.GroupLayout.PREFERRED_SIZE,
370, javax.swing.GroupLayout.PREFERRED_SIZE))

    );
jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel12Layout.createSequentialGroup()

        .addGap(0, 0, Short.MAX_VALUE)

        .addComponent(jLabel11, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

    );

fondo.add(jPanel12);
jPanel12.setBounds(130, 390, 370, 40);

jPanel13.setBackground(new java.awt.Color(0, 204, 102));

jLabel13.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
jLabel13.setText("El tiempo de espera fue extremadamente largo y poco
tolerable.");
```

```

    javax.swing.GroupLayout jPanel13Layout = new
    javax.swing.GroupLayout(jPanel13);

    jPanel13.setLayout(jPanel13Layout);
    jPanel13Layout.setHorizontalGroup(

    jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
        jPanel13Layout.createSequentialGroup()

            .addGap(0, 0, Short.MAX_VALUE)

            .addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE,
            370, javax.swing.GroupLayout.PREFERRED_SIZE))

        );

    jPanel13Layout.setVerticalGroup(

    jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
        jPanel13Layout.createSequentialGroup()

            .addGap(0, 0, Short.MAX_VALUE)

            .addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE,
            40, javax.swing.GroupLayout.PREFERRED_SIZE))

        );

    fondo.add(jPanel13);
    jPanel13.setBounds(130, 460, 370, 40);

    cerrar.setFont(new java.awt.Font("Footlight MT Light", 1, 48)); // NOI18N
    cerrar.setForeground(new java.awt.Color(153, 51, 0));
    cerrar.setText("X");
    cerrar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));

```

```
cerrar.addMouseListener(new java.awt.event.MouseAdapter() {  
    public void mouseClicked(java.awt.event.MouseEvent evt) {  
        cerrarMouseClicked(evt);  
    }  
    public void mouseEntered(java.awt.event.MouseEvent evt) {  
        cerrarMouseEntered(evt);  
    }  
    public void mouseExited(java.awt.event.MouseEvent evt) {  
        cerrarMouseExited(evt);  
    }  
});  
fondo.add(cerrar);  
cerrar.setBounds(480, 20, 40, 40);
```

```
panel5.setBackground(new java.awt.Color(0, 102, 255));
```

```
star5.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N  
star5.setForeground(new java.awt.Color(255, 255, 255));  
star5.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);  
star5.setText("5: Muy satisfecho");  
star5.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));  
star5.addMouseListener(new java.awt.event.MouseAdapter() {  
    public void mouseClicked(java.awt.event.MouseEvent evt) {  
        star5MouseClicked(evt);  
    }  
    public void mouseEntered(java.awt.event.MouseEvent evt) {  
        star5MouseEntered(evt);  
    }  
}
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {  
        star5MouseExited(evt);  
    }  
});
```

```
    javax.swing.GroupLayout panel5Layout = new  
    javax.swing.GroupLayout(panel5);  
    panel5.setLayout(panel5Layout);  
    panel5Layout.setHorizontalGroup(  

```

```
    panel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  

```

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
        panel5Layout.createSequentialGroup()  
            .addGap(0, 0, Short.MAX_VALUE)  
            .addComponent(star5, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))  
        );  
    panel5Layout.setVerticalGroup(  

```

```
    panel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  

```

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
        panel5Layout.createSequentialGroup()  
            .addGap(0, 0, Short.MAX_VALUE)  
            .addComponent(star5, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
        );  

```

```
fondo.add(panel5);  
panel5.setBounds(20, 180, 100, 40);
```

```
panel4.setBackground(new java.awt.Color(0, 102, 255));
```

```
star4.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star4.setForeground(new java.awt.Color(255, 255, 255));
```

```
star4.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star4.setText("4: Satisfecho");
```

```
star4.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star4MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star4MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star4MouseExited(evt);
```

```
    }
```

```
});
```

```
javax.swing.GroupLayout panel4Layout = new  
javax.swing.GroupLayout(panel4);
```

```
panel4.setLayout(panel4Layout);
```

```
panel4Layout.setHorizontalGroup(
```

```
panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel4Layout.createSequentialGroup()
```

```
        .addGap(0, 0, Short.MAX_VALUE)
```

```

        .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,
100, javax.swing.GroupLayout.PREFERRED_SIZE))
    );

    panel4Layout.setVerticalGroup(

panel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
panel4Layout.createSequentialGroup()

            .addGap(0, 0, Short.MAX_VALUE)

            .addComponent(star4, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))

        );

    fondo.add(panel4);

    panel4.setBounds(20, 250, 100, 40);

    panel3.setBackground(new java.awt.Color(0, 102, 255));

    star3.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
    star3.setForeground(new java.awt.Color(255, 255, 255));
    star3.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
    star3.setText("3: Acceptable");
    star3.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
            star3MouseClicked(evt);
        }
        public void mouseEntered(java.awt.event.MouseEvent evt) {
            star3MouseEntered(evt);
        }
    }

```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {  
        star3MouseExited(evt);  
    }  
});
```

```
    javax.swing.GroupLayout panel3Layout = new  
    javax.swing.GroupLayout(panel3);  
    panel3.setLayout(panel3Layout);  
    panel3Layout.setHorizontalGroup(  

```

```
    panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    NG)
```

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
        panel3Layout.createSequentialGroup()  
            .addGap(0, 0, Short.MAX_VALUE)  
            .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,  
            100, javax.swing.GroupLayout.PREFERRED_SIZE))  
        );  
    panel3Layout.setVerticalGroup(  

```

```
    panel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    NG)
```

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
        panel3Layout.createSequentialGroup()  
            .addGap(0, 0, Short.MAX_VALUE)  
            .addComponent(star3, javax.swing.GroupLayout.PREFERRED_SIZE,  
            40, javax.swing.GroupLayout.PREFERRED_SIZE))  
        );
```

```
fondo.add(panel3);  
panel3.setBounds(20, 320, 100, 40);
```



```
panel2.setBackground(new java.awt.Color(0, 102, 255));
```

```
star2.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
```

```
star2.setForeground(new java.awt.Color(255, 255, 255));
```

```
star2.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
star2.setText("2: Insatisfecho");
```

```
star2.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        star2MouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        star2MouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        star2MouseExited(evt);
```

```
    }
```

```
});
```

```
javax.swing.GroupLayout panel2Layout = new  
javax.swing.GroupLayout(panel2);
```

```
panel2.setLayout(panel2Layout);
```

```
panel2Layout.setHorizontalGroup(
```

```
panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel2Layout.createSequentialGroup()
```

```
        .addGap(0, 0, Short.MAX_VALUE)
```

```

        .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,
100, javax.swing.GroupLayout.PREFERRED_SIZE))
    );

    panel2Layout.setVerticalGroup(

panel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
panel2Layout.createSequentialGroup()

            .addGap(0, 0, Short.MAX_VALUE)

            .addComponent(star2, javax.swing.GroupLayout.PREFERRED_SIZE,
40, javax.swing.GroupLayout.PREFERRED_SIZE))
        );

fondo.add(panel2);

panel2.setBounds(20, 390, 100, 40);

panel1.setBackground(new java.awt.Color(0, 102, 255));

star1.setFont(new java.awt.Font("Segoe UI", 0, 11)); // NOI18N
star1.setForeground(new java.awt.Color(255, 255, 255));
star1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
star1.setText("1: Muy insatisfecho");
star1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mouseClicked(java.awt.event.MouseEvent evt) {
        star1MouseClicked(evt);
    }
    public void mouseEntered(java.awt.event.MouseEvent evt) {
        star1MouseEntered(evt);
    }
}

```

```
public void mouseExited(java.awt.event.MouseEvent evt) {  
    star1MouseExited(evt);  
}  
});
```

```
javax.swing.GroupLayout panel1Layout = new  
javax.swing.GroupLayout(panel1);  
panel1.setLayout(panel1Layout);  
panel1Layout.setHorizontalGroup(  

```

```
panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel1Layout.createSequentialGroup()  

```

```
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,  
100, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );  
panel1Layout.setVerticalGroup(  

```

```
panel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
panel1Layout.createSequentialGroup()  

```

```
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(star1, javax.swing.GroupLayout.PREFERRED_SIZE,  
40, javax.swing.GroupLayout.PREFERRED_SIZE))  
    );
```

```
fondo.add(panel1);  
panel1.setBounds(20, 460, 100, 40);
```

```

imagen2.setText("imagen2");
imagen2.setRuta("/recursos/logo.png");
fondo.add(imagen2);
imagen2.setBounds(30, 40, 110, 110);

javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
getContentPane().setLayout(layout);
layout.setHorizontalGroup(
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 530,
Short.MAX_VALUE)
);
layout.setVerticalGroup(
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 650,
Short.MAX_VALUE)
);

getAccessibleContext().setAccessibleName("Form1");
getAccessibleContext().setAccessibleParent(this);

pack();
} // </editor-fold>

private void jButton1MousePressed(java.awt.event.MouseEvent evt) {
this.dispose();
sugerencia propina = new sugerencia();

```

```
propina.setVisible(true);  
}
```

```
private void cerrarMouseClicked(java.awt.event.MouseEvent evt) {  
    System.exit(0);  
}
```

```
private void cerrarMouseEntered(java.awt.event.MouseEvent evt) {  
    cerrar.setForeground(new Color(255, 51, 51));  
}
```

```
private void cerrarMouseExited(java.awt.event.MouseEvent evt) {  
    cerrar.setForeground(new Color(153, 51, 0));  
}
```

```
private void star5MouseClicked(java.awt.event.MouseEvent evt) {  
    propina4 = (int)((interfaz.compra*2.0)/100);  
    panel5.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
}
```

```
private void star5MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star5.setBorder(borde);  
}
```

```
private void star5MouseExited(java.awt.event.MouseEvent evt) {  
    star5.setBorder(null);  
}
```

```
private void star4MouseClicked(java.awt.event.MouseEvent evt) {  
    propina4 = (int)((interfaz.compra*1.6)/100);  
    panel4.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star4MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star4.setBorder(borde);  
}
```

```
private void star4MouseExited(java.awt.event.MouseEvent evt) {  
    star4.setBorder(null);  
}
```

```
private void star3MouseClicked(java.awt.event.MouseEvent evt) {  
    propina4 = (int)((interfaz.compra*1.2)/100);  
    panel3.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel2.setBackground(new Color(0,102,255));  
}
```

```
panel4.setBackground(new Color(0,102,255));  
panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star3MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star3.setBorder(borde);  
}
```

```
private void star3MouseExited(java.awt.event.MouseEvent evt) {  
    star3.setBorder(null);  
}
```

```
private void star2MouseClicked(java.awt.event.MouseEvent evt) {  
    propina4 = (int)((interfaz.compra*0.8)/100);  
    panel2.setBackground(new Color(0,255,153));  
    panel1.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star2MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star2.setBorder(borde);  
}
```

```
private void star2MouseExited(java.awt.event.MouseEvent evt) {
```

```
    star2.setBorder(null);  
}
```

```
private void star1MouseClicked(java.awt.event.MouseEvent evt) {  
    propina4 = (int)((interfaz.compra*0.4)/100);  
    panel1.setBackground(new Color(0,255,153));  
    panel2.setBackground(new Color(0,102,255));  
    panel3.setBackground(new Color(0,102,255));  
    panel4.setBackground(new Color(0,102,255));  
    panel5.setBackground(new Color(0,102,255));  
}
```

```
private void star1MouseEntered(java.awt.event.MouseEvent evt) {  
    Border borde = BorderFactory.createLineBorder(new Color(0, 255, 255),2);  
    star1.setBorder(borde);  
}
```

```
private void star1MouseExited(java.awt.event.MouseEvent evt) {  
    star1.setBorder(null);  
}
```

```
// Variables declaration - do not modify
```

```
private javax.swing.JLabel cerrar;  
private javax.swing.JPanel fondo;  
private tip_perfect.imagen imagen2;  
private javax.swing.JButton jButton1;  
private javax.swing.JLabel jLabel1;
```



```
private javax.swing.JLabel jLabel10;  
private javax.swing.JLabel jLabel11;  
private javax.swing.JLabel jLabel13;  
private javax.swing.JLabel jLabel2;  
private javax.swing.JLabel jLabel8;  
private javax.swing.JLabel jLabel9;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel10;  
private javax.swing.JPanel jPanel11;  
private javax.swing.JPanel jPanel12;  
private javax.swing.JPanel jPanel13;  
private javax.swing.JPanel jPanel6;  
private javax.swing.JPanel jPanel9;  
private javax.swing.JPanel panel1;  
private javax.swing.JPanel panel2;  
private javax.swing.JPanel panel3;  
private javax.swing.JPanel panel4;  
private javax.swing.JPanel panel5;  
private javax.swing.JLabel star1;  
private javax.swing.JLabel star2;  
private javax.swing.JLabel star3;  
private javax.swing.JLabel star4;  
private javax.swing.JLabel star5;  
// End of variables declaration  
}
```

- **Clase sugerencia:**

```
package graficos;
```

```
import java.awt.Color;
```

```
public class sugerencia extends javax.swing.JFrame {
```

```
    private int propina_total;
```

```
    private String propina_string;
```

```
    public sugerencia(){
```

```
        setUndecorated(true);
```

```
        initComponents();
```

```
        setResizable(false);
```

```
        setLocationRelativeTo(null);
```

```
        fondo.requestFocus();
```

```
        fondo.setOpaque(false);
```

```
        setBackground(new Color(0,0,0,0));
```

```
        propina_total = encuesta.propina1 + encuesta2.propina2 + encuesta3.propina3
```

```
        + encuesta4.propina4;
```

```
        propina_string = Integer.toString(propina_total);
```

```
        Total.setText(propina_string);
```

```
    }
```

```
@SuppressWarnings("unchecked")

// <editor-fold defaultstate="collapsed" desc="Generated Code">

private void initComponents() {

    jLabel1 = new javax.swing.JLabel();

    fondo = new tip_perfect.redondeado();

    jPanel1 = new javax.swing.JPanel();

    Total = new javax.swing.JLabel();

    jButton1 = new javax.swing.JButton();

    jPanel2 = new javax.swing.JPanel();

    jLabel3 = new javax.swing.JLabel();

    cerrar = new javax.swing.JLabel();

    imagen2 = new tip_perfect.imagen();

    jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
    jLabel1.setForeground(new java.awt.Color(153, 153, 255));
    jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
    jLabel1.setText("Por favor digite el total de su compra");

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    setName("frame"); // NOI18N

    setPreferredSize(new java.awt.Dimension(530, 650));

    setResizable(false);
```

```
fondo.setBackground(new java.awt.Color(165, 235, 255));
```

```
fondo.setLayout(null);
```

```
jPanel1.setBackground(new java.awt.Color(204, 204, 204));
```

```
Total.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N
```

```
javax.swing.GroupLayout jPanel1Layout = new
```

```
javax.swing.GroupLayout(jPanel1);
```

```
jPanel1.setLayout(jPanel1Layout);
```

```
jPanel1Layout.setHorizontalGroup(
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
```

```
jPanel1Layout.createSequentialGroup()
```

```
        .addGroup(0, 17, Short.MAX_VALUE)
```

```
        .addComponent(Total, javax.swing.GroupLayout.PREFERRED_SIZE,
263, javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
);
```

```
jPanel1Layout.setVerticalGroup(
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

NG)

```
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel1Layout.createSequentialGroup()  
        .addGap(0, 0, Short.MAX_VALUE)  
        .addComponent(Total, javax.swing.GroupLayout.PREFERRED_SIZE, 50,  
javax.swing.GroupLayout.PREFERRED_SIZE))  
    );
```

```
fondo.add(jPanel1);
```

```
jPanel1.setBounds(120, 210, 280, 50);
```

```
jButton1.setBackground(new java.awt.Color(0, 102, 255));
```

```
jButton1.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N
```

```
jButton1.setForeground(new java.awt.Color(255, 255, 255));
```

```
jButton1.setText("Reiniciar");
```

```
jButton1.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
jButton1.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mousePressed(java.awt.event.MouseEvent evt) {
```

```
        jButton1MousePressed(evt);
```

```
    }
```

```
});
```

```
fondo.add(jButton1);
```

```
jButton1.setBounds(120, 530, 270, 50);
```

```
jPanel2.setBackground(new java.awt.Color(204, 204, 255));
```

```
jLabel3.setFont(new java.awt.Font("Segoe UI", 1, 16)); // NOI18N
```

```
jLabel3.setForeground(new java.awt.Color(153, 153, 255));
```

```
jLabel3.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
```

```
jLabel3.setText("Le sugerimos esta cantidad de propina:");
```

```
javax.swing.GroupLayout jPanel2Layout = new
```

```
javax.swing.GroupLayout(jPanel2);
```

```
jPanel2.setLayout(jPanel2Layout);
```

```
jPanel2Layout.setHorizontalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel2Layout.createSequentialGroup()  
        .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE,  
315, javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addGap(0, 5, Short.MAX_VALUE))  
    );
```

```
jPanel2Layout.setVerticalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel2Layout.createSequentialGroup()  
        .addGap(10, 10, 10)  
        .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE,  
315, javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addGap(10, 10, 10)  
    );
```

```
    .addGroup(jPanel2Layout.createSequentialGroup()  
        .addGap(10, 10, 10)  
        .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE,  
315, javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addGap(10, 10, 10)  
    );
```

```
jPanel2Layout.createSequentialGroup()  
    .addGap(0, 0, Short.MAX_VALUE)  
    .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE,  
50, javax.swing.GroupLayout.PREFERRED_SIZE))  
);
```

```
fondo.add(jPanel2);
```

```
jPanel2.setBounds(100, 110, 320, 50);
```

```
cerrar.setFont(new java.awt.Font("Footlight MT Light", 1, 48)); // NOI18N
```

```
cerrar.setForeground(new java.awt.Color(153, 51, 0));
```

```
cerrar.setText("X");
```

```
cerrar.setCursor(new java.awt.Cursor(java.awt.Cursor.HAND_CURSOR));
```

```
cerrar.addMouseListener(new java.awt.event.MouseAdapter() {
```

```
    public void mouseClicked(java.awt.event.MouseEvent evt) {
```

```
        cerrarMouseClicked(evt);
```

```
    }
```

```
    public void mouseEntered(java.awt.event.MouseEvent evt) {
```

```
        cerrarMouseEntered(evt);
```

```
    }
```

```
    public void mouseExited(java.awt.event.MouseEvent evt) {
```

```
        cerrarMouseExited(evt);
```

```
    }
```

```
});
```

```
fondo.add(cerrar);
```

```
cerrar.setBounds(480, 20, 40, 40);
```

```
imagen2.setText("imagen2");
```

```
imagen2.setRuta("/recursos/logo.png");
```

```
fondo.add(imagen2);
```

```
imagen2.setBounds(150, 300, 210, 200);
```

```
javax.swing.GroupLayout layout = new
```

```
javax.swing.GroupLayout(getContentPane());
```

```
getContentPane().setLayout(layout);
```

```
layout.setHorizontalGroup(
```

```
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 530,
```

```
Short.MAX_VALUE)
```

```
);
```

```
layout.setVerticalGroup(
```

```
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addComponent(fondo, javax.swing.GroupLayout.DEFAULT_SIZE, 650,
```

```
Short.MAX_VALUE)
```

```
);
```

```
getAccessibleContext().setAccessibleName("Form1");
```

```
getAccessibleContext().setAccessibleParent(this);
```



```
    pack();  
} // </editor-fold>
```

```
private void cerrarMouseClicked(java.awt.event.MouseEvent evt) {  
    System.exit(0);  
}
```

```
private void cerrarMouseEntered(java.awt.event.MouseEvent evt) {  
    cerrar.setForeground(new Color(255, 51, 51));  
}
```

```
private void cerrarMouseExited(java.awt.event.MouseEvent evt) {  
    cerrar.setForeground(new Color(153, 51, 0));  
}
```

```
private void jButton1MousePressed(java.awt.event.MouseEvent evt) {  
    this.dispose();  
    portada reinicio = new portada();  
    reinicio.setVisible(true);  
}
```

```
// Variables declaration - do not modify  
private javax.swing.JLabel Total;
```

```
private javax.swing.JLabel cerrar;  
private javax.swing.JPanel fondo;  
private tip_perfect.imagen imagen2;  
private javax.swing.JButton jButton1;  
private javax.swing.JLabel jLabel1;  
private javax.swing.JLabel jLabel3;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel2;  
  
// End of variables declaration  
  
}
```

Paquete recursos

En esta carpeta se encuentran todos los recursos gráficos; Assets que se usan en la clase ruta.

