

- **Vendor: Microsoft**
- **Exam Code: 70-487**
- **Exam Name: Microsoft Developing Windows Azure and Web Services**
- **Question 61 – The End**

**[Visit PassLeader and Download Full Version 70-487 Exam Dumps](#)**

**QUESTION 61**

The DeleteExternalOrder() method in the ExternalQueueService service is not throwing a FaultException exception as defined by the FaultContractAttribute attribute in the IExternatQueueService.cs file. You need to throw the FaultException exception. Which code segment can you insert at line EQ45 to achieve this goal? (Each correct answer presents a complete solution.

Chose all that apply.)

- ☐ A. `string queryString = @"SELECT q.OrderNum, q.VendorId, q.FilePath, q.OrderValue  
FROM ExternalOrdersEntities.InboundQueues AS q WHERE q.OrderNum = @orderNum";`
- ☐ B. `string queryString = @"SELECT * FROM ExternalOrdersEntities.InboundQueues  
WHERE OrderNum = @orderNum";`
- ☐ C. `string queryString = @"SELECT VALUE q FROM ExternalOrdersEntities.InboundQueues AS q  
WHERE q.OrderNum = @orderNum";`
- ☐ D. `string queryString = @"SELECT VALUE FROM ExternalOrdersEntities.InboundQueues  
WHERE OrderNum = @orderNum";`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: B**

**QUESTION 62**

Drag and Drop Question

You need to modify the ExecuteCommandProcedure() method to meet the technical requirements. Which code segment should you use?

<pre>await connection.OpenAsync(); await command.ExecuteNonQueryAsync(); connection.OpenAsync(); command.OpenAsync(); await command.QueryAsync();</pre>	<p>Answer Area</p> <pre>private async Task ExecuteCommandProcedure(EntityCommand command) {     using (EntityConnection connection         = new EntityConnection("name=ExternalOrdersEntities"))     {         command.Connection = connection;         [ ]         [ ]     } }</pre>
---	--

**Answer:**

<pre>[ ] [ ] [ ] connection.OpenAsync(); command.OpenAsync(); await command.QueryAsync();</pre>	<p>Answer Area</p> <pre>private async Task ExecuteCommandProcedure(EntityCommand command) {     using (EntityConnection connection         = new EntityConnection("name=ExternalOrdersEntities"))     {         command.Connection = connection;         await connection.OpenAsync();         await command.ExecuteNonQuery();     } }</pre>
---	---

### QUESTION 63

The GetVendors() action in the ProcessedOrderController controller is querying the database each time it is run. The GetVendors() action must query the database only if the cache is null. You need to add code to the action at line PC33 to cache the data. Which code segment can you use? (Each correct answer presents a complete solution. Choose all that apply.)

- A. cache.Set(new CacheItem("vendorKey", vendors), GetVendorPolicy());
- B. cache.Add("vendors", vendors, new CacheItemPolicy());
- C. cache.Add(new CacheItem("vendorKey", vendors), GetVendorPolicy());
- D. cache.AddOrUpdate("vendorKey", context, new CacheItemPolicy());

**Answer: AC**

### QUESTION 64

The QueueDetail entity type must inherit from the InboundQueue entity type in the ExternalQueue service project using table-per-type inheritance. You need to modify the entities in the designer. What should you do? (Each correct answer presents part of the solution. Choose all that apply.)

- A. Remove the OrderNum property in InboundQueue.
- B. Remove the OrderNum property in QueueDetail.
- C. Set the QueueDetail BaseType to InboundQueue.
- D. Remove the association between the entities.
- E. Right-click the entities and validate the table mapping.
- F. Set the InboundQueue BaseType to QueueDetail.

**Answer: BCDE**

### QUESTION 65

Drag and Drop Question

The UploadOrder() method in the UploadCallbackService service is not implementing the callback behavior defined in the IUploadCallBackService interface. You need to modify the class to implement the required callback behavior. What should you do? (To answer, drag the appropriate code segments to the correct location or locations in the answer area. Each code segments may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Multiple

Single

GetOrderValue

UploadCallbackService

IUploadCallback

Answer Area

```
[ServiceBehavior(ConcurrencyMode =
ConcurrencyMode. )]

public class UploadCallbackService : IUploadCallbackService
{
    public void UploadOrder(int orderNum)
    {
        callback = OperationContext
            .Current.GetCallbackChannel< >();
        decimal value = callback. orderNum);

        UploadDB.UploadOrder.Upload(orderNum, value);
    }
}
```

Answer: .....

[Visit PassLeader and Download Full Version 70-487 Exam Dumps](#)