

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code :APL-AP-399

Ref Doctor :

Ref Cust :VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : SERUM

SID : **11518044**

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



CLINICAL BIOCHEMISTRY

Test Description	Result	Units	Biological Reference Ranges
Calcium (Method: Spectrophotometry(Cresol Complex))	9.9	mg/dL	8.8 - 10.6
25-Hydroxy Vitamin D Total (D2 & D3) (Method: Chemiluminescence)	10.26	ng/mL	Deficient : <20 Insufficient : 20 to <30 Sufficient : 30-100 Upper Safety Limit : >100

Interpretation:

Vitamin D levels in ng/mL



Vitamin D has several important functions. Perhaps the most vital are regulating the absorption of calcium and phosphorus, and facilitating normal immune system function. Getting a sufficient amount of vitamin D is important for normal growth and development of bones and teeth, as well as improved resistance against certain diseases. If body doesn't get enough vitamin D, risk of developing bone abnormalities such as soft bones (osteomalacia) or fragile bones (osteoporosis). Few foods contain vitamin D naturally. Foods that contain vitamin D include: salmon, sardines, egg yolk, shrimp, milk (fortified), cereal (fortified), yogurt (fortified), orange juice (fortified). It can be hard to get enough vitamin D each day through sun exposure and food alone, so taking vitamin D supplements can help.


Testosterone - Total

519.02

ng/dL

259 - 816

(Method: Chemiluminescence)



Dr M.J. Anil
Biochemist



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : SERUM

SID : **11518044**

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



CLINICAL BIOCHEMISTRY

Test Description	Result	Units	Biological Reference Ranges
Vitamin - B12 (Method: Chemiluminescence)	157	Pg/mL	Deficiency : < 145 Indeterminate : 145 – 180 Normal : 180 - 914

Interpretation :



Deficient levels of vitamin B12 may cause megaloblastic anemia and peripheral neuropathies. Follow-up with a test for antibodies to intrinsic factor is recommended to identify this potential cause of vitamin B12 malabsorption. For specimens without antibodies and the patient is symptomatic, follow-up testing for vitamin B12 tissue deficiency may be indicated. Plasma homocysteine measurement (HCYSP/Homocysteine,Total,Plasma) is a good screening test where a normal level effectively excludes vitamin B12 and folate deficiency in an asymptomatic patient. However, the test is not specific and many situations can cause an increased level.

Dr M.J. Anil
Biochemist



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : SERUM

SID : 11518044

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



CLINICAL BIOCHEMISTRY

Test Description	Result	Units	Biological Reference Ranges
LIPID PROFILE			
 Cholesterol - Total (Method: CHOD/PAP)	116	mg/dL	< 200 : Desirable 200-239 : Borderline risk > 240 : High risk
 Cholesterol - HDL (Method: Direct)	45	mg/dL	< 40 : Low 40 - 60 : Optimal > 60 : Desirable
 Cholesterol - LDL (Method: Homogeneous enzymatic end point assay)	47	mg/dL	< 100 : Normal 100 - 129 : Desirable 130 - 159 : Borderline-High 160 - 189 : High > 190 : Very High
Cholesterol VLDL (Method: Calculation)	24.2	mg/dL	7 - 40
 Triglycerides (Method: Lipase / Glycerol Kinase)	121	mg/dL	< 150 : Normal 150-199 : Borderline-High 200-499 : High > 500 : Very High
Total cholesterol/HDL ratio (Method: Calculation)	2.6	Ratio	0 - 5.0
LDL / HDL Ratio (Method: Calculation)	1.0	Ratio	0 - 3.5

Interpretation:

Lipid profile can measure the amount of Total cholesterol's and triglycerides in blood:

Test	Comment
Total cholesterol :	measures all the cholesterol in all the lipoprotein particles
High-density lipoprotein cholesterol (HDL-C):	measures the cholesterol in HDL particles; often called "good cholesterol" because HDL-C takes up excess cholesterol and carries it to the liver for removal.
Low-density lipoprotein cholesterol (LDL-C):	measures the cholesterol in LDL particles; often called "bad cholesterol" because it deposits excess cholesterol in walls of blood vessels, which can contribute to atherosclerosis
Triglycerides :	measures all the triglycerides in all the lipoprotein particles; most is in the very low-density lipoproteins (VLDL).

Dr M.J. Anil
Biochemist



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : SERUM

SID : 11518044

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



CLINICAL BIOCHEMISTRY

Test Description	Result	Units	Biological Reference Ranges
IRON PROFILE			
 Iron (Method: Ferene)	112.8	µg/dL	59 - 158
Iron Binding Capacity - Total (TIBC) (Method: Ferrozine)	295	µg/dL	240 - 450
Transferrin (Method: Immunoturbidometry)	200.7	µg/dL	176 - 280
Transferrin % (Method: Calculation)	38.2	%	20 - 50

Interpretation:

Iron participates in a variety of vital processes in the body varying from cellular oxidative mechanisms to the transport and delivery of oxygen to body cells.

Serum iron concentration is decreased in many but not all patients with iron deficiency anemia; in acute or chronic inflammatory disorders such as acute infection, immunisation, and myocardial infarction; acute or recent haemorrhage; malignancy; kwashiorkor; late pregnancy; menstruation and nephrosis.

Iron levels may also be increased in acute hepatitis, lead poisoning, acute leukaemia, thalassemia or oral contraception. TIBC is decreased in chronic infections, malignancy, in iron poisoning, renal disease, nephrosis, kwashiorkor and thalassemia. Common causes for an increase in TIBC include iron deficiency anemia, late pregnancy, oral contraception and viral hepatitis.

Dr M.J. Anil
Biochemist



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : SERUM

SID : 11518044

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



CLINICAL BIOCHEMISTRY

Test Description	Result	Units	Biological Reference Ranges
KIDNEY BASIC SCREEN			
 Creatinine(Serum) (Method: Enzymatic)	1.1	mg/dL	0.7 - 1.3
 Urea (Serum) (Method: UV-Kinetic)	25.9	mg/dL	17 - 43
 Blood Urea Nitrogen (BUN) (Method: Calculation)	12.1	mg/dL	6.0 - 20.0
Blood Urea Nitrogen (BUN)/Creatinine (Method: Calculation)	11	ratio	6 - 22
 Sodium(Serum) (Method: ISE Direct)	136	mmol/L	135 - 150
 Potassium(Serum) (Method: ISE Direct)	4.3	mmol/L	3.5 - 5.0
 Chloride(Serum) (Method: ISE Direct)	102	mmol/L	94 - 110
 Uric Acid (Method: Uricase)	5.4	mg/dL	3.5 - 7.2

Dr M.J. Anil
Biochemist



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

This is an electronically authenticated report. Report Printed Date : 10/03/2026 21:02

NOTE : Assay results should be correlated clinically with other clinical findings and the total clinical status of the patient.

Processed at Acclin Pathlabs India Pvt Ltd VIJAYAWADA Branch

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : SERUM

SID : 11518044

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



CLINICAL BIOCHEMISTRY

Test Description	Result	Units	Biological Reference Ranges
LIVER FUNCTION PROFILE			
 Bilirubin Total (Method: Diazotised Sulphanilic Acid)	0.6	mg/dL	0.3 - 1.2
 Bilirubin Direct (Method: Diazotised Sulphanilic Acid)	0.1	mg/dL	< 0.2
Bilirubin Indirect (Method: Calculation)	0.5	mg/dL	0 - 1.0
 Alkaline Phosphatase (ALP) (Method: AMP Buffer)	87	U/L	43 -115
 Alanine Transaminase (ALT/SGPT) (Method: UV with pyridoxal - 5 - phosphate)	21	U/L	< 50
 Aspartate Aminotransferase(AST/SGOT) (Method: UV with Pyridoxal-5-phosphate)	22	U/L	< 50
 Y- Glutamyl Transferase (GGT) (Method: g-Glut-3-carboxy-4 nitro)	15	U/L	< 55
 Protein Total (Method: BIURET)	7.6	g/dL	6.6 - 8.3
 Albumin (Method: Bromocresol Purple)	4.2	g/dL	3.5 - 5.2
 Globulin (Method: Calculated)	3.4	g/dL	2.5 - 3.5
Albumin / Globulin Ratio (Method: Calculation)	1.2	ratio	1.0 - 2.1

Interpretation:

- Liver function test aid in the diagnosis of various pre hepatic,hepatic & post hepatic causes of dysfunction in anemias,viral & alcoholic hepatitis and cholestasis of obstructive causes.
- The test encompasses hepatic excretory,synthetic function and also hepatic parenchymal cell damage.
- LFT helps in evaluating severity,monitoring therapy and assessing prognosis of liver disease and dysfunction.

Dr M.J.Anil
Biochemist



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : SERUM

SID : 11518044

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00

CLINICAL BIOCHEMISTRY


Test Description	Result	Units	Biological Reference Ranges
THYROID PANEL I			
 TriIodothyronine Total (TT3) (Method: Chemiluminescence)	119.34	ng/dL	80 - 253 : 1 Yr-10 Yr, 76 - 199 : 11 Yr-15 Yr, 69 - 201 : 16 Yr-18 Yr, 87 - 178 : > 18 years.
 Thyroxine - Total (TT4) (Method: Chemiluminescence)	7.10	µg/dL	6.09 - 12.23
 Thyroid Stimulating Hormone (TSH) (Method: Ultra-sensitive chemiluminescence)	3.04	µIU/mL	0.52-16.0 : 1 Day - 30 Days 0.55-7.10 : 1 Mon-5 Years 0.37-6.00 : 6 Yrs-18 Years 0.38-5.33 : 18 Yrs-88 Years 0.50-8.90 : > 88 Years

Clinical Features of Thyroid disease

Hypothyroidism	Hyperthyroidism	Grave's disease
- Lethargy - Weight gain - Cold intolerance - Constipation - Hair loss - Dry skin - Depression - Bradycardia - Memory impairment - Menorrhagia	- Tachycardia - Palpitations - Hyperactivity - Weight loss with increased appetite - Heat intolerance - Sweating Diarrhea Fine tremor Hyper reflexia Goitre - Palmar erythema - Onycholysis - Muscle weakness and wasting - Oligomenorrhea / amenorrhoea	- Exophthalmos/proptosis - Chemosis - Diffuse symmetrical goiter - Pretibial myxoedema - Other autoimmune conditions - Thyroid bruit



Dr M.J. Anil
Biochemist



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

This is an electronically authenticated report. Report Printed Date : 10/03/2026 21:02

NOTE : Assay results should be correlated clinically with other clinical findings and the total clinical status of the patient.

Processed at Acclin Pathlabs India Pvt Ltd VIJAYAWADA Branch

Page 7 of 10

Report #

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code :APL-AP-399

Ref Doctor :

Ref Cust :VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : WB EDTA

SID : **11518043**

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00




CLINICAL BIOCHEMISTRY			
Test Description	Result	Units	Biological Reference Ranges
 GLYCOSYLATED HEMOGLOBIN (HbA1c) (Method: ion-exchange high-performance liquid chromatography(HPLC))			
Hemoglobin A1c (HbA1c)	5.1	%	< 6 : Non Diabetic 6-7 : Good Control 7-8 : Poor Control > 8 : Alert
Estimated average glucose (eAG)	99.67	%	HbA1c(%) : eAG(mg/dL) 6 : 125 6.5 : 140 7 : 154 7.5 : 169 8 : 183 8.5 : 197 9 : 212 9.5 : 226 10 : 240
The A1c test is common blood test used to identify prediabetes ,diagnose type 1 and type 2 diabetes and to monitor how diabetes is managing .The A1c test result reflects your average blood glucose levels for the past two to three months . <i>American Diabetes Association</i> recommends HbA1c monitoring frequency should be quarterly, particularly in case with suboptimal HbA1c conditions.	HbA1c(%)	eAG(mg/dl)	Condition
	6.0	125	Non Diabetic : < 6.0
	6.5	140	Good Control : 6.0 - < 7.0
	7.0	154	
	7.5	169	Poor Control : 7.0 - < 8.0
	8.0	183	
	8.5	197	Diabetic > 8.0
	9.0	212	
	9.5	226	
	10.0	240	
			Severity



Dr M.J.Anil
Biochemist





Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : WB EDTA

SID : **11518043**

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



HAEMATOLOGY

Test Description	Result	Units	Biological Reference Ranges
 Erythrocyte Sedimentation Rate (ESR) (Method: Westergren's method)	08	mm/Hour	<10

G MANIRATNAM
Group Leader



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST

MR P V CHANAKYA

Age : 20 Year(s)

Gender : Male

APL Code : APL-AP-399

Ref Doctor :

Ref Cust : VIJAYAWADA CLINICAL

SPECIALITY

Sample Type : WB EDTA

SID : 11518043

Collected on : 2026-03-10 00:00

Regd on : 2026-03-10 18:49

Reported on : 2026-03-10 00:00



HAEMATOLOGY

Test Description	Result	Units	Biological Reference Ranges
COMPLETE BLOOD PICTURE			
 Hemoglobin (Method: Spectrophotometry)	15.3	g/dL	13.0 - 18.0
 Erythrocyte Count (RBC Count) (Method: Impedance)	5.17	mil/ μ L	4.5 - 5.5
 Packed Cell Volume(Hematocrit) (Method: Calculated)	45.6	%	40 - 54
 Platelet Count (Method: Impedance/ Microscopy)	2.91	lakh/Cumm	1.50 - 4.50
Red Cell Indices (Method: Automated 5 part Cell counter/ Calculated)			
MCV	88	fl	83 - 101
MCH	29.7	pg	27 - 32
MCHC	33.7	g/dL	31.5 - 34.5
RDW-CV	13.2	%	11.5 - 14.5
 Total Count and Differential Count (Method: Impedance/Microscopy)			
Total Leucocyte Count(WBC)	7500	cells/Cumm	4000 - 11000
Neutrophils	58	%	40 - 75
Lymphocytes	35	%	20 - 40
Eosinophils	02	%	0 - 6
Monocytes	05	%	2 - 10
Basophils	00	%	0 - 1
Microscopic Blood Picture (Method: Microscopy)			
RBC Morphology	Normocytic Normochromic Cells		
WBC Morphology	Normal in Morphology		
Platelet Morphology	Adequate		
Hemoparasites	Not found		
Impression	Normal Study		
Advise	Correlate Clinically		

G MANIRATNAM
Group Leader



Dr. SAI ABHISHEK VELPURI
MD PATHOLOGIST