Update kit for PT8603 SDI generator with moving text in patterns

Supplement to: PT 5210 Reference: User's Manual no. 9499 491 02211

This document describes how to update the PT8603 with moving text in signals and patterns.

The update of PT 8603's can be divided in two classes:

- 1. one needs an update of 5 programmable parts for adding moving text
- 2. the second which need an extended update. This update also includes update of signal library bringing the PT8603 up to latest version

Specification for the moving text:

3 lines of text, each with a maximum of 32 characters

Text may either be fixed or moving up and down.

Text lines can be switch on/off as one group

Position of text is user programmable

All above parameters programmable from front plate or via RS232 remote control.

Parts to be exchanged:

The table below shows part numbers that has to be installed to have full functionality of the PT8603 and the moving text.


		Position #	Description	Part number	Chksum
order no: 9449 900 22031	Minimum update	V 53	IC PROM SDI TEST Program Sw version 3.9	4008 002 08041	5E9D
		V 54	IC PROG PLD SDI TEST ADDRESS DECODER	4008 002 06552	9F4C
	Order no: 9449 900 22021	V 63	IC PROG PLD SDI TEST H-COUNTER	4008 002 06563	B003
		V 75	IC PROG PLD SDI DATA MULTIPLEXER	4008 002 06592	8980
		V 403 on PT5210 mainboard	IC PROM Master Program Sw version 3.7	4008 002 08031	A35F
	Addtional parts for the extended update	V 64	IC PROG PROM TEXT PROM	4008 002 05792	AC27
Full update:		V 69	IC PROG PROM SDI SEGMENT	4008 002 05804	66F0
		V 79	IC PROG PROM P1 SDI TEST	4008 002 05824	4833
		V 80	IC PROG PROM P3 SDI TEST	4008 002 05834	B331
		V 81	IC PROG PROM P2 SDI TEST	4008 002 05844	09FA

Printed in Denmark: 2004-12-06

Version: 1




Installation of firmware on PT5210 main board



Picture 1: The positioning of the master processor PROM. The lower right corner on the PROM is indicated by a cut in the chip.

Mount the PROM with the above number and identification.

Installation of firmware on PT 8603 generator board



Picture 2 The positioning of the PROMs and PLDs on the PT8603.

Mount the parts according to the list above. Take care to polarize the parts correctly For newer versions of the PT8603 only the 4 first parts in the list above have to be exchanged.

After the installation has been made, make a "Master Reset" of the instrument: Keep left and right key buttons pressed while switching power on.

Menu description

After the PROMs and PLDs have been installed an extended menu structure is available for the PT8603 Please refer to the User's manual for the preceding menus.

Text insertion options:

- 3 text lines can be added, user programmable. Text lines can be switched ON/OFF collectively
- Maximum 32 UPPER-case characters can be inserted per line
- ◆ Characters available: A-Z, 0-9, -, _ and space
- Text can be positioned across the screen in one text line height and in one characters width
- Text lines can be set into a scroll mode, scrolling up and down.

To change the functions of text in the patterns, select TEXT.

To change the text, select EDIT

Operation:

- Use ▲ and ▼ buttons to select the line to edit (line 1 to 3).
- To open for editing of text, place cursor on text field and press EXECUTE
- Use the button to delete characters while backspacing.
- Scroll through the characters with the ▲ and ▼ buttons. The character being edited will flash during the editing process
- When the desired character appears, press button to move to the next character to be inserted. Continue until the full string has be input.
- To exit the editor, press EXECUTE
- Finally move cursor to SAVE and press **EXECUTE**
- If no change is desired, move the cursor to ESC and press ▲
 Leaving the function takes you back to the SDI-SIGNAL/TEXT menu.

To set the text On/ or Off, select EDIT

SUBMNU:SDI-SIGNAL/TEXT/On	4 \$ }		
TEXT: <on></on>	SAVE	ESC	

Operation:

- Use ▲ and ▼ button to select between On and Off

Installation Procedure

- Next move cursor to SAVE and press **EXECUTE**
- If no change is desired, move the cursor to ESC and press ▲
 Leaving the function takes you back to the SDI-SIGNAL/TEXT menu.

Note:

Selecting OFF does not clear the text string setting, but setting all text line off at the same time.

To set the text moving or stationary

SUBMNU:SDI-SIGNAL/TEXT/On	(\$)		
MOVE: <on></on>	SAVE	ESC	

Operation:

- Use ▲ and ▼ button to select between On and Off
- Next move cursor to SAVE and press **EXECUTE**
- If no change is desired, move the cursor to ESC and press ▲
 Leaving the function takes you back to the SDI-SIGNAL/TEXT menu.

To change the position of text, select POS

SUBMNU:SDI-SIGNAL/TEXT/POS	 	
X:<+40> Y: +9	SAVE ESC	

Operation:

- Use the the ⁴ or ▶ button to select horizontal position (X), or vertical position (Y)
- Use ▲ and ▼ buttons to change the position
- When the wanted position has been reached, place cursor on SAVE and press **EXECUTE**
- If no change is desired, move the cursor to ESC and press ▲
 Leaving the function takes you back to the SDI-SIGNAL/TEXT menu.

Remote commands.

The commands available via RS232C have been extended to include the extended functionality.

In the OUTPut Subsystem the following has been added:

(The full string to be sent is listed)

Commands can either be in truncated form as indicated in capital letters or in long form using all letters.

Input of text

:OUTPut:SDIS:TEXT:STRing1 'XYZ'; (for line 1) or :OUTPut:SDIS:TEXT:STRing1?; for query

Activating text ON/OFF and setting MOVEMENT

:OUTPut:SDIS:TEXT:ONOFF ON; to set text on and :OUTPut:SDIS:TEXT:ONOFF OFF; to set text off

:OUTPut:SDIS:TEXT:ONOFF?; to query text on/off

:OUTPut:SDIS:TEXT:MOTion ON; to set text motion on or :OUTPut:SDIS:TEXT:MOTion OFF; to set text motion off :OUTPut:SDIS:TEXT:MOTion?; to query text motion

Setting of text position

:OUTPut:SDIS:TEXT:POSition 3,3; to set text position or :OUTPut:SDIS:TEXT:POS?; to query text position

NOTE:

Command for :OUTPut:SDIS?; (query) does not output any text parameters due to the

extended length of returned data

END OF DOCUMENT