

# PHPDOCX



# Contents

<a href="#">Package create Procedural Elements</a>	2
<a href="#">CreateDocx.inc</a>	2
<a href="#">Package create Classes</a>	3
<a href="#">Class CreateDocx</a>	3
<a href="#">Class Constant NAMESPACEWORD</a>	3
<a href="#">Class Constant SCHEMA_IMAGEDOCUMENT</a>	3
<a href="#">Class Constant SCHEMA_OFFICEDOCUMENT</a>	3
<a href="#">Var \$fileGraphicTemplate</a>	3
<a href="#">Var \$graphicTemplate</a>	4
<a href="#">Var \$intIdWord</a>	4
<a href="#">Var \$log</a>	4
<a href="#">Constructor construct</a>	4
<a href="#">Method addBreak</a>	5
<a href="#">Method addFont</a>	5
<a href="#">Method addFooter</a>	5
<a href="#">Method addGraphic</a>	6
<a href="#">Method addHeader</a>	6
<a href="#">Method addImage</a>	6
<a href="#">Method addLink</a>	7
<a href="#">Method addList</a>	7
<a href="#">Method addMathDocx</a>	8
<a href="#">Method addMathEq</a>	8
<a href="#">Method addParagraph</a>	8
<a href="#">Method addTable</a>	9
<a href="#">Method addTableContents</a>	9
<a href="#">Method addText</a>	9
<a href="#">Method addTitle</a>	10
<a href="#">Method createDocx</a>	10
<a href="#">Method docx2txt</a>	11
<a href="#">Method fAddBreak</a>	11
<a href="#">Method fAddFont</a>	11
<a href="#">Method fAddFooter</a>	12
<a href="#">Method fAddGraphic</a>	12
<a href="#">Method fAddHeader</a>	13
<a href="#">Method fAddImage</a>	13
<a href="#">Method fAddLink</a>	13
<a href="#">Method fAddList</a>	14
<a href="#">Method fAddMathDocx</a>	14
<a href="#">Method fAddMathEq</a>	14
<a href="#">Method fAddParagraph</a>	15
<a href="#">Method fAddTable</a>	15
<a href="#">Method fAddTableContents</a>	16
<a href="#">Method fAddText</a>	16

<a href="#">Method fAddTitle</a>	16
<a href="#">Method fCreateDocx</a>	17
<a href="#">Method fSetDefaultFont</a>	17
<a href="#">Method getXmlContentTypes</a>	17
<a href="#">Method getXmlDocPropsApp</a>	18
<a href="#">Method getXmlDocPropsCore</a>	18
<a href="#">Method getXmlRels Rels</a>	18
<a href="#">Method getXmlWordDocumentContent</a>	18
<a href="#">Method getXmlWordEndnotes</a>	19
<a href="#">Method getXmlWordFontTable</a>	19
<a href="#">Method getXmlWordFooter1</a>	19
<a href="#">Method getXmlWordHeader1</a>	19
<a href="#">Method getXmlWordRelsDocumentRels</a>	19
<a href="#">Method getXmlWordSettings</a>	20
<a href="#">Method getXmlWordStyles</a>	20
<a href="#">Method getXmlWordThemeTheme1</a>	20
<a href="#">Method getXmlWordWebSettings</a>	20
<a href="#">Method setDefaultFont</a>	20
<a href="#">Method setEncodeUTF8</a>	21
<a href="#">Method setLanguage</a>	21
<a href="#">Method setXmlContentTypes</a>	21
<a href="#">Method setXmlDocPropsApp</a>	22
<a href="#">Method setXmlDocPropsCore</a>	22
<a href="#">Method setXmlRelsRels</a>	22
<a href="#">Method setXmlWordDocument</a>	23
<a href="#">Method setXmlWordEndnotes</a>	23
<a href="#">Method setXmlWordFontTable</a>	23
<a href="#">Method setXmlWordFooter1</a>	24
<a href="#">Method setXmlWordHeader1</a>	24
<a href="#">Method setXmlWordRelsDocumentRels</a>	24
<a href="#">Method setXmlWordSettings</a>	25
<a href="#">Method setXmlWordStyles</a>	25
<a href="#">Method setXmlWordThemeTheme1</a>	25
<a href="#">Method setXmlWordWebSettings</a>	26
<a href="#">Method _destruct</a>	26
<a href="#">Method _toString</a>	26

<a href="#">Package elements Procedural Elements</a>	29
<a href="#">CreateChartRels.inc</a>	29
<a href="#">CreateElement.inc</a>	30
<a href="#">CreateExcelSharedStrings.inc</a>	31
<a href="#">CreateExcelSheet.inc</a>	32
<a href="#">CreateExcelTable.inc</a>	33
<a href="#">CreateFontTable.inc</a>	34
<a href="#">CreateFooter.inc</a>	35
<a href="#">CreateFootnote.inc</a>	36
<a href="#">CreateGraphic.inc</a>	37
<a href="#">CreateHeader.inc</a>	38
<a href="#">CreateImage.inc</a>	39
<a href="#">CreateLink.inc</a>	40

<a href="#">CreateList.inc</a>	41
<a href="#">CreatePage.inc</a>	42
<a href="#">CreateSettings.inc</a>	43
<a href="#">CreateStyle.inc</a>	44
<a href="#">CreateStyleTable.inc</a>	45
<a href="#">CreateTable.inc</a>	46
<a href="#">CreateTableContents.inc</a>	47
<a href="#">CreateText.inc</a>	48
<a href="#">CreateTheme1.inc</a>	49
<a href="#">CreateWebSettings.inc</a>	50
<a href="#">CreateXlsx.inc</a>	51
<a href="#">TransformDoc.inc</a>	52
<b><a href="#">Package elements Classes</a></b>	<b>53</b>
<a href="#">Class CreateChartRels</a>	53
<a href="#">Var \$ xml</a>	53
<a href="#">Constructor __construct</a>	53
<a href="#">Method createRelationship</a>	54
<a href="#">Method generateRELATIONSHIP</a>	54
<a href="#">Method generateRELATIONSHIPS</a>	54
<a href="#">Method getInstance</a>	55
<a href="#">Method __destruct</a>	55
<a href="#">Method __toString</a>	55
<a href="#">Class CreateElement</a>	55
<a href="#">Class Constant MATHNAMESPACEWORD</a>	56
<a href="#">Class Constant NAMESPACEWORD</a>	56
<a href="#">Var \$ xml</a>	56
<a href="#">Constructor __construct</a>	56
<a href="#">Method cleanTemplate</a>	56
<a href="#">Method cleanTemplateFirstRPR</a>	56
<a href="#">Method generateANCHOR</a>	57
<a href="#">Method generateAVLST</a>	57
<a href="#">Method generateB</a>	57
<a href="#">Method generateBCS</a>	58
<a href="#">Method generateBLIP</a>	58
<a href="#">Method generateBLIPFILL</a>	58
<a href="#">Method generateCNVGRAPHICFRAMEPR</a>	58
<a href="#">Method generateCNVPICPR</a>	59
<a href="#">Method generateCNVPR</a>	59
<a href="#">Method generateDOCPR</a>	59
<a href="#">Method generateDRAWING</a>	60
<a href="#">Method generateEFFECTEXTENT</a>	60
<a href="#">Method generateEXT</a>	60
<a href="#">Method generateEXTENT</a>	61
<a href="#">Method generateFILLRECT</a>	61
<a href="#">Method generateGRAPHIC</a>	61
<a href="#">Method generateGRAPHICDATA</a>	62
<a href="#">Method generateGRAPHICPRAMELOCKS</a>	62
<a href="#">Method generateINLINE</a>	62
<a href="#">Method generateJC</a>	63

<a href="#">Method generateLINETO</a>	63
<a href="#">Method generateLN</a>	63
<a href="#">Method generateNOPROOF</a>	64
<a href="#">Method generateNPICPR</a>	64
<a href="#">Method generateOFF</a>	64
<a href="#">Method generateP</a>	64
<a href="#">Method generatePIC</a>	65
<a href="#">Method generatePOSITIONH</a>	65
<a href="#">Method generatePOSITIONV</a>	65
<a href="#">Method generatePOSOFFSET</a>	66
<a href="#">Method generatePPR</a>	66
<a href="#">Method generatePRSTDASH</a>	66
<a href="#">Method generatePRSTGEOM</a>	67
<a href="#">Method generatePSTYLE</a>	67
<a href="#">Method generateQUITAR</a>	67
<a href="#">Method generateR</a>	68
<a href="#">Method generateRFonts</a>	68
<a href="#">Method generateRPR</a>	68
<a href="#">Method generateRSTYLE</a>	68
<a href="#">Method generateSCHEMECLR</a>	69
<a href="#">Method generateSIMPLEPOS</a>	69
<a href="#">Method generateSOLIDFILL</a>	69
<a href="#">Method generateSPPR</a>	70
<a href="#">Method generateSTART</a>	70
<a href="#">Method generateSTRETCH</a>	70
<a href="#">Method generateT</a>	70
<a href="#">Method generateWRAPNONE</a>	71
<a href="#">Method generateWRAPPOLYGON</a>	71
<a href="#">Method generateWRAPSQUARE</a>	71
<a href="#">Method generateWRAPTHROUGH</a>	72
<a href="#">Method generateWRAPTOPANDBOTTOM</a>	72
<a href="#">Method generateXFRM</a>	72
<a href="#">Method destruct</a>	72
<a href="#">Method toString</a>	73
<a href="#">Class CreateExcelSharedStrings</a>	73
<a href="#">Constructor construct</a>	73
<a href="#">Method createExcelSharedStrings</a>	73
<a href="#">Method generateSI</a>	74
<a href="#">Method generateSST</a>	74
<a href="#">Method generateT</a>	74
<a href="#">Method getInstance</a>	75
<a href="#">Method destruct</a>	75
<a href="#">Method toString</a>	75
<a href="#">Class CreateExcelSheet</a>	75
<a href="#">Constructor construct</a>	76
<a href="#">Method createExcelSheet</a>	76
<a href="#">Method generateC</a>	76
<a href="#">Method generateCOL</a>	77
<a href="#">Method generateCOLS</a>	77

<a href="#">Method generateDIMENSION</a>	77
<a href="#">Method generatePAGEMARGINS</a>	78
<a href="#">Method generatePAGESETUP</a>	78
<a href="#">Method generateROW</a>	78
<a href="#">Method generateSELECTION</a>	79
<a href="#">Method generateSHEETDATA</a>	79
<a href="#">Method generateSHEETFORMATPR</a>	79
<a href="#">Method generateSHEETVIEW</a>	80
<a href="#">Method generateSHEETVIEWS</a>	80
<a href="#">Method generateTABLEPART</a>	80
<a href="#">Method generateTABLEPARTS</a>	81
<a href="#">Method generateV</a>	81
<a href="#">Method generateWORKSHEET</a>	81
<a href="#">Method getInstance</a>	82
<a href="#">Method destruct</a>	82
<a href="#">Method toString</a>	82
<a href="#">Class CreateExcelTable</a>	82
<a href="#">Constructor construct</a>	83
<a href="#">Method createExcelTable</a>	83
<a href="#">Method generateTABLE</a>	83
<a href="#">Method generateTABLECOLUMN</a>	83
<a href="#">Method generateTABLECOLUMNS</a>	84
<a href="#">Method generateTABLESTYLEINFO</a>	84
<a href="#">Method getInstance</a>	85
<a href="#">Method destruct</a>	85
<a href="#">Method toString</a>	85
<a href="#">Class CreateFontTable</a>	85
<a href="#">Var \$ xml</a>	86
<a href="#">Constructor construct</a>	86
<a href="#">Method createFont</a>	86
<a href="#">Method generateCHARSET</a>	86
<a href="#">Method generateFAMILY</a>	87
<a href="#">Method generateFONT</a>	87
<a href="#">Method generatePANOSE1</a>	87
<a href="#">Method generatePITCH</a>	88
<a href="#">Method generateSIG</a>	88
<a href="#">Method getInstance</a>	89
<a href="#">Method destruct</a>	89
<a href="#">Method toString</a>	89
<a href="#">Class CreateFooter</a>	89
<a href="#">Constructor construct</a>	90
<a href="#">Method createFooter</a>	90
<a href="#">Method generateFLDSIMPLE</a>	90
<a href="#">Method generateFTR</a>	90
<a href="#">Method generateP</a>	91
<a href="#">Method generatePTAB</a>	91
<a href="#">Method generateR</a>	91
<a href="#">Method getInstance</a>	91
<a href="#">Method destruct</a>	92

Method <a href="#">toString</a>	92
Class <a href="#">CreateFootnote</a>	92
Var <a href="#">\$init</a>	92
Constructor <a href="#">construct</a>	93
Method <a href="#">createDocumentFootnote</a>	93
Method <a href="#">createFootnote</a>	93
Method <a href="#">createInitFootnote</a>	93
Method <a href="#">generateFOOTNOTE</a>	94
Method <a href="#">generateFOOTNOTEREF</a>	94
Method <a href="#">generateFOOTNOTEREFERENCE</a>	94
Method <a href="#">generateP</a>	95
Method <a href="#">generatePPR</a>	95
Method <a href="#">generateR</a>	95
Method <a href="#">generateSEPARATOR</a>	96
Method <a href="#">generateSPACING</a>	96
Method <a href="#">getInstance</a>	96
Method <a href="#">destruct</a>	96
Method <a href="#">toString</a>	97
Class <a href="#">CreateGraphic</a>	97
Class Constant <a href="#">NAMESPACEWORD</a>	97
Var <a href="#">\$ xmlChart</a>	97
Constructor <a href="#">construct</a>	97
Method <a href="#">createCHARTXML</a>	98
Method <a href="#">createDOCUEMNTXML</a>	98
Method <a href="#">createGraphic</a>	98
Method <a href="#">generateAUTO</a>	99
Method <a href="#">generateAUTOTITLEDELETED</a>	99
Method <a href="#">generateAXAXID</a>	99
Method <a href="#">generateAXID</a>	100
Method <a href="#">generateAXPOS</a>	100
Method <a href="#">generateBARCHART</a>	100
Method <a href="#">generateBARDIR</a>	101
Method <a href="#">generateBODYPR</a>	101
Method <a href="#">generateCAT</a>	101
Method <a href="#">generateCATAX</a>	101
Method <a href="#">generateCHART</a>	102
Method <a href="#">generateCHARTSPACE</a>	102
Method <a href="#">generateCROSSAX</a>	102
Method <a href="#">generateCROSSBETWEEN</a>	102
Method <a href="#">generateCROSSES</a>	103
Method <a href="#">generateDATE1904</a>	103
Method <a href="#">generateDEFRPR</a>	103
Method <a href="#">generateDLBLS</a>	104
Method <a href="#">generateDOCUMENTCHART</a>	104
Method <a href="#">generateEXTERNALDATA</a>	104
Method <a href="#">generateF</a>	104
Method <a href="#">generateFIRSTSLICEANG</a>	105
Method <a href="#">generateFORMATCODE</a>	105
Method <a href="#">generateGROUPING</a>	105

<a href="#">Method generateIDX</a>	106
<a href="#">Method generateLANG</a>	106
<a href="#">Method generateLAYOUT</a>	106
<a href="#">Method generateLBLALGN</a>	107
<a href="#">Method generateLBLOFFSET</a>	107
<a href="#">Method generateLEGEND</a>	107
<a href="#">Method generateLEGENDFONT</a>	108
<a href="#">Method generateLEGENDPOS</a>	108
<a href="#">Method generateLINECHART</a>	108
<a href="#">Method generateLN</a>	109
<a href="#">Method generateLSTSTYLE</a>	109
<a href="#">Method generateMAJORGRIDLINES</a>	109
<a href="#">Method generateNOFILL</a>	109
<a href="#">Method generateNUMCACHE</a>	109
<a href="#">Method generateNUMFMT</a>	110
<a href="#">Method generateNUMREF</a>	110
<a href="#">Method generateORDER</a>	110
<a href="#">Method generateORIENTATION</a>	110
<a href="#">Method generateOVERLAP</a>	111
<a href="#">Method generatePIECHART</a>	111
<a href="#">Method generatePLOTAREA</a>	111
<a href="#">Method generatePLOTVISONLY</a>	112
<a href="#">Method generatePT</a>	112
<a href="#">Method generatePTCOUNT</a>	112
<a href="#">Method generateRICH</a>	113
<a href="#">Method generateSCALING</a>	113
<a href="#">Method generateSER</a>	113
<a href="#">Method generateSHAPE</a>	113
<a href="#">Method generateSHOWPERCENT</a>	114
<a href="#">Method generateSPPR</a>	114
<a href="#">Method generateSTRCACHE</a>	114
<a href="#">Method generateSTRREF</a>	114
<a href="#">Method generateSTYLE</a>	115
<a href="#">Method generateTICKLBLPOS</a>	115
<a href="#">Method generateTITLE</a>	115
<a href="#">Method generateTITLELAYOUT</a>	116
<a href="#">Method generateTITLEP</a>	116
<a href="#">Method generateTITLEPPR</a>	116
<a href="#">Method generateTITLER</a>	116
<a href="#">Method generateTITLERFONTS</a>	116
<a href="#">Method generateTITLERPR</a>	117
<a href="#">Method generateTITLET</a>	117
<a href="#">Method generateTITLETX</a>	118
<a href="#">Method generateTX</a>	118
<a href="#">Method generateV</a>	118
<a href="#">Method generateVAL</a>	118
<a href="#">Method generateVALAX</a>	119
<a href="#">Method generateVARYCOLORS</a>	119
<a href="#">Method getInstance</a>	119



<a href="#">Method getName</a>	119
<a href="#">Method getRId</a>	119
<a href="#">Method getXmlChart</a>	120
<a href="#">Method setName</a>	120
<a href="#">Method setRId</a>	120
<a href="#">Method setXmlChart</a>	121
<a href="#">Method destruct</a>	121
<a href="#">Method toString</a>	121
<a href="#">Class CreateHeader</a>	121
<a href="#">Constructor construct</a>	122
<a href="#">Method createHeader</a>	122
<a href="#">Method generateHDR</a>	122
<a href="#">Method generateP</a>	123
<a href="#">Method getInstance</a>	123
<a href="#">Method destruct</a>	123
<a href="#">Method toString</a>	123
<a href="#">Class CreateImage</a>	123
<a href="#">Class Constant CONSTWORD</a>	124
<a href="#">Class Constant NAMESPACEWORD</a>	124
<a href="#">Class Constant NAMESPACEWORD1</a>	124
<a href="#">Class Constant NAMESPACEWORD2</a>	124
<a href="#">Class Constant TAMBORDER</a>	124
<a href="#">Constructor construct</a>	124
<a href="#">Method createImage</a>	124
<a href="#">Method getInstance</a>	125
<a href="#">Method getName</a>	125
<a href="#">Method getRId</a>	125
<a href="#">Method setName</a>	125
<a href="#">Method setRId</a>	126
<a href="#">Method destruct</a>	126
<a href="#">Method toString</a>	126
<a href="#">Class CreateLink</a>	126
<a href="#">Constructor construct</a>	127
<a href="#">Method createLink</a>	127
<a href="#">Method generateFLDCHAR</a>	127
<a href="#">Method generateHYPERLINK</a>	128
<a href="#">Method generateINSTRTEXT</a>	128
<a href="#">Method generatePROOFERR</a>	128
<a href="#">Method generateR</a>	129
<a href="#">Method generateRSTYLE</a>	129
<a href="#">Method getFont</a>	129
<a href="#">Method getInstance</a>	129
<a href="#">Method getLink</a>	130
<a href="#">Method getTitle</a>	130
<a href="#">Method destruct</a>	130
<a href="#">Method toString</a>	130
<a href="#">Class CreateList</a>	131
<a href="#">Var \$data</a>	131
<a href="#">Var \$font</a>	131

<a href="#">Var \$list</a>	131
<a href="#">Var \$val</a>	132
<a href="#">Constructor <a href="#">construct</a></a>	132
<a href="#">Method <a href="#">addList</a></a>	132
<a href="#">Method <a href="#">createList</a></a>	132
<a href="#">Method <a href="#">generateILFO</a></a>	133
<a href="#">Method <a href="#">generateILVL</a></a>	133
<a href="#">Method <a href="#">generateLISTPR</a></a>	133
<a href="#">Method <a href="#">generateNUMID</a></a>	134
<a href="#">Method <a href="#">generateNUMPR</a></a>	134
<a href="#">Method <a href="#">generatePSTYLE</a></a>	134
<a href="#">Method <a href="#">getInstance</a></a>	135
<a href="#">Method <a href="#">runArray</a></a>	135
<a href="#">Method <a href="#">destruct</a></a>	135
<a href="#">Method <a href="#">toString</a></a>	135
<a href="#">Class <a href="#">CreatePage</a></a>	136
<a href="#">Var \$ <a href="#">xml</a></a>	136
<a href="#">Constructor <a href="#">construct</a></a>	136
<a href="#">Method <a href="#">createPage</a></a>	136
<a href="#">Method <a href="#">createSECTPR</a></a>	137
<a href="#">Method <a href="#">generateBR</a></a>	137
<a href="#">Method <a href="#">generateCOL</a></a>	137
<a href="#">Method <a href="#">generateCOLS</a></a>	138
<a href="#">Method <a href="#">generateDOCGRID</a></a>	138
<a href="#">Method <a href="#">generatePageBreak</a></a>	138
<a href="#">Method <a href="#">generatePGMAR</a></a>	139
<a href="#">Method <a href="#">generatePGSZ</a></a>	139
<a href="#">Method <a href="#">generateSECTIONSECTPR</a></a>	139
<a href="#">Method <a href="#">generateSECTPR</a></a>	140
<a href="#">Method <a href="#">generateTITLEPG</a></a>	140
<a href="#">Method <a href="#">getInstance</a></a>	140
<a href="#">Method <a href="#">destruct</a></a>	141
<a href="#">Method <a href="#">toString</a></a>	141
<a href="#">Class <a href="#">CreateSettings</a></a>	141
<a href="#">Var \$ <a href="#">xml</a></a>	141
<a href="#">Constructor <a href="#">construct</a></a>	142
<a href="#">Method <a href="#">generateSettings</a></a>	142
<a href="#">Method <a href="#">getInstance</a></a>	142
<a href="#">Method <a href="#">destruct</a></a>	142
<a href="#">Method <a href="#">toString</a></a>	142
<a href="#">Class <a href="#">CreateStyle</a></a>	143
<a href="#">Var \$ <a href="#">xml</a></a>	143
<a href="#">Constructor <a href="#">construct</a></a>	143
<a href="#">Method <a href="#">addStyle</a></a>	143
<a href="#">Method <a href="#">addStyleTabla</a></a>	144
<a href="#">Method <a href="#">createStyle</a></a>	144
<a href="#">Method <a href="#">generateAUTOREDEFINE</a></a>	145
<a href="#">Method <a href="#">generateB</a></a>	145
<a href="#">Method <a href="#">generateBASEDON</a></a>	145

<a href="#">Method generateBCS</a>	145
<a href="#">Method generateBOTTOM</a>	145
<a href="#">Method generateCOLOR</a>	146
<a href="#">Method generateCONTEXTUALSPACING</a>	146
<a href="#">Method generateI</a>	146
<a href="#">Method generateICS</a>	147
<a href="#">Method generateILVL</a>	147
<a href="#">Method generateIND</a>	147
<a href="#">Method generateKEEPLINES</a>	148
<a href="#">Method generateKEEPNEXT</a>	148
<a href="#">Method generateKERN</a>	148
<a href="#">Method generateLEFT</a>	149
<a href="#">Method generateLINK</a>	149
<a href="#">Method generateNAME</a>	149
<a href="#">Method generateNEXT</a>	150
<a href="#">Method generateNUMPR</a>	150
<a href="#">Method generateOUTLINELVL</a>	150
<a href="#">Method generatePBDR</a>	151
<a href="#">Method generatePBDR BOTTOM</a>	151
<a href="#">Method generatePPR</a>	151
<a href="#">Method generateQFORMAT</a>	151
<a href="#">Method generateRFonts</a>	152
<a href="#">Method generateRFonts2</a>	152
<a href="#">Method generateRIGHT</a>	152
<a href="#">Method generateRPR</a>	153
<a href="#">Method generateRPR SPACING</a>	153
<a href="#">Method generateRSID</a>	153
<a href="#">Method generateSEMIHIDDEN</a>	154
<a href="#">Method generateSHD</a>	154
<a href="#">Method generateSPACING</a>	154
<a href="#">Method generateSTYLE</a>	155
<a href="#">Method generateSZ</a>	155
<a href="#">Method generateSZCS</a>	155
<a href="#">Method generateTABCENTER</a>	156
<a href="#">Method generateTABRIGHT</a>	156
<a href="#">Method generateTABS</a>	156
<a href="#">Method generateTBLBORDERS</a>	157
<a href="#">Method generateTBLBORDERS BOTTOM</a>	157
<a href="#">Method generateTBLBORDERS INSIDEH</a>	157
<a href="#">Method generateTBLBORDERS INSIDEV</a>	158
<a href="#">Method generateTBLBORDERS LEFT</a>	158
<a href="#">Method generateTBLBORDERS RIGHT</a>	159
<a href="#">Method generateTBLBORDERS TOP</a>	159
<a href="#">Method generateTBLCELLMAR</a>	160
<a href="#">Method generateTBLIND</a>	160
<a href="#">Method generateTBLPR</a>	160
<a href="#">Method generateTBLSTYLECOLBANDSIZE</a>	160
<a href="#">Method generateTBLSTYLEROWBANDSIZE</a>	161
<a href="#">Method generateTCPR</a>	161

<a href="#">Method generateTOP</a>	161
<a href="#">Method generateU</a>	162
<a href="#">Method generateUIPRIORITY</a>	162
<a href="#">Method generateUNHIDEWHENUSED</a>	162
<a href="#">Method generateVERTALIGN</a>	163
<a href="#">Method getInstance</a>	163
<a href="#">Method destruct</a>	163
<a href="#">Method toString</a>	163
<a href="#">Class CreateStyleTable</a>	164
<a href="#">Var \$ xml</a>	164
<a href="#">Constructor construct</a>	164
<a href="#">Method addStyleTable</a>	164
<a href="#">Method generateSHD</a>	165
<a href="#">Method generateTBLPR</a>	165
<a href="#">Method generateTBLSTYLEPR</a>	165
<a href="#">Method generateTCBORDERS</a>	166
<a href="#">Method generateTCPR</a>	166
<a href="#">Method getInstance</a>	166
<a href="#">Method destruct</a>	166
<a href="#">Method toString</a>	166
<a href="#">Class CreateTable</a>	167
<a href="#">Constructor construct</a>	167
<a href="#">Method addList</a>	167
<a href="#">Method createTable</a>	168
<a href="#">Method generateGRIDCOLS</a>	168
<a href="#">Method generateHMERGE</a>	168
<a href="#">Method generateJC</a>	169
<a href="#">Method generateP</a>	169
<a href="#">Method generateSHD</a>	169
<a href="#">Method generateTBL</a>	170
<a href="#">Method generateTBLBORDERS</a>	170
<a href="#">Method generateTBLBOTTOM</a>	170
<a href="#">Method generateTBLCELLSPACING</a>	171
<a href="#">Method generateTBLGRID</a>	171
<a href="#">Method generateTBLINSIDEH</a>	171
<a href="#">Method generateTBLINSIDEV</a>	172
<a href="#">Method generateTBLLEFT</a>	172
<a href="#">Method generateTBLLOOK</a>	172
<a href="#">Method generateTBLOVERLAP</a>	173
<a href="#">Method generateTBLPR</a>	173
<a href="#">Method generateTBLRIGHT</a>	173
<a href="#">Method generateTBLSTYLE</a>	174
<a href="#">Method generateTBLTOP</a>	174
<a href="#">Method generateTBLW</a>	174
<a href="#">Method generateTC</a>	175
<a href="#">Method generateTCPR</a>	175
<a href="#">Method generateTCW</a>	175
<a href="#">Method generateTR</a>	176
<a href="#">Method generateTRPR</a>	176

Method <a href="#">generateVMERGE</a>	176
Method <a href="#">getInstance</a>	176
Method <a href="#">destruct</a>	176
Method <a href="#">toString</a>	177
Class <a href="#">CreateTableContents</a>	177
Var <a href="#">\$ xml</a>	177
Constructor <a href="#">construct</a>	178
Method <a href="#">createTableContents</a>	178
Method <a href="#">generateFLDSIMPLE</a>	178
Method <a href="#">getInstance</a>	178
Method <a href="#">destruct</a>	179
Method <a href="#">toString</a>	179
Class <a href="#">CreateText</a>	179
Class Constant <a href="#">IDTITLE</a>	180
Constructor <a href="#">construct</a>	180
Method <a href="#">createText</a>	180
Method <a href="#">createTitle</a>	180
Method <a href="#">generateB</a>	180
Method <a href="#">generateBOOKMARKEND</a>	181
Method <a href="#">generateBOOKMARKSTART</a>	181
Method <a href="#">generateCOLOR</a>	182
Method <a href="#">generateI</a>	182
Method <a href="#">generateJC</a>	182
Method <a href="#">generatePAGEBREAKBEFORE</a>	183
Method <a href="#">generatePSTYLE</a>	183
Method <a href="#">generateSZ</a>	183
Method <a href="#">generateU</a>	184
Method <a href="#">generateWIDOWCONTROL</a>	184
Method <a href="#">generateWORDWRAP</a>	184
Method <a href="#">getInstance</a>	185
Method <a href="#">destruct</a>	185
Method <a href="#">toString</a>	185
Class <a href="#">CreateTheme1</a>	185
Class Constant <a href="#">NAMESPACEWORD</a>	186
Var <a href="#">\$ xml</a>	186
Constructor <a href="#">construct</a>	186
Method <a href="#">createTheme</a>	186
Method <a href="#">generateACCENT1</a>	187
Method <a href="#">generateACCENT2</a>	187
Method <a href="#">generateACCENT3</a>	187
Method <a href="#">generateACCENT4</a>	187
Method <a href="#">generateACCENT5</a>	187
Method <a href="#">generateACCENT6</a>	188
Method <a href="#">generateALPHA</a>	188
Method <a href="#">generateBEVELT</a>	188
Method <a href="#">generateBGFILLSTYLELST</a>	189
Method <a href="#">generateCAMERA</a>	189
Method <a href="#">generateCLRScheme</a>	189
Method <a href="#">generateCS</a>	189

<a href="#">Method generateDK1</a>	190
<a href="#">Method generateDK2</a>	190
<a href="#">Method generateEA</a>	190
<a href="#">Method generateEFFECTLST</a>	191
<a href="#">Method generateEFFECTLST2</a>	191
<a href="#">Method generateEFFECTSTYLE</a>	191
<a href="#">Method generateEFFECTSTYLE2</a>	191
<a href="#">Method generateEFFECTSTYLELST</a>	191
<a href="#">Method generateEXTRACLRSchemeLST</a>	192
<a href="#">Method generateFILLSTYLELST</a>	192
<a href="#">Method generateFILLTORECT</a>	192
<a href="#">Method generateFMTSCHEME</a>	192
<a href="#">Method generateFOLHLINK</a>	193
<a href="#">Method generateFONT</a>	193
<a href="#">Method generateFONT2</a>	193
<a href="#">Method generateFONT3</a>	194
<a href="#">Method generateFONTSCHEMA</a>	194
<a href="#">Method generateGRADFILL</a>	194
<a href="#">Method generateGRADFILL2</a>	195
<a href="#">Method generateGS</a>	195
<a href="#">Method generateGS2</a>	195
<a href="#">Method generateGSLST</a>	196
<a href="#">Method generateHLINK</a>	196
<a href="#">Method generateLATIN</a>	196
<a href="#">Method generateLIGHTRIG</a>	197
<a href="#">Method generateLIN</a>	197
<a href="#">Method generateLN</a>	197
<a href="#">Method generateLN2</a>	198
<a href="#">Method generateLNSTYLELST</a>	198
<a href="#">Method generateLT1</a>	198
<a href="#">Method generateLT2</a>	198
<a href="#">Method generateMAYORFONT</a>	199
<a href="#">Method generateMINORFONT</a>	199
<a href="#">Method generateOBJECTDEFAULTS</a>	199
<a href="#">Method generateOUTERSHDW</a>	199
<a href="#">Method generatePATH</a>	200
<a href="#">Method generatePRSTDASH</a>	200
<a href="#">Method generateROT</a>	200
<a href="#">Method generateSATMOD</a>	201
<a href="#">Method generateSCENE3D</a>	201
<a href="#">Method generateSCHEMECLR</a>	201
<a href="#">Method generateSCHEMECLR2</a>	202
<a href="#">Method generateSCHEMECLR3</a>	202
<a href="#">Method generateSHADE</a>	202
<a href="#">Method generateSOLIDFILL</a>	203
<a href="#">Method generateSP3D</a>	203
<a href="#">Method generateSRGBCLR</a>	203
<a href="#">Method generateSRGBCLR2</a>	203
<a href="#">Method generateSYSCLR</a>	204

<a href="#">Method generateTHEMEELEMENTS</a>	204
<a href="#">Method generateTINT</a>	204
<a href="#">Method generateTINT2</a>	205
<a href="#">Method getInstance</a>	205
<a href="#">Method destruct</a>	205
<a href="#">Method toString</a>	205
<a href="#">Class CreateWebSettings</a>	206
<a href="#">Var \$ xml</a>	206
<a href="#">Constructor construct</a>	206
<a href="#">Method generateWebSettings</a>	206
<a href="#">Method getInstance</a>	207
<a href="#">Method destruct</a>	207
<a href="#">Method toString</a>	207
<a href="#">Class CreateXlsx</a>	207
<a href="#">Constructor construct</a>	208
<a href="#">Method addSharedStrings</a>	208
<a href="#">Method addSheet</a>	208
<a href="#">Method addTable</a>	209
<a href="#">Method createXlsx</a>	209
<a href="#">Method getInstance</a>	209
<a href="#">Method destruct</a>	209
<a href="#">Method toString</a>	210
<a href="#">Class TransformDoc</a>	210
<a href="#">Class Constant SCHEMA_IMAGEDOCUMENT</a>	210
<a href="#">Class Constant SCHEMA_OFFICEDOCUMENT</a>	210
<a href="#">Constructor construct</a>	210
<a href="#">Method absoluteZipPath</a>	211
<a href="#">Method cleanXHTML</a>	211
<a href="#">Method generatePDF</a>	211
<a href="#">Method generateXHTML</a>	211
<a href="#">Method getFileName</a>	212
<a href="#">Method getstrFile</a>	212
<a href="#">Method getStrOutputFile</a>	212
<a href="#">Method getStrXHTML</a>	212
<a href="#">Method setstrFile</a>	212
<a href="#">Method setStrOutputFile</a>	213
<a href="#">Method setStrXHTML</a>	213
<a href="#">Method validatorXHTML</a>	213
<a href="#">Method destruct</a>	214
<a href="#">Package loader Procedural Elements</a>	216
<a href="#">AutoLoader.inc</a>	216
<a href="#">Package loader Classes</a>	217
<a href="#">Class AutoLoader</a>	217
<a href="#">Method load</a>	217
<a href="#">Method loadPDF</a>	217
<a href="#">Package transform Classes</a>	219
<a href="#">Class Docx2Text</a>	219
<a href="#">Class Constant DEBUG</a>	219

<a href="#">Class Constant SEPARATOR_LINUX</a>	219
<a href="#">Class Constant SEPARATOR_LINUX_DEBUG</a>	219
<a href="#">Class Constant SEPARATOR_TAB</a>	219
<a href="#">Class Constant SEPARATOR_TAB_DEBUG</a>	219
<a href="#">Class Constant SEPARATOR_WINDOWS</a>	220
<a href="#">Class Constant SEPARATOR_WINDOWS_DEBUG</a>	220
<a href="#">Constructor construct</a>	220
<a href="#">Method extract</a>	220
<a href="#">Method getDocument</a>	220
<a href="#">Method getDocx</a>	221
<a href="#">Method setDocument</a>	221
<a href="#">Method setDocx</a>	221
<a href="#">Method writeFile</a>	221
<a href="#">Appendices</a>	223
<a href="#">Appendix A - Class Trees</a>	224
<a href="#">elements</a>	224
<a href="#">loader</a>	225
<a href="#">create</a>	225
<a href="#">transform</a>	225





# Package create Procedural Elements

## CreateDocx.inc

### Generate a DOCX file

- **Package** create
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`require_once dirname(__FILE__).'/AutoLoader.inc'` [*line 18*]

# Package create Classes

## Class CreateDocx

*[line 33]*

**Main class. Methods and vars to generate a DOCX file**

- **Package** create
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea ProduCiones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

**CreateDocx::NAMESPACEWORD**

= 'w' *[line 35]*

**CreateDocx::SCHEMA\_IMAGEDOCUMENT**

=  
'http://schemas.openxmlformats.org/officeDocument/2006/relationships/image' *[line 36]*

**CreateDocx::SCHEMA\_OFFICEDOCUMENT**

=  
'http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument' *[line 38]*

**CreateDocx::\$fileGraphicTemplate**

array = *[line 59]*

- **Access** public

### CreateDocx::\$graphicTemplate

*string* = [line 53]

- **Access** public

### CreateDocx::\$intIdWord

*int* = [line 47]

- **Static**
- **Access** public

### CreateDocx::\$log

*Logger* = [line 66]

- **Static**
- **Access** public

Constructor *void* function CreateDocx::\_\_construct([\$extension = 'docx']) [line 359]

#### **Function Parameters:**

- *string* **\$extension** File extension. Optional, docx as default

### Construct

- **Access** public

*void function CreateDocx::addBreak([\$type = "]) [line 726]*

**Function Parameters:**

- *string* **\$type** Break type Values: 'line', 'page'

## Add a break

- **Access** public

*void function CreateDocx::addFont(\$fonts) [line 739]*

**Function Parameters:**

- *array* **\$fonts** Fonts to add

## Add a new font

- **Access** public

*void function CreateDocx::addFooter([\$dat = "], [\$paramsFooter = "]) [line 754]*

**Function Parameters:**

- *string* **\$dat** Text to add
- *array* **\$paramsFooter** Parameters of footer Values: 'pager' (true, false), 'pagerAlignment' (left, right, false)

## Add a footer

- **Access** public

*void function CreateDocx::addGraphic(\$datas) [line 781]*

**Function Parameters:**

- **array \$datas** Parameters of graphic Values: 'color' (1, 2, 3...), 'cornerP' (20, 30...), 'cornerX' (20, 30...), 'cornerY' (20, 30...), 'data' (array of values), 'font' (Arial, Times New Roman...), 'groupBar' (clustered, stacked), 'jc' (center, left, right), 'showPercent' (0, 1), 'sizeX' (10, 11, 12...), 'sizeY' (10, 11, 12...), 'textWrap' (0 (inline), 1 (square), 2 (front), 3 (back), 4 (up and bottom), 5 (clear)), 'title', 'type' (pieChart, barChart, colChart)

## Add a graphic

- **Access** public

*void function CreateDocx::addHeader([\$text = 'Header'], [\$paramsHeader = '']) [line 849]*

**Function Parameters:**

- **string \$text** Text to add
- **array \$paramsHeader** Parameters of header

## Add a header.

- **Access** public

*void function CreateDocx::addImage([\$datas = '']) [line 874]*

**Function Parameters:**

- **array \$datas** Image to add and paramaters to use Values: 'border'(1, 2, 3...),

'borderDiscontinuous' (0, 1), 'font' (Arial, Times New Roman...), 'jc' (center, left, right), 'name', 'scaling' (50, 100), 'sizeX' (10, 11, 12...), 'sizeY' (10, 11, 12...), spacingTop (10, 11...), spacingBottom (10, 11...), spacingLeft (10, 11...), spacingRight (10, 11...), 'textWrap' (0 (inline), 1 (square), 2 (front), 3 (back), 4 (up and bottom), 5 (clear))

## Add an image

- **Access** public

*void* function CreateDocx::addLink([\$text = "], [\$textLink = "], [\$font = "], \$link) [*line 933*]

### **Function Parameters:**

- *string* **\$text** Text to use as link
- *string* **\$link** URL link
- *string* **\$font** Type of font Values: 'Arial', 'Times New Roman'...
- **\$textLink**

## Add a link

- **Access** public

*void* function CreateDocx::addList(\$dats, [\$paramsList = "]) [*line 949*]

### **Function Parameters:**

- *array* **\$dats** Values of the list
- *array* **\$paramsList** Parameters to use Values: 'font' (Arial, Times New Roman...), 'val' (0 (clear), 1 (inordinate), 2(numerical))

## Add a list

- **Access** public

*void function CreateDocx::addMathDocx(\$path) [line 962]*

***Function Parameters:***

- *string* **\$path** Path to a file with math eq

## Convert a math eq to DOCX

- **Access** public

*void function CreateDocx::addMathEq(\$eq) [line 978]*

***Function Parameters:***

- *string* **\$eq** Math eq

## Add an existing math eq to DOCX

- **Access** public

*void function CreateDocx::addParagraph(\$text, [\$style = ""], [\$align = ""]) [line 993]*

***Function Parameters:***

- *string* **\$text** Text to add
- *string* **\$style** Style of the paragraph
- *string* **\$align** Align of the paragraph

## Add a paragraph



- **Deprecated**
- **Access** public

*void function CreateDocx::addTable(\$datas, [\$parameters = '']) [line 1013]*

**Function Parameters:**

- *array* **\$datas** Values to add
- *array* **\$parameters** Parameters to use Values: 'border' (none, single, double), 'border\_color' (ffffff, ff0000), 'border\_spacing' (0, 1, 2...), 'border\_sz' (10, 11...), 'font' (Arial, Times New Roman...), 'jc' (center, left, right), 'size\_col' (1200, 1300...), 'TBLSTYLEval' (Cuadrculamedia3-nfasis1, Sombreadomedia1, Tablaconcuadrcula, TableGrid)

## Add a table.

- **Access** public

*void function CreateDocx::addTableContents([\$font = '']) [line 1027]*

**Function Parameters:**

- *string* **\$font** Set font type Values: 'Arial', 'Times New Roman'...

## Add a table of contents (TOC)

- **Access** public

*void function CreateDocx::addText(\$value, [\$style = '']) [line 1047]*

**Function Parameters:**

- *mixed* **\$value** Text or array of texts to add
- *array* **\$style** Style of text Values: 'b' (single), 'color' (ffffff, ff0000...), 'font' (Arial, Times New Roman...), 'i' (single), 'jc' (both, center, distribute, left, right), 'pageBreakBefore' (on, off), 'sz' (1, 2, 3...), 'u' (dash, dotted, double, single, wave, words), 'widowControl' (on, off), 'wordWrap' (on, off)

## Add a text

- **Access** public

*void* function CreateDocx::addTitle(\$text, [\$style = ""]) [*line 1067*]

### **Function Parameters:**

- *string* **\$text** Text to add
- *array* **\$style** Style of title Values: 'b' (single), 'color' (ffffff, ff0000...), 'font' (Arial, Times New Roman...), 'i' (single), 'jc' (both, center, distribute, left, right), 'pageBreakBefore' (on, off), 'sz' (1, 2, 3...), 'u' (dash, dotted, double, single, wave, words), 'widowControl' (on, off), 'wordWrap' (on, off)

## Add a title

- **Access** public

*void* function CreateDocx::createDocx(\$args[0], \$args[1]) [*line 1084*]

### **Function Parameters:**

- *string* **\$args[0]** File name
- *string* **\$args[1]** Page style Values: 'bottom' (4000, 4001...), 'left' (4000, 4001...), 'orient' (landscape), 'right' (4000, 4001), 'titlePage' (1), 'top' (4000, 4001)

## Generate a new DOCX file

- **Access** public

*void function CreateDocx::docx2txt(\$from, \$to, [\$options = array()], \$path.) [line 1228]*

**Function Parameters:**

- *string* **\$path**. Path to the text file output
- *array* **\$to** styles. Declares if we want to change the default styles of phpdocx keys: table => true/false, list => true/false, paragraph => true/false, footnote => true/false, endnote => true/false, chart => (0=false,1=array,2=table)
- **\$from**
- **\$options**

## Transform a word document to a text file

- **Static**
- **Access** public
- **Example** example not found

*void function CreateDocx::fAddBreak([\$type = ""]) [line 1275]*

**Function Parameters:**

- *string* **\$type** Break type

## Add a break

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddFont(\$fonts) [line 1289]*

### ***Function Parameters:***

- **array \$fonts** Fonts to add

### **Add a new font**

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddFooter([\$dat = "], [\$paramsFooter = "]) [line 1304]*

### ***Function Parameters:***

- **string \$dat** Text to add
- **array \$paramsFooter** Parameters of footer

### **Add a footer**

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddGraphic(\$dats) [line 1325]*

### ***Function Parameters:***

- **array \$dats** Parameters of graphic

### **Add a graphic**

- **Deprecated**

- **Access** public

*void function CreateDocx::fAddHeader([\$text = 'Header'], [\$paramsHeader = '']) [line 1394]*

**Function Parameters:**

- *string* **\$text** Text to add
- *array* **\$paramsHeader** Parameters of header

## Add a header.

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddImage([\$dats = '']) [line 1413]*

**Function Parameters:**

- *array* **\$dats** Image to add and paramaters to use

## Add an image

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddLink([\$text = ''], [\$textLink = ''], [\$font = ''], \$link) [line 1472]*

**Function Parameters:**

- *string* **\$text** Text to use as link
- *string* **\$link** URL link
- *string* **\$font** Type of font
- **\$textLink**

## Add a link

- **Deprecated**
- **Access** protected

*void function CreateDocx::fAddList(\$dats, [\$paramsList = "]) [line 1487]*

### **Function Parameters:**

- *array* **\$dats** Values of the list
- *array* **\$paramsList** Parameters to use

## Add a list

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddMathDocx(\$path) [line 1501]*

### **Function Parameters:**

- *string* **\$path** Path to a file with math eq

## Convert a math eq to DOCX

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddMathEq(\$eq) [line 1518]*

### **Function Parameters:**

- *string* **\$eq** Math eq

## Add an existing math eq to DOCX

- **Deprecated**
- **Access** public

*void* function CreateDocx::fAddParagraph(\$text, [\$style = "], [\$align = "]) [*line 1533*]

### **Function Parameters:**

- *string* **\$text** Text to add
- *string* **\$style** Style of the paragraph
- *string* **\$align** Align of the paragraph

## Add a paragraph

- **Deprecated**
- **Access** public

*void* function CreateDocx::fAddTable(\$dats, [\$parameters = "]) [*line 1548*]

### **Function Parameters:**

- *array* **\$dats** Values to add
- *array* **\$parameters** Parameters to use

## Add a table.

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddTableContents([\$font = ""]) [line 1562]*

***Function Parameters:***

- *string* **\$font** Set font type

## Add a table of contents (TOC)

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddText(\$value, [\$style = ""]) [line 1577]*

***Function Parameters:***

- *mixed* **\$value** Text or array of texts to add
- *array* **\$style** Style of text

## Add a text

- **Deprecated**
- **Access** public

*void function CreateDocx::fAddTitle(\$text, [\$style = ""]) [line 1592]*

***Function Parameters:***

- *string* **\$text** Text to add
- *array* **\$style** Style of title



## Add a title

- **Deprecated**
- **Access** public

*void function CreateDocx::fCreateDocx(\$args[0]) [line 1606]*

### **Function Parameters:**

- *string* **\$args[0]** File name

## Generate a new DOCX file

- **Deprecated**
- **Access** public

*void function CreateDocx::fSetDefaultFont(\$font) [line 1748]*

### **Function Parameters:**

- *string* **\$font** The new font

## Change the default font

- **Deprecated**
- **Access** public

*void function CreateDocx::getXmlContentTypes() [line 454]*

### **Getter**

- **Access** public

*void* function CreateDocx::getXmlDocPropsApp() [*line 494*]  
**Getter**

- **Access** public

*void* function CreateDocx::getXmlDocPropsCore() [*line 514*]  
**Getter**

- **Access** public

*void* function CreateDocx::getXmlRels\_Rels() [*line 474*]  
**Getter**

- **Access** public

*void* function CreateDocx::getXmlWordDocumentContent() [*line 534*]  
**Getter**

- **Access** public

*void* function CreateDocx::getXmlWordEndnotes() [*line 554*]

### **Getter**

- **Access** public

*void* function CreateDocx::getXmlWordFontTable() [*line 574*]

### **Getter**

- **Access** public

*void* function CreateDocx::getXmlWordFooter1() [*line 594*]

### **Getter**

- **Access** public

*void* function CreateDocx::getXmlWordHeader1() [*line 614*]

### **Getter**

- **Access** public

*void* function CreateDocx::getXmlWordRelsDocumentRels() [*line 634*]

### **Getter**

- **Access** public

*void function CreateDocx::getXmlWordSettings() [line 654]*

**Getter**

- **Access** public

*void function CreateDocx::getXmlWordStyles() [line 674]*

**Getter**

- **Access** public

*void function CreateDocx::getXmlWordThemeTheme1() [line 694]*

**Getter**

- **Access** public

*void function CreateDocx::getXmlWordWebSettings() [line 714]*

**Setter**

- **Access** public

*void function CreateDocx::setDefaultFont(\$font) [line 1241]*

**Function Parameters:**

- *string* **\$font** The new font Values: 'Arial', 'Times New Roman'...

## Change the default font

- **Access** public

*void function* CreateDocx::setEncodeUTF8() [*line 1251*]

### Transform to UTF-8 charset

- **Access** public

*void function* CreateDocx::setLanguage([\$lang = 'en-US']) [*line 1261*]

#### **Function Parameters:**

- *\$lang* **\$lang** Locale: en-US, es-ES...

## Change default language.

- **Access** public

*void function* CreateDocx::setXmlContentTypes(\$xmlContentTypes) [*line 444*]

#### **Function Parameters:**

- **\$xmlContentTypes**

## Setter

- **Access** public

*void function CreateDocx::setXmlDocPropsApp(\$xmlDocPropsApp) [line 484]*

### ***Function Parameters:***

- **\$xmlDocPropsApp**

## Setter

- **Access** public

*void function CreateDocx::setXmlDocPropsCore(\$xmlDocPropsCore) [line 504]*

### ***Function Parameters:***

- **\$xmlDocPropsCore**

## Setter

- **Access** public

*void function CreateDocx::setXmlRelsRels(\$xmlRelsRels) [line 464]*

### ***Function Parameters:***

- **\$xmlRelsRels**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordDocument(\$xmlWordDocument) [line 524]*

### ***Function Parameters:***

- **\$xmlWordDocument**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordEndnotes(\$xmlWordEndnotes) [line 544]*

### ***Function Parameters:***

- **\$xmlWordEndnotes**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordFontTable(\$xmlWordFontTable) [line 564]*

### ***Function Parameters:***

- **\$xmlWordFontTable**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordFooter1(\$xmlWordFooter) [line 584]*

### ***Function Parameters:***

- **\$xmlWordFooter**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordHeader1(\$xmlWordHeader) [line 604]*

### ***Function Parameters:***

- **\$xmlWordHeader**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordRelsDocumentRels(\$xmlWordRelsDocumentRels) [line 624]*

### ***Function Parameters:***

- **\$xmlWordRelsDocumentRels**



## Setter

- **Access** public

*void function CreateDocx::setXmlWordSettings(\$xmlWordSettings) [line 644]*

### ***Function Parameters:***

- **\$xmlWordSettings**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordStyles(\$xmlWordStyles) [line 664]*

### ***Function Parameters:***

- **\$xmlWordStyles**

## Setter

- **Access** public

*void function CreateDocx::setXmlWordThemeTheme1(\$xmlWordThemeTheme) [line 684]*

### ***Function Parameters:***

- **\$xmlWordThemeTheme**

## Setter

- **Access** public

*void* function CreateDocx::setXmlWordWebSettings(\$xmlWordWebSettings) [*line 704*]

### **Function Parameters:**

- **\$xmlWordWebSettings**

## Setter

- **Access** public

*void* function CreateDocx::\_\_destruct() [*line 422*]

## **Destruct**

- **Access** public

*string* function CreateDocx::\_\_toString() [*line 433*]

## **Magic method, returns current word XML**

- **Access** public





# Package elements Procedural Elements

## CreateChartRels.inc

Create relationships used by images, charts...

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [*line 15*]

# CreateElement.inc

## Create tag elements

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

# CreateExcelSharedStrings.inc

## Generate excel shared strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [*line 15*]

# CreateExcelSheet.inc

## Create excel sheet

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]



# CreateExcelTable.inc

## Create excel table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateFontTable.inc

## Create font table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateFooter.inc

## Create footer

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateFootnote.inc

## Create footnote

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateGraphic.inc

## Create graphics (charts)

- **Package** elements
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateHeader.inc

## Create header

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [*line 15*]

# CreateImage.inc

## Create images

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateLink.inc

## Create links using text strings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [*line 15*]



# CreateList.inc

## Create lists

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreatePage.inc

## Create pages

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateSettings.inc

## Create default settings

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateStyle.inc

## Create styles

- **Package** elements
- **Version** 2.1
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 16]

# CreateStyleTable.inc

## Create style table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateTable.inc

## Create tables

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [*line 15*]

# CreateTableContents.inc

## Create table of contents

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateText.inc

## Create text

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]



# CreateTheme1.inc

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` *[line 15]*

# CreateWebSettings.inc

## Create default websettings XML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`include_once dirname(__FILE__).'/CreateElement.inc'` [line 15]

# CreateXlsx.inc

## Create XLSX

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

# TransformDoc.inc

## Transform DOCX to PDF or XHTML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** LGPL

`require_once dirname(__FILE__).'/AutoLoader.inc'` [line 18]

# Package elements Classes

## Class CreateChartRels

[line 29]

Create relationships used by images, charts...

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

CreateChartRels::\$\_xml

*mixed* = [line 36]

- **Access** protected

Constructor *void* function CreateChartRels::\_\_construct() [line 49]

**Construct**

- **Access** public

*void function CreateChartRels::createRelationship(\$idChart) [line 95]*

**Function Parameters:**

- *int* **\$idChart**

## Create relationship document to use in DOCX file

- **Access** public

*void function CreateChartRels::generateRELATIONSHIP(\$idChart, [\$id = 1], \$id.) [line 109]*

**Function Parameters:**

- *int* **\$idChart**
- *int* **\$id**. Optional, use 1 as default
- **\$id**

## New relationship, added to relationships XML

- **Access** protected

*void function CreateChartRels::generateRELATIONSHIPS() [line 126]*

## Main tags of relationships XML

- **Access** protected

*CreateChartRels* function *CreateChartRels::getInstance()* [*line 81*]

**Singleton, return instance of class**

- **Static**
- **Access** public

*void* function *CreateChartRels::\_\_destruct()* [*line 59*]

**Destruct**

- **Access** public

*string* function *CreateChartRels::\_\_toString()* [*line 70*]

**Magic method, returns current XML**

- **Access** public

## Class CreateElement

[*line 28*]

**Main class, create tag elements**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>

- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

#### **CreateElement::MATHNAMESPACEWORD**

= 'm' [*line 30*]

#### **CreateElement::NAMESPACEWORD**

= 'w' [*line 31*]

#### **CreateElement::\$\_xml**

*string* = [*line 38*]

- **Access** protected

Constructor *void* function CreateElement::\_\_construct() [*line 45*]

#### **Construct**

- **Access** public

*void* function CreateElement::cleanTemplate() [*line 851*]

#### **Delete pending tags**

- **Access** protected

*void* function CreateElement::cleanTemplateFirstRPR() [*line 861*]

#### **Delete first w:rpr**



- **Access** protected

*void* function CreateElement::generateANCHOR([\$behindDoc = 0], [\$distT = '0'], [\$distB = '0'], [\$distL = '114300'], [\$distR = '114300'], [\$simplePos = 0], [\$relativeHeight = '251658240'], [\$locked = 0], [\$layoutInCell = 1], [\$allowOverlap = 1]) [*line 257*]

**Function Parameters:**

- *string* **\$behindDoc**
- *string* **\$distT**
- *string* **\$distB**
- *string* **\$distL**
- *string* **\$distR**
- *int* **\$simplePos**
- *string* **\$relativeHeight**
- *string* **\$locked**
- *string* **\$layoutInCell**
- *string* **\$allowOverlap**

**Generate w:anchor**

- **Access** protected

*void* function CreateElement::generateAVLST() [*line 778*]

**Generate w:avlst**

- **Access** protected

*void* function CreateElement::generateB([\$strVal = 'single'], \$val) [*line 144*]

**Function Parameters:**

- *string* **\$val**
- **\$strVal**

## Generate w:b

- **Access** protected

*void* function CreateElement::generateBCS() [*line 157*]

## Generate w:bcs

- **Access** protected

*void* function CreateElement::generateBLIP([\$cstate = 'print']) [*line 656*]

### **Function Parameters:**

- *string* **\$cstate**

## Generate w:blip

- **Access** protected

*void* function CreateElement::generateBLIPFILL() [*line 641*]

## Generate w:blipfill

- **Access** protected

*void* function CreateElement::generateCNVGRAPHICFRAMEPR() [*line 510*]

## Generate w:cnvgraphicframepr

- **Access** protected

*void function CreateElement::generateCNVPICPR() [line 627]*

## Generate w:cnvpicpr

- **Access** protected

*void function CreateElement::generateCNVPR([\$id = '0']) [line 612]*

### **Function Parameters:**

- *string* **\$id**

## Generate w:cnvpr

- **Access** protected

*void function CreateElement::generateDOCPR([\$id = "1"], [\$name = "0 Imagen"]) [line 495]*

### **Function Parameters:**

- *string* **\$id**
- *string* **\$name**

## Generate w:docpr

- **Access** protected

*void function CreateElement::generateDRAWING() [line 211]*

### **Generate w:drawing**

- **Access** protected

*void function CreateElement::generateEFFECTEXTENT([\$l = "19050"], [\$t = "0"], [\$r = "4307"], [\$b = "0"]) [line 366]*

#### **Function Parameters:**

- *string* **\$l**
- *string* **\$t**
- *string* **\$r**
- *string* **\$b**

### **Generate w:effectextent**

- **Access** protected

*void function CreateElement::generateEXT([\$cx = '2997226'], [\$cy = '2247918']) [line 747]*

#### **Function Parameters:**

- *string* **\$cx**
- *string* **\$cy**

### **Generate w:ext**

- **Access** protected

*void function CreateElement::generateEXTENT([\$cx = '2986543'], [\$cy = '2239906']) [line 348]*

**Function Parameters:**

- *string* **\$cx**
- *string* **\$cy**

## **Generate w:extent**

- **Access** protected

*void function CreateElement::generateFILLRECT() [line 686]*

## **Generate w:fillrect**

- **Access** protected

*void function CreateElement::generateGRAPHIC([\$xmlns = 'http://schemas.openxmlformats.org/drawingml/2006/main']) [line 547]*

**Function Parameters:**

- *string* **\$xmlns**

## **Generate w:graphic**

- **Access** protected

*void function CreateElement::generateGRAPHICDATA([\$uri = 'http://schemas.openxmlformats.org/drawingml/2006/picture']) [line 564]*

***Function Parameters:***

- *string \$uri*

## **Generate w:graphicdata**

- **Access protected**

*void function CreateElement::generateGRAPHICPRAMELOCKS([\$noChangeAspect = ""]) [line 526]*

***Function Parameters:***

- *string \$noChangeAspect*

## **Generate w:graphicpramelocks**

- **Access protected**

*void function CreateElement::generateINLINE([\$distT = '0'], [\$distB = '0'], [\$distL = '0'], [\$distR = '0']) [line 230]*

***Function Parameters:***

- *string \$distT*
- *string \$distB*
- *string \$distL*
- *string \$distR*

## **Generate w:inline**

- **Access** protected

*void function CreateElement::generateJC([\$val = "]) [line 129]*

***Function Parameters:***

- *string \$val*

## Generate w:jc

- **Access** protected

*void function CreateElement::generateLINETO([\$x = '-198'], [\$y = '21342']) [line 478]*

***Function Parameters:***

- *string \$x*
- *string \$y*

## Generate w:lineto

- **Access** protected

*void function CreateElement::generateLN([\$w = '12700']) [line 793]*

***Function Parameters:***

- *string \$w*

## Generate w:ln

- **Access** protected

*void* function CreateElement::generateNOPROOF() [*line 171*]

### **Generate w:noproof**

- **Access** protected

*void* function CreateElement::generateNVPICPR() [*line 597*]

### **Generate w:nvpicpr**

- **Access** protected

*void* function CreateElement::generateOFF([\$x = '0'], [\$y = '0']) [*line 730*]

#### **Function Parameters:**

- *string* \$x
- *string* \$y

## Generate w:off

- **Access** protected

*void* function CreateElement::generateP() [*line 75*]



## Generate w:p

- **Access** protected

*void* function CreateElement::generatePIC([\$pic = 'http://schemas.openxmlformats.org/drawingml/2006/picture'])  
[line 581]

### **Function Parameters:**

- *string* **\$pic**

## Generate w:pic

- **Access** protected

*void* function CreateElement::generatePOSITIONH([\$relativeFrom = 'column']) [line 301]

### **Function Parameters:**

- *string* **\$relativeFrom**

## Generate w:positionh

- **Access** protected

*void* function CreateElement::generatePOSITIONV([\$relativeFrom = 'paragraph']) [line 317]

### **Function Parameters:**

- *string* **\$relativeFrom**

## Generate w:positionv

- **Access** protected

*void function CreateElement::generatePOSOFFSET(\$num) [line 333]*

### **Function Parameters:**

- *int* \$num

## Generate w:posoffset

- **Access** protected

*void function CreateElement::generatePPR() [line 87]*

## Generate w:ppr

- **Access** protected

*void function CreateElement::generatePRSTDASH([\$val = 'sysDash']) [line 837]*

### **Function Parameters:**

- *string* \$val

## Generate w:prstdash

- **Access** protected

*void* function CreateElement::generatePRSTGEOM([\$prst = 'rect']) [*line 763*]

**Function Parameters:**

- *string* **\$prst**

## Generate w:prstgeom

- **Access** protected

*void* function CreateElement::generatePSTYLE([\$val = 'Textonotaalfinal']) [*line 884*]

**Function Parameters:**

- *string* **\$val**

## Generate w:pstyle

- **Access** protected

*void* function CreateElement::generateQUITAR() [*line 871*]

## Generate w:r

- **Access** protected

*void function CreateElement::generateR()* [line 185]

#### **Generate w:r**

- **Access** protected

*void function CreateElement::generateRFonts(\$font)* [line 917]

#### **Function Parameters:**

- *string* **\$font**

#### **Generate w:rfonts**

- **Access** protected

*void function CreateElement::generateRPR()* [line 114]

#### **Generate w:rpr**

- **Access** protected

*void function CreateElement::generateRSTYLE([\$val = 'Refdenotaalfinal'])* [line 900]

#### **Function Parameters:**

- *string* **\$val**

#### **Generate w:rstyle**

- **Access** protected

*void* function CreateElement::generateSCHEMECLR([\$val = 'tx1']) [*line 823*]

**Function Parameters:**

- *string* \$val

## Generate w:schemeclr

- **Access** protected

*void* function CreateElement::generateSIMPLEPOS([\$x = '0'], [\$y = '0']) [*line 285*]

**Function Parameters:**

- *string* \$x
- *string* \$y

## Generate w:simplepos

- **Access** protected

*void* function CreateElement::generateSOLIDFILL() [*line 808*]

## Generate w:solidfill

- **Access** protected

*void function CreateElement::generateSPPR() [line 700]*

### **Generate w:sppr**

- **Access** protected

*void function CreateElement::generateSTART([\$x = '-198'], [\$y = '0']) [line 460]*

#### ***Function Parameters:***

- *string \$x*
- *string \$y*

### **Generate w:start**

- **Access** protected

*void function CreateElement::generateSTRETCH() [line 672]*

### **Generate w:stretch**

- **Access** protected

*void function CreateElement::generateT(\$dat) [line 101]*

#### ***Function Parameters:***

- *string \$dat*

## Generate w:t

- **Access** protected

*void function CreateElement::generateWRAPNONE() [line 398]*

### Generate w:wrapnone

- **Access** protected

*void function CreateElement::generateWRAPPOLYGON([\$edited = '0']) [line 443]*

#### **Function Parameters:**

- *string* **\$edited**

## Generate w:wrappolygon

- **Access** protected

*void function CreateElement::generateWRAPSQUARE([\$wrapText = "bothSides"]) [line 383]*

#### **Function Parameters:**

- *string* **\$wrapText**

## Generate w:wrapsquare

- **Access** protected

*void function CreateElement::generateWRAPTHROUGH([\$wrapText = 'bothSides']) [line 427]*

**Function Parameters:**

- *string* **\$wrapText**

## **Generate w:wrapthrough**

- **Access** protected

*void function CreateElement::generateWRAPTOPANDBOTTOM() [line 412]*

## **Generate w:wraptopandbottom**

- **Access** protected

*void function CreateElement::generateXFRM() [line 714]*

## **Generate w:xfrm**

- **Access** protected

*void function CreateElement::\_\_destruct() [line 55]*

## **Destruct**



- **Access** public

*string* function CreateElement::\_\_toString() [*line 65*]

- **Access** public

## Class CreateExcelSharedStrings

[*line 29*]

**Generate excel shared strings**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateExcelSharedStrings::\_\_construct() [*line 44*]

**Construct**

- **Access** public

*void* function CreateExcelSharedStrings::createExcelSharedStrings(\$args[0], \$args[1]) [*line 89*]

**Function Parameters:**

- *string* **\$args[0]**
- *string* **\$args[1]**

## Create excel shared strings

- **Access** public

*void function CreateExcelSharedStrings::generateSI() [line 155]*

### Generate si

- **Access** protected

*void function CreateExcelSharedStrings::generateSST(\$num) [line 142]*

#### **Function Parameters:**

- *string* **\$num**

### Generate sst

- **Access** protected

*void function CreateExcelSharedStrings::generateT(\$name, [\$space = ""]) [line 168]*

#### **Function Parameters:**

- *string* **\$name**
- *string* **\$space**

### Generate t

- **Access** protected

*CreateExcelSharedStrings* function *CreateExcelSharedStrings::getInstance()* [line 74]

- **Static**
- **Access** public

*void* function *CreateExcelSharedStrings::\_\_destruct()* [line 54]

### **Destruct**

- **Access** public

*string* function *CreateExcelSharedStrings::\_\_toString()* [line 64]

- **Access** public

## Class *CreateExcelSheet* [line 29]

### **Create excel sheet**

- **Package** elements
- **Version** 1.0

- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateExcelSheet::\_\_construct() [*line 44*]

## Construct

- **Access** public

*void* function CreateExcelSheet::createExcelSheet(\$args[0], \$args[1]) [*line 90*]

### **Function Parameters:**

- *string* **\$args[0]**
- *array* **\$args[1]**

## Create excel sheet

- **Access** public

*void* function CreateExcelSheet::generateC(\$r, \$s, [\$t = ""]) [*line 324*]

### **Function Parameters:**

- *string* **\$r**
- *string* **\$s**
- *string* **\$t**

## Generate c

- **Access** protected

*void function CreateExcelSheet::generateCOL([\$min = '1'], [\$max = '1'], [\$width = '11.85546875'], [\$customWidth = '1']) [line 279]*

**Function Parameters:**

- *string* **\$min**
- *string* **\$max**
- *string* **\$width**
- *string* **\$customWidth**

## Generate col

- **Access** protected

*void function CreateExcelSheet::generateCOLS() [line 264]*

## Generate cols

- **Access** protected

*void function CreateExcelSheet::generateDIMENSION(\$sizeX, \$sizeY) [line 187]*

**Function Parameters:**

- *int* **\$sizeX**
- *int* **\$sizeY**

## Generate dimension

- **Access** protected

*void function CreateExcelSheet::generatePAGEMARGINS([\$left = '0.7'], [\$righth = '0.7'], [\$bottom = '0.75'], [\$top = '0.75'], [\$header = '0.3'], [\$footer = '0.3']) [line 361]*

**Function Parameters:**

- *string* **\$left**
- *string* **\$righth**
- *string* **\$bottom**
- *string* **\$top**
- *string* **\$header**
- *string* **\$footer**

## Generate pagemargins

- **Access** protected

*void function CreateExcelSheet::generatePAGESETUP([\$paperSize = '9'], [\$orientation = 'portrait'], [\$id = '1']) [line 381]*

**Function Parameters:**

- *string* **\$paperSize**
- *string* **\$orientation**
- *string* **\$id**

## Generate pagesetup

- **Access** protected

*void function CreateExcelSheet::generateROW(\$r, \$spans) [line 307]*

**Function Parameters:**

- *string* **\$r**
- *string* **\$spans**

## Generate row

- **Access** protected

*void* function CreateExcelSheet::generateSELECTION(\$num) [*line 234*]

### **Function Parameters:**

- *string* **\$num**

## Generate selection

- **Access** protected

*void* function CreateExcelSheet::generateSHEETDATA() [*line 293*]

## **Generate sheetdata**

- **Access** protected

*void* function CreateExcelSheet::generateSHEETFORMATPR([\$baseColWidth = '10'], [\$defaultRowHeight = '15']) [*line 249*]

### **Function Parameters:**

- *string* **\$baseColWidth**
- *string* **\$defaultRowHeight**

## Generate sheetformatpr

- **Access** protected

*void function CreateExcelSheet::generateSHEETVIEW([\$tabSelected = '1'], [\$workbookViewId = '0']) [line 218]*

### **Function Parameters:**

- *string* **\$tabSelected**
- *string* **\$workbookViewId**

## Generate sheetview

- **Access** protected

*void function CreateExcelSheet::generateSHEETVIEWS() [line 204]*

### **Generate sheetviews**

- **Access** protected

*void function CreateExcelSheet::generateTABLEPART([\$id = '1']) [line 411]*

### **Function Parameters:**

- *string* **\$id**

## Generate tablepart



- **Access** protected

*void* function CreateExcelSheet::generateTABLEPARTS([\$count = '1']) [*line 397*]

**Function Parameters:**

- *string* \$count

## Generate tableparts

- **Access** protected

*void* function CreateExcelSheet::generateV(\$num) [*line 343*]

**Function Parameters:**

- *string* \$num

## Generate v

- **Access** protected

*void* function CreateExcelSheet::generateWORKSHEET() [*line 170*]

## Generate worksheet

- **Access** protected

*CreateExcelSheet* function *CreateExcelSheet::getInstance()* [*line 75*]

- **Static**
- **Access** public

*void* function *CreateExcelSheet::\_\_destruct()* [*line 54*]

### **Destruct**

- **Access** public

*string* function *CreateExcelSheet::\_\_toString()* [*line 64*]

- **Access** public

## Class *CreateExcelTable* [*line 29*]

### **Create excel table**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateExcelTable::\_\_construct() [*line 44*]

### **Construct**

- **Access** public

*void* function CreateExcelTable::createExcelTable(0, 1) [*line 89*]

#### **Function Parameters:**

- *string* 0 args[0]
- *string* 1 args[1]

### **Create excel table**

- **Access** public

*void* function CreateExcelTable::generateTABLE(\$rows, \$cols) [*line 128*]

#### **Function Parameters:**

- *int* \$rows
- *int* \$cols

### **Generate table**

- **Access** protected

*void* function CreateExcelTable::generateTABLECOLUMN([\$id = '2'], [\$name = '']) [*line 163*]

#### ***Function Parameters:***

- *string* **\$id**
- *string* **\$name**

### **Generate tablecolumn**

- **Access** protected

*void* function CreateExcelTable::generateTABLECOLUMNS([\$count = '2']) [*line 148*]

#### ***Function Parameters:***

- *string* **\$count**

### **Generate tablecolumns**

- **Access** protected

*void* function CreateExcelTable::generateTABLESTYLEINFO([\$showFirstColumn = '0'], [\$showLastColumn = '0'], [\$showRowStripes = '1'], [\$showColumnStripes = '0']) [*line 182*]

#### ***Function Parameters:***

- *string* **\$showFirstColumn**
- *string* **\$showLastColumn**
- *string* **\$showRowStripes**
- *string* **\$showColumnStripes**

### **Generate tablestyleinfo**

- **Access** protected

*CreateExcelTable* function *CreateExcelTable::getInstance()* [line 74]

- **Static**
- **Access** public

*void* function *CreateExcelTable::\_\_destruct()* [line 54]

### **Destruct**

- **Access** public

*string* function *CreateExcelTable::\_\_toString()* [line 64]

- **Access** public

## Class CreateFontTable

[line 29]

### **Create font table**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0

- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## CreateFontTable::\$\_xml

*string* = [line 36]

- **Access** protected

Constructor *void* function CreateFontTable::\_\_construct() [line 51]

## Construct

- **Access** public

*void* function CreateFontTable::createFont(0) [line 96]

## Function Parameters:

- *array* **0** args[0]

## Create font

- **Access** public

*void* function CreateFontTable::generateCHARSET([\$val = '00']) [line 159]

## Function Parameters:

- *string* **\$val**

## Generate w:charset

- **Access** protected

*void* function CreateFontTable::generateFAMILY([\$val = 'swiss']) [*line 175*]

### **Function Parameters:**

- *string* **\$val**

## Generate w:family

- **Access** protected

*void* function CreateFontTable::generateFONT([\$name = 'Calibri']) [*line 127*]

### **Function Parameters:**

- *string* **\$name**

## Generate w:font

- **Access** protected

*void* function CreateFontTable::generatePANOSE1([\$val = '020F0502020204030204']) [*line 142*]

### **Function Parameters:**

- *string* **\$val**

## Generate w:panose1

- **Access** protected

*void* function CreateFontTable::generatePITCH([\$val = '00']) [*line 192*]

### **Function Parameters:**

- *string* **\$val**

## Generate w:pitch

- **Access** protected

*void* function CreateFontTable::generateSIG([\$usbA = 'A00002EF'], [\$usbB = '4000207B'], [\$usbC = '00000000'], [\$usbD = '00000000'], [\$csbA = '0000009F'], [\$csbB = '00000000']) [*line 214*]

### **Function Parameters:**

- *string* **\$usbA**
- *string* **\$usbB**
- *string* **\$usbC**
- *string* **\$usbD**
- *string* **\$csbA**
- *string* **\$csbB**

## Generate w:sig

- **Access** protected



*CreateFontTable* function *CreateFontTable::getInstance()* [*line 82*]

- **Static**
- **Access** public

*void* function *CreateFontTable::\_\_destruct()* [*line 61*]

### **Destruct**

- **Access** public

*string* function *CreateFontTable::\_\_toString()* [*line 71*]

- **Access** public

## Class CreateFooter

[*line 29*]

### **Create footer**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateFooter::\_\_construct() [*line 52*]

### **Construct**

- **Access** public

*void* function CreateFooter::createFooter(0, 1) [*line 98*]

#### **Function Parameters:**

- *string* **0** args[0]
- *array* **1** args[1]

### **Create footer**

- **Access** public

*void* function CreateFooter::generateFLDSIMPLE() [*line 121*]

### **Generate w:fldsimpl**

- **Access** protected

*void* function CreateFooter::generateFTR() [*line 136*]

### **Generate ftr token**

- **Access** protected

*void function CreateFooter::generateP() [line 146]*

### **Generate w:p**

- **Access** protected

*void function CreateFooter::generatePTAB([\$relativeTo = 'margin'], [\$alignment = 'right'], [\$leader = 'none']) [line 162]*

#### **Function Parameters:**

- *string* **\$relativeTo**
- *string* **\$alignment**
- *string* **\$leader**

### **Generate w:ptab**

- **Access** protected

*void function CreateFooter::generateR() [line 183]*

### **Generate w:r**

- **Access** protected

*CreateFooter function CreateFooter::getInstance() [line 83]*

- **Static**
- **Access** public

*void* function CreateFooter::\_\_destruct() [*line 62*]

## **Destruct**

- **Access** public

*string* function CreateFooter::\_\_toString() [*line 72*]

- **Access** public

# Class CreateFootnote

[*line 29*]

## **Create footnote**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## **CreateFootnote::\$init**

*bool* = 0 [*line 37*]

- **Static**
- **Access** public

Constructor *void* function CreateFootnote::\_\_construct() [*line 61*]

### **Construct**

- **Access** public

*void* function CreateFootnote::createDocumentFootnote(\$args[0]) [*line 135*]

#### **Function Parameters:**

- *array* **\$args[0]**

### **Create document footnote**

- **Access** public

*void* function CreateFootnote::createFootnote(\$args[0]) [*line 107*]

#### **Function Parameters:**

- *array* **\$args[0]**

### **Create footnote**

- **Access** public

*void* function CreateFootnote::createInitFootnote(\$args[0]) [*line 162*]

#### **Function Parameters:**

- `array $args[0]`

## Create init footnote

- **Access** public

`void function CreateFootnote::generateFOOTNOTE($type) [line 181]`

### **Function Parameters:**

- `string $type`

## Generate w:footnote

- **Access** protected

`void function CreateFootnote::generateFOOTNOTEREF() [line 288]`

### **Generate w:footnoteref**

- **Access** protected

`void function CreateFootnote::generateFOOTNOTEREFERENCE([ $id = "" ]) [line 303]`

### **Function Parameters:**

- `string $id`

## Generate w:footnotereference

- **Access** protected

*void* function CreateFootnote::generateP([\$rsidR = '005F02E5'], [\$rsidRDefault = '005F02E5'], [\$rsidP = '005F02E5']) [*line 210*]

**Function Parameters:**

- *string* **\$rsidR**
- *string* **\$rsidRDefault**
- *string* **\$rsidP**

**Generate w:p**

- **Access** protected

*void* function CreateFootnote::generatePPR() [*line 237*]

**Generate w:ppr**

- **Access** protected

*void* function CreateFootnote::generateR() [*line 274*]

**Generate w:r**

- **Access** protected

*void function CreateFootnote::generateSEPARATOR([\$type = 'separator']) [line 226]*

**Function Parameters:**

- *string* **\$type**

**Generate w:separator**

- **Access** protected

*void function CreateFootnote::generateSPACING([\$after = '0'], [\$line = '240'], [\$lineRule = 'auto']) [line 254]*

**Function Parameters:**

- *string* **\$after**
- *string* **\$line**
- *string* **\$lineRule**

**Generate w:spacing**

- **Access** protected

*CreateFootnote function CreateFootnote::getInstance() [line 92]*

- **Static**
- **Access** public

*void function CreateFootnote::\_\_destruct() [line 71]*

**Destruct**



- **Access** public

*string* function CreateFootnote::\_\_toString() [*line 81*]

- **Access** public

## Class CreateGraphic

[*line 29*]

**Create graphics (charts)**

- **Package** elements
- **Version** 2.2
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

**CreateGraphic::NAMESPACEWORD**

= 'c' [*line 31*]

**CreateGraphic::\$\_xmlChart**

<*type*> = [*line 38*]

- **Access** protected

Constructor *void* function CreateGraphic::\_\_construct() [*line 163*]

## Construct

- **Access** public

*void* function CreateGraphic::createCHARTXML(\$args[0]) [*line 315*]

### **Function Parameters:**

- *array* **\$args[0]**

## Create chart xml

- **Access** protected

*void* function CreateGraphic::createDOCUEMNTXML(\$args[0]) [*line 507*]

### **Function Parameters:**

- *array* **\$args[0]**

## Create document xml

- **Access** protected

*boolean* function CreateGraphic::createGraphic(\$args[0], \$args[1]) [*line 292*]

### **Function Parameters:**

- *array* **\$args[0]**
- *array* **\$args[1]**

## Create graphic

- **Access** public

*void function CreateGraphic::generateAUTO([\$val = '1']) [line 550]*

### **Function Parameters:**

- *string* \$val

## Generate w:auto

- **Access** protected

*void function CreateGraphic::generateAUTOTITLEDELETED([\$val = '1']) [line 566]*

### **Function Parameters:**

- *string* \$val

## Generate w:autotitledeleted

- **Access** protected

*void function CreateGraphic::generateAXAXID([\$val = '59034624']) [line 583]*

### **Function Parameters:**

- *<type>* \$val

## Generate w:axId

- **Access** protected

*void function CreateGraphic::generateAXID([\$val = '59034624']) [line 599]*

### **Function Parameters:**

- *string* \$val

## Generate w:axid

- **Access** protected

*void function CreateGraphic::generateAXPOS([\$val = 'b']) [line 615]*

### **Function Parameters:**

- *string* \$val

## Generate w:axPos

- **Access** protected

*void function CreateGraphic::generateBARChart() [line 629]*

## Generate w:barChart

- **Access** protected

*void function CreateGraphic::generateBARDIR([\$val = 'bar']) [line 646]*

**Function Parameters:**

- *string* **\$val**

**Generate w:barDir**

- **Access** protected

*void function CreateGraphic::generateBODYPR() [line 661]*

**Generate w:bodypr**

- **Access** protected

*void function CreateGraphic::generateCAT() [line 675]*

**Generate w:cat**

- **Access** protected

*void function CreateGraphic::generateCATAX() [line 690]*

**Generate w:catAx**

- **Access** protected

*void function CreateGraphic::generateCHART() [line 705]*

### **Generate w:chart**

- **Access** protected

*void function CreateGraphic::generateCHARTSPACE() [line 720]*

### **Generate chartspace XML**

- **Access** protected

*void function CreateGraphic::generateCROSSAX([\$val = '59040512']) [line 738]*

#### **Function Parameters:**

- *string* **\$val**

### **Generate w:crossAx**

- **Access** protected

*void function CreateGraphic::generateCROSSBETWEEN([\$val = 'between']) [line 754]*

#### **Function Parameters:**

- *string* **\$val**

## Generate w:crossBetween

- **Access** protected

*void function CreateGraphic::generateCROSSES([\$val = 'autoZero']) [line 771]*

### **Function Parameters:**

- *string* **\$val**

## Generate w:crosses

- **Access** protected

*void function CreateGraphic::generateDATE1904([\$val = '1']) [line 788]*

### **Function Parameters:**

- *string* **\$val**

## Generate w:date1904

- **Access** protected

*void function CreateGraphic::generateDEFRPR() [line 805]*

## Generate w:defrpr

- **Access** protected

*void function CreateGraphic::generateDLBLS() [line 820]*

### **Generate w:dLbIs**

- **Access** protected

*void function CreateGraphic::generateDOCUMENTCHART() [line 836]*

### **Generate w:chart**

- **Access** protected

*void function CreateGraphic::generateEXTERNALDATA([\$val = 'rld1']) [line 856]*

#### **Function Parameters:**

- *string* **\$val**

### **Generate w:externalData**

- **Access** protected

*void function CreateGraphic::generateF([\$val = 'Hoja1!\$B\$1']) [line 872]*

#### **Function Parameters:**



- *string* \$val

## Generate w:f

- **Access** protected

*void* function CreateGraphic::generateFIRSTSLICEANG([\$val = '0']) [*line 888*]

### **Function Parameters:**

- *string* \$val

## Generate w:firstSliceAng

- **Access** protected

*void* function CreateGraphic::generateFORMATCODE([\$val = 'General']) [*line 904*]

### **Function Parameters:**

- *string* \$val

## Generate w:formatCode

- **Access** protected

*void* function CreateGraphic::generateGROUPING([\$val = 'stacked']) [*line 921*]

### **Function Parameters:**

- *string* \$val

## Generate w:grouping

- **Access** protected

*void* function CreateGraphic::generateIDX([\$val = '0']) [*line 937*]

### **Function Parameters:**

- *string* \$val

## Generate w:idx

- **Access** protected

*void* function CreateGraphic::generateLANG([\$val = 'es-ES']) [*line 953*]

### **Function Parameters:**

- *string* \$val

## Generate w:lang

- **Access** protected

*void* function CreateGraphic::generateLAYOUT() [*line 970*]

## Generate w:layout

- **Access** protected

*void* function CreateGraphic::generateLBLALGN([\$val = 'ctr']) [*line 986*]

### **Function Parameters:**

- *string* \$val

## Generate w:lblAlgn

- **Access** protected

*void* function CreateGraphic::generateLBLOFFSET([\$val = '100']) [*line 1002*]

### **Function Parameters:**

- *string* \$val

## Generate w:lblOffset

- **Access** protected

*void* function CreateGraphic::generateLEGEND() [*line 1016*]

## Generate w:legend

- **Access** protected

*void* function CreateGraphic::generateLEGENDFONT([\$font = ""]) [*line 1034*]

**Function Parameters:**

- *string* \$font

## Generate c:layout

- **Access** protected

*void* function CreateGraphic::generateLEGENDPOS([\$val = 'r']) [*line 1052*]

**Function Parameters:**

- *string* \$val

## Generate w:legendPos

- **Access** protected

*void* function CreateGraphic::generateLINECHART() [*line 1067*]

## Generate w:lineChart

- **Access** protected

*void* function CreateGraphic::generateLN() [*line 1083*]

### **Generate w:ln**

- **Access** protected

*void* function CreateGraphic::generateLSTSTYLE() [*line 1097*]

### **Generate w:lststyle**

- **Access** protected

*void* function CreateGraphic::generateMAJORGRIDLINES() [*line 1112*]

### **Generate w:majorGridlines**

- **Access** protected

*void* function CreateGraphic::generateNOFILL() [*line 1126*]

### **Generate w:noFill**

- **Access** protected

*void* function CreateGraphic::generateNUMCACHE() [*line 1140*]

### **Generate w:numcache**

- **Access** protected

*void function CreateGraphic::generateNUMFMT([\$formatCode = 'General'], [\$sourceLinked = '1']) [line 1157]*

**Function Parameters:**

- *string* **\$formatCode**
- *string* **\$sourceLinked**

**Generate w:numFmt**

- **Access** protected

*void function CreateGraphic::generateNUMREF() [line 1175]*

**Generate w:numRef**

- **Access** protected

*void function CreateGraphic::generateORDER([\$val = '0']) [line 1191]*

**Function Parameters:**

- *string* **\$val**

**Generate w:order**

- **Access** protected

*void function CreateGraphic::generateORIENTATION([\$val = 'minMax']) [line 1207]*

#### ***Function Parameters:***

- *string \$val*

### **Generate w:orientation**

- **Access** protected

*void function CreateGraphic::generateOVERLAP([\$val = '100']) [line 1222]*

#### ***Function Parameters:***

- *string \$val*

### **Generate w:overlap**

- **Access** protected

*void function CreateGraphic::generatePIECHART() [line 1237]*

### **Generate w:piechart**

- **Access** protected

*void function CreateGraphic::generatePLOTAREA() [line 1253]*

### **Generate w:plotarea**

- **Access** protected

*void function CreateGraphic::generatePLOTVISONLY([\$val = '1']) [line 1269]*

***Function Parameters:***

- *string \$val*

## **Generate w:polVisOnly**

- **Access** protected

*void function CreateGraphic::generatePT([\$idx = '0']) [line 1285]*

***Function Parameters:***

- *string \$idx*

## **Generate w:pt**

- **Access** protected

*void function CreateGraphic::generatePTCOUNT([\$val = '1']) [line 1301]*

***Function Parameters:***

- *string \$val*

## **Generate w:ptcount**



- **Access** protected

*void* function CreateGraphic::generateRICH() [*line 1316*]

**Generate w:rich**

- **Access** protected

*void* function CreateGraphic::generateSCALING() [*line 1331*]

**Generate w:scaling**

- **Access** protected

*void* function CreateGraphic::generateSER() [*line 1346*]

**Generate w:ser**

- **Access** protected

*void* function CreateGraphic::generateSHAPE([\$val = 'box']) [*line 1362*]

**Function Parameters:**

- *string* \$val

**Generate w:shape**

- **Access** protected

*void function CreateGraphic::generateSHOWPERCENT([\$val = '0']) [line 1378]*

**Function Parameters:**

- *string \$val*

**Generate w:showPercent**

- **Access** protected

*void function CreateGraphic::generateSPPR() [line 1393]*

**Generate w:spPr**

- **Access** protected

*void function CreateGraphic::generateSTRCACHE() [line 1408]*

**Generate w:strcache**

- **Access** protected

*void function CreateGraphic::generateSTRREF() [line 1423]*

**Generate w:strref**

- **Access** protected

*void function CreateGraphic::generateSTYLE([\$val = '2']) [line 1439]*

***Function Parameters:***

- *string \$val*

## **Generate w:style**

- **Access** protected

*void function CreateGraphic::generateTICKLBLPOS([\$val = 'nextTo']) [line 1457]*

***Function Parameters:***

- *string \$val*

## **Generate w:tickLbIPos**

- **Access** protected

*void function CreateGraphic::generateTITLE() [line 1472]*

## **Generate w:title**

- **Access** protected

*void function CreateGraphic::generateTITLELAYOUT([\$nombre = "]) [line 1488]*

**Function Parameters:**

- *string* \$nombre

**Generate w:titlelayout**

- **Access** protected

*void function CreateGraphic::generateTITLEP() [line 1503]*

**Generate w:titlep**

- **Access** protected

*void function CreateGraphic::generateTITLEPPR() [line 1518]*

**Generate w:titleppr**

- **Access** protected

*void function CreateGraphic::generateTITLER() [line 1533]*

**Generate w:titler**

- **Access** protected

*void function CreateGraphic::generateTITLERFONTS([\$font = "]) [line 1549]*

#### ***Function Parameters:***

- *string* **\$font**

### **Generate w:titlerfonts**

- **Access** protected

*void* function CreateGraphic::generateTITLERPR([\$lang = 'es-ES']) [*line 1567*]

#### ***Function Parameters:***

- **\$lang**

### **Generate w:titlerpr**

- **Access** protected

*void* function CreateGraphic::generateTITLET([\$nombre = ""]) [*line 1583*]

#### ***Function Parameters:***

- *string* **\$nombre**

### **Generate w:titlet**

- **Access** protected

*void function CreateGraphic::generateTITLETX() [line 1598]*

### **Generate w:titletx**

- **Access** protected

*void function CreateGraphic::generateTX() [line 1613]*

### **Generate w:tx**

- **Access** protected

*void function CreateGraphic::generateV([\$idx = 'Ventas']) [line 1629]*

### **Function Parameters:**

- *string* **\$idx**

### **Generate w:v**

- **Access** protected

*void function CreateGraphic::generateVAL() [line 1643]*

### **Generate w:val**

- **Access** protected

*void function CreateGraphic::generateVALAX() [line 1658]*

### **Generate w:valAx**

- **Access** protected

*void function CreateGraphic::generateVARYCOLORS([\$val = '1']) [line 1675]*

### **Function Parameters:**

- *string* **\$val**

### **Generate w:varyColors**

- **Access** protected

*CreateGraphic function CreateGraphic::getInstance() [line 210]*

- **Static**
- **Access** public

*string function CreateGraphic::getName() [line 257]*

### **Getter. Name**

- **Access** public

*string function CreateGraphic::getRId() [line 235]*

### **Getter. Rid**

- **Access** public

*string* function CreateGraphic::getXmlChart() [*line 279*]

#### **Getter. Xml chart**

- **Access** public

*void* function CreateGraphic::setName(\$name) [*line 246*]

#### **Function Parameters:**

- *string* **\$name**

#### **Setter. Name**

- **Access** public

*void* function CreateGraphic::setRId(\$rId) [*line 224*]

#### **Function Parameters:**

- *string* **\$rId**

#### **Setter. Rid**

- **Access** public



*void function CreateGraphic::setXmlChart(\$xmlChart) [line 268]*

**Function Parameters:**

- *string* **\$xmlChart**

**Setter. Xml chart**

- **Access** public

*void function CreateGraphic::\_\_destruct() [line 189]*

**Destruct**

- **Access** public

*string function CreateGraphic::\_\_toString() [line 199]*

- **Access** public

## Class CreateHeader

*[line 29]*

**Create header**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateHeader::\_\_construct() [*line 44*]

### **Construct**

- **Access** public

*void* function CreateHeader::createHeader(0, 1) [*line 114*]

#### **Function Parameters:**

- *string* **0** args[0]
- *array* **1** args[1]

### **Create header**

- **Access** public

*void* function CreateHeader::generateHDR() [*line 102*]

### **Generate hdr token**

- **Access** protected

*void* function CreateHeader::generateP() [*line 88*]

### **Generate w:p**

- **Access** protected

*CreateHeader* function CreateHeader::getInstance() [*line 75*]

- **Static**
- **Access** public

*void* function CreateHeader::\_\_destruct() [*line 54*]

### **Destruct**

- **Access** public

*string* function CreateHeader::\_\_toString() [*line 64*]

- **Access** public

## **Class CreateImage** [*line 29*]

### **Create images**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

#### **CreteImage::CONSTWORD**

= 360000 [*line 34*]

#### **CreteImage::NAMESPACEWORD**

= 'wp' [*line 31*]

#### **CreteImage::NAMESPACEWORD1**

= 'a' [*line 32*]

#### **CreteImage::NAMESPACEWORD2**

= 'pic' [*line 33*]

#### **CreteImage::TAMBORDER**

= 12700 [*line 35*]

Constructor *void* function CreteImage::\_\_construct() [*line 127*]

#### **Construct**

- **Access** public

*void* function CreteImage::createImage(\$args[0]) [*line 228*]

#### **Function Parameters:**

- *array* **\$args[0]**

#### **Create image**

- **Access** public

*CreateImage* function *CreateImage::getInstance()* [*line 170*]

- **Static**
- **Access** public

<*type*> function *CreateImage::getName()* [*line 195*]

#### **Getter. Name**

- **Access** public

<*type*> function *CreateImage::getRId()* [*line 217*]

#### **Getter. Rid**

- **Access** public

*void* function *CreateImage::setName(\$name)* [*line 184*]

#### **Function Parameters:**

- *string* **\$name**

#### **Setter. Name**

- **Access** public

*void function CreateImage::setRId(\$rId) [line 206]*

**Function Parameters:**

- *string* **\$rId**

**Setter. Rid**

- **Access** public

*void function CreateImage::\_\_destruct() [line 149]*

**Destruct**

- **Access** public

*string function CreateImage::\_\_toString() [line 159]*

- **Access** public

## Class CreateLink

*[line 29]*

**Create links using text strings**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateLink::\_\_construct() [*line 62*]

## **Construct**

- **Access** public

*void* function CreateLink::createLink(\$arrArgs[0], \$arrArgs[1], \$arrArgs[2]) [*line 144*]

### **Function Parameters:**

- *string* **\$arrArgs[0]** Text to add
- *string* **\$arrArgs[1]** URL to add
- *string* **\$arrArgs[2]** RFonts

## **Create a link**

- **Access** public

*void* function CreateLink::generateFLDCHAR(\$fldCharType) [*line 173*]

### **Function Parameters:**

- *string* **\$fldCharType**

## **Generate w:fldChar**

- **Access** protected

*void function CreateLink::generateHYPERLINK(\$type) [line 188]*

***Function Parameters:***

- *string* **\$type**

## Generate w:hyperlink

- **Access** protected

*void function CreateLink::generateINSTRTEXT([\$link = 'http://localhost'], \$link.) [line 201]*

***Function Parameters:***

- *string* **\$link**. Optional, use http://localhost as default
- **\$link**

## Generate w:instrText

- **Access** protected

*void function CreateLink::generatePROOFERR(\$type) [line 216]*

***Function Parameters:***

- *string* **\$type**

## Generate w:proofErr



- **Access** protected

*void* function CreateLink::generateR() [*line 230*]

**Generate w:r**

- **Access** protected

*void* function CreateLink::generateRSTYLE(\$val) [*line 255*]

**Function Parameters:**

- *string* \$val

**Generate w:rStyle**

- **Access** protected

*string* function CreateLink::getFont() [*line 131*]

**Getter. Access to font var**

- **Access** public

*CreateLink* function CreateLink::getInstance() [*line 95*]

**Singleton, return instance of class**

- **Static**
- **Access** public

*string* function CreateLink::getLink() [*line 109*]

**Getter. Access to link var**

- **Access** public

*string* function CreateLink::getTitle() [*line 120*]

**Getter. Access to title var**

- **Access** public

*void* function CreateLink::\_\_destruct() [*line 72*]

**Destruct**

- **Access** public

*string* function CreateLink::\_\_toString() [*line 83*]

**Magic method, returns current XML**

- **Access** public

# Class CreateList

[line 29]

## Create lists

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## CreateList::\$data

*array* = [line 54]

- **Access** public

## CreateList::\$font

*string* = [line 48]

- **Access** public

## CreateList::\$list

*mixed* = [line 36]

- **Access** public

#### CreateList::\$val

*array = [line 42]*

- **Access** public

Constructor *void* function CreateList::\_\_construct() *[line 74]*

#### **Construct**

- **Access** public

*void* function CreateList::addList(\$list) *[line 148]*

#### **Function Parameters:**

- *string* **\$list**

#### **Add list**

- **Access** protected

*void* function CreateList::createList(0, 1) *[line 121]*

#### **Function Parameters:**

- *array* **0** args[0]
- *array* **1** args[1]

## Create list

- **Access** public

*void* function CreateList::generateILFO([\$val = 0]) [*line 159*]

### **Function Parameters:**

- *int* **\$val**

## Generate w:ilfo

- **Access** protected

*void* function CreateList::generateILVL([\$val = ""]) [*line 175*]

### **Function Parameters:**

- *string* **\$val**

## Generate w:ilvl

- **Access** protected

*void* function CreateList::generateLISTPR() [*line 189*]

### **Generate w:listpr**

- **Access** protected

*void function CreateList::generateNUMID(\$val) [line 203]*

***Function Parameters:***

- *int* **\$val**

**Generate w:numid**

- **Access** protected

*void function CreateList::generateNUMPR() [line 217]*

**Generate w:numpr**

- **Access** protected

*void function CreateList::generatePSTYLE(\$val) [line 231]*

***Function Parameters:***

- *string* **\$val**

**Generate w:pstyle**

- **Access** protected

*CreateList* function *CreateList::getInstance()* [*line 106*]

- **Static**
- **Access** public

*void* function *CreateList::runArray(\$dat, \$val, \$depth, [\$font = "])* [*line 249*]

**Function Parameters:**

- *array* **\$dat**
- *string* **\$val**
- *int* **\$depth**
- *string* **\$font**

## Recursive generation of lists

- **Access** protected

*void* function *CreateList::\_\_destruct()* [*line 84*]

## Destruct

- **Access** public

*string* function *CreateList::\_\_toString()* [*line 94*]

- **Access** public

# Class CreatePage

[line 29]

## Create pages

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## CreatePage::\$\_xml

*string* = [line 36]

- **Access** protected

Constructor *void* function CreatePage::\_\_construct() [line 50]

## Construct

- **Access** public

*void* function CreatePage::createPage() [line 92]

## Create page

- **Access** public



*void function CreatePage::createSECTPR(0) [line 120]*

***Function Parameters:***

- *array 0* args[0]

## Create sectpr

- **Access** public

*void function CreatePage::generateBR([\$type = "]) [line 261]*

***Function Parameters:***

- *string \$type*

## Generate w:br

- **Access** protected

*void function CreatePage::generateCOL([\$w = "], [\$space = '708']) [line 236]*

***Function Parameters:***

- *string \$w*
- *string \$space*

## Generate w:col

- **Deprecated**
- **Access** protected

*void function CreatePage::generateCOLS([\$num = ''], [\$sep = ''], [\$space = '708'], [\$equalWidth = '']) [line 219]*

***Function Parameters:***

- *string* **\$num**
- *string* **\$sep**
- *string* **\$space**
- *string* **\$equalWidth**

## Generate w:cols

- **Access** protected

*void function CreatePage::generateDOCGRID([\$linepitch = '360']) [line 247]*

***Function Parameters:***

- *string* **\$linepitch**

## Generate w:docgrid

- **Access** protected

*void function CreatePage::generatePageBreak(\$type) [line 103]*

***Function Parameters:***

- *string* **\$type**

## Gnerate pagebreak

- **Access** public

*void function CreatePage::generatePGMAR(\$args[0]) [line 183]*

### **Function Parameters:**

- *array* **\$args[0]**

## Generate w:pgmar

- **Access** protected

*void function CreatePage::generatePGSZ([\$w = '11906'], [\$h = '16838'], [\$orient = '']) [line 161]*

### **Function Parameters:**

- *string* **\$w**
- *string* **\$h**
- *string* **\$orient**

## Generate w:pgsz

- **Access** protected

*void function CreatePage::generateSECTIONSECTPR([\$rId = '12240']) [line 275]*

### **Function Parameters:**

- *string* \$rId

## Generate w:sectionsectpr

- **Access** protected

*void* function CreatePage::generateSECTPR([\$rId = '12240']) [*line 142*]

### **Function Parameters:**

- *string* \$rId

## Generate w:sectpr

- **Access** protected

*void* function CreatePage::generateTITLEPG() [*line 292*]

## Generate w:titlepg

- **Access** protected

*CreatePage* function CreatePage::getInstance() [*line 81*]

- **Static**
- **Access** public

*void* function CreatePage::\_\_destruct() [*line 60*]

## **Destruct**

- **Access** public

*string* function CreatePage::\_\_toString() [*line 70*]

- **Access** public

# Class CreateSettings

[*line 29*]

## **Create default settings**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## **CreateSettings::\$\_xml**

*mixed* = [*line 36*]

- **Access** protected

Constructor *void* function CreateSettings::\_\_construct() [*line 49*]

### **Construct**

- **Access** public

*void* function CreateSettings::generateSettings() [*line 92*]

### **Generate settings**

- **Access** public

*CreateLink* function CreateSettings::getInstance() [*line 81*]

### **Singleton, return instance of class**

- **Static**
- **Access** public

*void* function CreateSettings::\_\_destruct() [*line 59*]

### **Destruct**

- **Access** public

*string* function CreateSettings::\_\_toString() [*line 70*]

### **Magic method, returns current XML**

- **Access** public

## Class CreateStyle

[line 31]

### Create styles

- **Package** elements
- **Version** 2.1
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

### CreateStyle::\$\_xml

*string* = [line 38]

- **Access** protected

Constructor *void* function CreateStyle::\_\_construct() [line 51]

### Construct

- **Access** public

*void* function CreateStyle::addStyle(\$args[0]) [line 96]

### Function Parameters:

- `array $args[0]`

## Add style

- **Access** public

`void function CreateStyle::addStyleTabla($param) [line 1525]`

### **Function Parameters:**

- `array $param`

## Add table style

- **Access** public

`void function CreateStyle::createStyle([$lang = 'en-US']) [line 452]`

### **Function Parameters:**

- `string $lang`

## Create style

- **Access** public



*void function CreateStyle::generateAUTOREDEFINE() [line 1654]*

### **Generate w:auto redefine**

- **Access** protected

*void function CreateStyle::generateB() [line 2494]*

### **Generate w:b**

- **Access** protected

*void function CreateStyle::generateBASEDON(\$val) [line 1582]*

#### ***Function Parameters:***

- *string \$val*

### **Generate w:basedon**

- **Access** protected

*void function CreateStyle::generateBCS() [line 2507]*

### **Generate w:bcs**

- **Access** protected

*void function CreateStyle::generateBOTTOM(\$w, \$type) [line 2406]*

#### ***Function Parameters:***

- *string* **\$w**
- *string* **\$type**

#### **Generate w:bottom**

- **Access** protected

*void* function CreateStyle::generateCOLOR(\$val, [\$themeColor = "], [\$themeShade = "]) [*line 2579*]

#### ***Function Parameters:***

- *string* **\$val**
- *string* **\$themeColor**
- *string* **\$themeShade**

#### **Generate w:color**

- **Access** protected

*void* function CreateStyle::generateCONTEXTUALSPACING() [*line 1920*]

#### **Generate w:contextualspacing**

- **Access** protected

*void* function CreateStyle::generatel([\$val = "]) [*line 2521*]

#### ***Function Parameters:***

- *string* \$val

## Generate w:i

- **Access** protected

*void* function CreateStyle::generateICS([\$val = ""]) [*line 2540*]

### **Function Parameters:**

- *string* \$val

## Generate w:ics

- **Access** protected

*void* function CreateStyle::generateLVL(\$val) [*line 1793*]

### **Function Parameters:**

- *string* \$val

## Generate w:ilvl

- **Access** protected

*void* function CreateStyle::generateIND(\$left) [*line 1949*]

**Function Parameters:**

- *string* **\$left**

**Generate w:ind**

- **Access** protected

*void* function CreateStyle::generateKEEPLINES() [*line 1807*]

**Generate w:keeplines**

- **Access** protected

*void* function CreateStyle::generateKEEPNEXT() [*line 1721*]

**Generate w:keepnext**

- **Access** protected

*void* function CreateStyle::generateKERN(\$val) [*line 1906*]

**Function Parameters:**

- *string* **\$val**

**Generate w:kern**

- **Access** protected

*void function CreateStyle::generateLEFT(\$w, \$type) [line 2389]*

***Function Parameters:***

- *string* **\$w**
- *string* **\$type**

## **Generate w:left**

- **Access** protected

*void function CreateStyle::generateLINK(\$val) [line 1612]*

***Function Parameters:***

- *string* **\$val**

## **Generate w:link**

- **Access** protected

*void function CreateStyle::generateNAME(\$val) [line 1568]*

***Function Parameters:***

- *string* **\$val**

## **Generate w:name**

- **Access** protected

*void function CreateStyle::generateNEXT(\$val) [line 1597]*

**Function Parameters:**

- *string* **\$val**

**Generate w:next**

- **Access** protected

*void function CreateStyle::generateNUMPR() [line 1779]*

**Generate w:numpr**

- **Access** protected

*void function CreateStyle::generateOUTLINEVLVL(\$val) [line 1934]*

**Function Parameters:**

- *string* **\$val**

**Generate w:outlinevl**

- **Access** protected

*void function CreateStyle::generatePBDR() [line 1820]*

### **Generate w:pbdr**

- **Access** protected

*void function CreateStyle::generatePBDR\_BOTTOM(\$val, \$sz, \$space, \$color, \$themeColor) [line 1837]*

#### **Function Parameters:**

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**

### **Generate w:pbdr**

- **Access** protected

*void function CreateStyle::generatePPR() [line 1708]*

### **Generate w:ppr**

- **Access** protected

*void function CreateStyle::generateQFORMAT() [line 1667]*

### **Generate w:qformat**

- **Access** protected

*void function CreateStyle::generateRFONTS(\$asciiTheme, \$eastAsiaTheme, \$hAnsiTheme, \$csstheme) [line 2453]*

***Function Parameters:***

- *string* **\$asciiTheme**
- *string* **\$eastAsiaTheme**
- *string* **\$hAnsiTheme**
- *string* **\$csstheme**

## Generate w:rfonts

- **Access** protected

*void function CreateStyle::generateRFONTS2(\$ascii, \$hAnsi, \$cs) [line 2478]*

***Function Parameters:***

- *string* **\$ascii**
- *string* **\$hAnsi**
- *string* **\$cs**

## Generate w:rfonts

- **Access** protected

*void function CreateStyle::generateRIGHT(\$w, \$type) [line 2423]*

***Function Parameters:***

- *string* **\$w**
- *string* **\$type**



## Generate w:right

- **Access** protected

*void function CreateStyle::generateRPR() [line 2436]*

## Generate w:rpr

- **Access** protected

*void function CreateStyle::generateRPR\_SPACING(\$val) [line 1891]*

### **Function Parameters:**

- *string* **\$val**

## Generate w:spacing

- **Access** protected

*void function CreateStyle::generateRSID(\$val) [line 1681]*

### **Function Parameters:**

- *string* **\$val**

## Generate w:rsid

- **Access** protected

void function CreateStyle::generateSEMIHIDDEN() [*line 1695*]

### **Generate w:semihidden**

- **Access** protected

void function CreateStyle::generateSHD(\$val, [\$color = "], [\$fill = "], [\$themeFill = "], [\$themeFillTint = "]) [*line 1981*]

#### **Function Parameters:**

- *string* **\$val**
- *string* **\$color**
- *string* **\$fill**
- *string* **\$themeFill**
- *string* **\$themeFillTint**

### **Generate w:shd**

- **Access** protected

void function CreateStyle::generateSPACING(\$before, \$after, \$line, \$lineRule) [*line 1859*]

#### **Function Parameters:**

- *string* **\$before**
- *string* **\$after**
- *string* **\$line**
- *string* **\$lineRule**

### **Generate w:spacing**

- **Access** protected

*void function CreateStyle::generateSTYLE(\$type, \$styleId, [\$default = ''], [\$customStyle = '']) [line 1544]*

**Function Parameters:**

- *string* **\$type**
- *string* **\$styleId**
- *string* **\$default**
- *string* **\$customStyle**

## Generate w:style

- **Access** protected

*void function CreateStyle::generateSZ(\$val) [line 2604]*

**Function Parameters:**

- *string* **\$val**

## Generate w:sz

- **Access** protected

*void function CreateStyle::generateSZCS(\$val) [line 2619]*

**Function Parameters:**

- *string* **\$val**

## Generate w:szcs

- **Access** protected

*void function CreateStyle::generateTABCENTER(\$pos) [line 1748]*

### **Function Parameters:**

- *string \$pos*

## Generate w:tabcenter

- **Access** protected

*void function CreateStyle::generateTABRIGHT(\$pos) [line 1764]*

### **Function Parameters:**

- *string \$pos*

## Generate w:tabright

- **Access** protected

*void function CreateStyle::generateTABS() [line 1734]*

## Generate w:tabs

- **Access** protected

*void function CreateStyle::generateTBLBORDERS() [line 2069]*

### **Generate w:tblborders**

- **Access** protected

*void function CreateStyle::generateTBLBORDERS\_BOTTOM(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [line 2180]*

#### **Function Parameters:**

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

### **Generate w:bottom**

- **Access** protected

*void function CreateStyle::generateTBLBORDERS\_INSIDEH(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [line 2272]*

#### **Function Parameters:**

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**

- *string* **\$themeTint**

## Generate w:insideh

- **Access** protected

*void* function CreateStyle::generateTBLBORDERS\_INSIDEV(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [*line 2317*]

### **Function Parameters:**

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

## Generate w:insiderv

- **Access** protected

*void* function CreateStyle::generateTBLBORDERS\_LEFT(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [*line 2134*]

### **Function Parameters:**

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

## Generate w:left

- **Access** protected

*void function CreateStyle::generateTBLBORDERS\_RIGHT(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [line 2228]*

***Function Parameters:***

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

## Generate w:right

- **Access** protected

*void function CreateStyle::generateTBLBORDERS\_TOP(\$val, [\$sz = "], [\$space = "], [\$color = "], [\$themeColor = "], [\$themeTint = "]) [line 2088]*

***Function Parameters:***

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**
- *string* **\$themeColor**
- *string* **\$themeTint**

## Generate w:top

- **Access** protected

*void function CreateStyle::generateTBLCELLMAR() [line 2356]*

### **Generate w:tblcellmar**

- **Access** protected

*void function CreateStyle::generateTBLIND(\$w, \$type) [line 2028]*

#### **Function Parameters:**

- *string* **\$w**
- *string* **\$type**

### **Generate w:tblind**

- **Access** protected

*void function CreateStyle::generateTBLPR() [line 2014]*

### **Generate w:tblpr**

- **Access** protected

*void function CreateStyle::generateTBLSTYLECOLBANDSIZE(\$val) [line 2057]*

#### **Function Parameters:**

- *string* **\$val**



## Generate w:tblstylecolbandsize

- **Access** protected

*void function CreateStyle::generateTBLSTYLEROWBANDSIZE(\$val) [line 2043]*

### **Function Parameters:**

- *string* **\$val**

## Generate w:tblstylerowbandsize

- **Access** protected

*void function CreateStyle::generateTCPR() [line 1963]*

## Generate w:tcpr

- **Access** protected

*void function CreateStyle::generateTOP(\$w, \$type) [line 2372]*

### **Function Parameters:**

- *string* **\$w**
- *string* **\$type**

## Generate w:top

- **Access** protected

*void function CreateStyle::generateU([\$val = "]) [line 2559]*

***Function Parameters:***

- *string \$val*

**Generate w:u**

- **Access** protected

*void function CreateStyle::generateUIPRIORITY(\$val) [line 1627]*

***Function Parameters:***

- *string \$val*

**Generate w:uipriority**

- **Access** protected

*void function CreateStyle::generateUNHIDEWHENUSED() [line 1641]*

**Generate w:unhidewhenused**

- **Access** protected

*void function CreateStyle::generateVERTALIGN([\$val = 'superscript']) [line 2634]*

**Function Parameters:**

- *string* **\$val**

**Generate w:vertAlign**

- **Access** protected

*CreateStyle function CreateStyle::getInstance() [line 82]*

- **Static**
- **Access** public

*void function CreateStyle::\_\_destruct() [line 61]*

**Destruct**

- **Access** public

*string function CreateStyle::\_\_toString() [line 71]*

- **Access** public

# Class CreateStyleTable

[line 29]

## Create style table

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## CreateStyleTable::\$\_xml

*string* = [line 36]

- **Access** protected

Constructor *void* function CreateStyleTable::\_\_construct() [line 49]

## Construct

- **Access** public

*void* function CreateStyleTable::addStyleTable(\$args[0]) [line 94]

## Function Parameters:

- *array* **\$args[0]**

## Add table style

- **Access** public

*void function CreateStyleTable::generateSHD(\$val, [\$color = "], [\$fill = "], [\$themeFill = "], [\$themeFillTint = "]) [line 518]*

**Function Parameters:**

- *string* **\$val**
- *string* **\$color**
- *string* **\$fill**
- *string* **\$themeFill**
- *string* **\$themeFillTint**

## Generate w:shd

- **Access** protected

*void function CreateStyleTable::generateTBLPR() [line 465]*

## Generate w:tblPr

- **Access** protected

*void function CreateStyleTable::generateTBLSTYLEPR(\$type) [line 452]*

**Function Parameters:**

- *string* **\$type**

## Generate w:tblStylePr

- **Access** protected

*void* function CreateStyleTable::generateTCBORDERS() [*line 497*]

### **Generate w:tcBorders**

- **Access** protected

*void* function CreateStyleTable::generateTCPR() [*line 481*]

### **Generate w:tcPr**

- **Access** protected

*CreateStyleTable* function CreateStyleTable::getInstance() [*line 80*]

- **Static**
- **Access** public

*void* function CreateStyleTable::\_\_destruct() [*line 59*]

### **Destruct**

- **Access** public

*string* function CreateStyleTable::\_\_toString() [*line 69*]

- **Access** public

## Class CreateTable

*[line 29]*

### Create tables

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateTable::\_\_construct() *[line 44]*

### Construct

- **Access** public

*void* function CreateTable::addList(\$list) *[line 137]*

### Function Parameters:

- *string* \$list

### Add list

- **Access** protected

*void function CreateTable::createTable(0) [line 90]*

***Function Parameters:***

- *array* **0** args[0]

## **Create table**

- **Access** public

*void function CreateTable::generateGRIDCOLS(\$w) [line 148]*

***Function Parameters:***

- *string* **\$w**

## **Generate w:gridcols**

- **Access** protected

*void function CreateTable::generateHMERGE([\$val = ""]) [line 163]*

***Function Parameters:***

- *string* **\$val**

## **Generate w:hmerge**



- **Deprecated**
- **Access** protected

*void function CreateTable::generateJC([\$val = "]) [line 174]*

**Function Parameters:**

- *string* **\$val**

## Generate w:jc

- **Access** protected

*void function CreateTable::generateP() [line 187]*

## Generate w:p

- **Access** protected

*void function CreateTable::generateSHD([\$val = 'horz-cross'], [\$color = 'ff0000'], [\$fill = "], [\$bgcolor = "], [\$themeFill = "]) [line 204]*

**Function Parameters:**

- *string* **\$val**
- *string* **\$color**
- *string* **\$fill**
- *string* **\$bgcolor**
- *string* **\$themeFill**

## Generate w:shd

- **Access** protected

*void function CreateTable::generateTBL() [line 257]*

#### **Generate w:tbl**

- **Access** protected

*void function CreateTable::generateTBLBORDERS() [line 222]*

#### **Generate w:tblborders**

- **Access** protected

*void function CreateTable::generateTBLBOTTOM([\$val = "single"], [\$sz = "4"], [\$space = '0'], [\$color = 'auto']) [line 239]*

#### **Function Parameters:**

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**

#### **Generate w:tblbottom**

- **Access** protected

*void function CreateTable::generateTBLCELLSPACING([\$w = "], [\$type = "]) [line 286]*

**Function Parameters:**

- *string \$w*
- *string \$type*

## Generate w:tblcellspacing

- **Access** protected

*void function CreateTable::generateTBLGRID() [line 303]*

## Generate w:tblgrid

- **Access** protected

*void function CreateTable::generateTBLINSIDEH([\$val = "single"], [\$sz = "4"], [\$space = '0'], [\$color = 'auto']) [line 321]*

**Function Parameters:**

- *string \$val*
- *string \$sz*
- *string \$space*
- *string \$color*

## Generate w:tblinsideh

- **Access** protected

*void function CreateTable::generateTBLINSIDEV([\$val = "single"], [\$sz = "4"], [\$space = '0'], [\$color = 'auto']) [line 343]*

**Function Parameters:**

- *string \$val*
- *string \$sz*
- *string \$space*
- *string \$color*

## Generate w:tblinsidev

- **Access** protected

*void function CreateTable::generateTBLLEFT([\$val = "single"], [\$sz = "4"], [\$space = '0'], [\$color = 'auto']) [line 364]*

**Function Parameters:**

- *string \$val*
- *string \$sz*
- *string \$space*
- *string \$color*

## Generate w:tblleft

- **Access** protected

*void function CreateTable::generateTBLLOOK([\$val = '000001E0']) [line 382]*

**Function Parameters:**

- *string \$val*

## Generate w:tbllook

- **Access** protected

*void function CreateTable::generateTBLOVERLAP([\$val = 'never']) [line 396]*

**Function Parameters:**

- *string* **\$val**

## **Generate w:tbloverlap**

- **Access** protected

*void function CreateTable::generateTBLPR() [line 409]*

## **Generate w:tblpr**

- **Access** protected

*void function CreateTable::generateTBLRIGHT([\$val = 'single'], [\$sz = '4'], [\$space = '0'], [\$color = 'auto']) [line 429]*

**Function Parameters:**

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**

## **Generate w:tblright**

- **Access** protected

*void function CreateTable::generateTBLSTYLE([\$strVal = 'Tablaconcuadrucula']) [line 270]*

***Function Parameters:***

- *string* **\$strVal**

## Generate w:tblstyle

- **Access** protected

*void function CreateTable::generateTBLTOP([\$val = 'single'], [\$sz = '4'], [\$space = '0'], [\$color = 'auto']) [line 450]*

***Function Parameters:***

- *string* **\$val**
- *string* **\$sz**
- *string* **\$space**
- *string* **\$color**

## Generate w:tbltop

- **Access** protected

*void function CreateTable::generateTBLW([\$type = 'auto'], [\$w = '0']) [line 469]*

***Function Parameters:***

- *string* **\$type**
- *string* **\$w**

## Generate w:tblw

- **Access** protected

*void function CreateTable::generateTC() [line 483]*

## Generate w:tc

- **Access** protected

*void function CreateTable::generateTCPR() [line 495]*

## Generate w:tcpr

- **Access** protected

*void function CreateTable::generateTCW([\$w = "], [\$type = 'dxa']) [line 510]*

### **Function Parameters:**

- *string* **\$w**
- *string* **\$type**

## Generate w:tcw

- **Access** protected

*void function CreateTable::generateTR() [line 524]*

#### **Generate w:tr**

- **Access** protected

*void function CreateTable::generateTRPR() [line 537]*

#### **Generate w:trpr**

- **Access** protected

*void function CreateTable::generateVMERGE([\$val = ""]) [line 552]*

#### **Function Parameters:**

- *<type>* **\$val**

#### **Generate w:vmerge**

- **Deprecated**
- **Access** protected

*CreateTable function CreateTable::getInstance() [line 76]*

- **Static**
- **Access** public

*void function CreateTable::\_\_destruct() [line 54]*



## Destruct

- **Access** public

*string* function CreateTable::\_\_toString() [*line 64*]

- **Access** public

## Class CreateTableContents

[*line 29*]

### Create table of contents

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

### CreateTableContents::\$\_xml

*string* = [*line 36*]

- **Access** protected

Constructor *void* function CreateTableContents::\_\_construct() [*line 51*]

## **Construct**

- **Access** public

*void* function CreateTableContents::createTableContents(\$font) [*line 97*]

### **Function Parameters:**

- *string* **\$font**

## **Create table of contents**

- **Access** public

*void* function CreateTableContents::generateFLDSIMPLE([\$instr = 'TOC \o &quot;1-4&quot;  
 \h \z \u'], \$instr.) [*line 118*]

### **Function Parameters:**

- *string* **\$instr**. Optional, 'TOC \o &quot;1-4&quot; \h \z \u' as default
- **\$instr**

## **Generate w:fldsimpl**

- **Access** protected

*CreateTableContents* function CreateTableContents::getInstance() [*line 83*]

- **Static**
- **Access** public

*void* function CreateTableContents::\_\_destruct() [*line 61*]

### **Destruct**

- **Access** public

*string* function CreateTableContents::\_\_toString() [*line 72*]

### **Magic method, returns current XML**

- **Access** public

## Class CreateText

[*line 29*]

### **Create text**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

### **CreateText::IDTITLE**

= 229998237 [*line 31*]

Constructor *void* function CreateText::\_\_construct() [*line 50*]

## **Destruct**

- **Access** public

*void* function CreateText::createText(\$args[0], \$args[1]) [*line 98*]

### **Function Parameters:**

- *mixed* **\$args[0]**
- *array* **\$args[1]**

## **Create text**

- **Access** public

*void* function CreateText::createTitle(\$arrArgs[0], \$arrArgs[1]) [*line 162*]

### **Function Parameters:**

- *string* **\$arrArgs[0]**
- *array* **\$arrArgs[1]**

## **Create title**

- **Access** public

*void* function CreateText::generateB([\$strVal = 'single'], \$val) [*line 224*]

#### ***Function Parameters:***

- *string* \$val
- \$strVal

### **Generate w:b**

- **Access** protected

*void* function CreateText::generateBOOKMARKEND(\$id) [*line 395*]

#### ***Function Parameters:***

- *int* \$id

### **Generate w:bookmarkend**

- **Access** protected

*void* function CreateText::generateBOOKMARKSTART(\$id, \$name) [*line 378*]

#### ***Function Parameters:***

- *int* \$id
- *string* \$name

### **Generate w:bookmarkstart**

- **Access** protected

*void function CreateText::generateCOLOR([\$val = '000000']) [line 238]*

***Function Parameters:***

- *string \$val*

**Generate w:color**

- **Access** protected

*void function CreateText::generateI([\$val = 'single']) [line 268]*

***Function Parameters:***

- *string \$val*

**Generate w:i**

- **Access** protected

*void function CreateText::generateJC([\$val = '']) [line 253]*

***Function Parameters:***

- *string \$val*

**Generate w:jc**

- **Access** protected

*void function CreateText::generatePAGEBREAKBEFORE([\$val = 'on']) [line 330]*

***Function Parameters:***

- *string \$val*

## **Generate w:pagebreakbefore**

- **Access** protected

*void function CreateText::generatePSTYLE([\$val = 'Ttulo']) [line 314]*

***Function Parameters:***

- *string \$val*

## **Generate w:pstyle**

- **Access** protected

*void function CreateText::generateSZ([\$val = '11']) [line 283]*

***Function Parameters:***

- *string \$val*

## **Generate w:sz**

- **Access** protected

*void function CreateText::generateU([\$val = 'single']) [line 299]*

***Function Parameters:***

- *string* \$val

## **Generate w:u**

- **Access** protected

*void function CreateText::generateWIDOWCONTROL([\$val = 'on']) [line 346]*

***Function Parameters:***

- *string* \$val

## **Generate w:widowcontrol**

- **Access** protected

*void function CreateText::generateWORDWRAP([\$val = 'on']) [line 362]*

***Function Parameters:***

- *string* \$val

## **Generate w:wordwrap**



- **Access** protected

*CreateText* function CreateText::getInstance() [*line 83*]  
**Singleton, return instance of class**

- **Static**
- **Access** public

*void* function CreateText::\_\_destruct() [*line 60*]  
**Destruct**

- **Access** public

*string* function CreateText::\_\_toString() [*line 71*]  
**Magic method, returns current XML**

- **Access** public

## Class CreateTheme1

[*line 29*]

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## CreateTheme1::NAMESPACEWORD

= 'a' [*line 31*]

## CreateTheme1::\$\_xml

*string* = [*line 45*]

- **Access** protected

Constructor *void* function CreateTheme1::\_\_construct() [*line 52*]

## Construct

- **Access** public

*void* function CreateTheme1::createTheme(\$font) [*line 97*]

## Function Parameters:

- *string* **\$font**

## Create theme

- **Access** public

*void function CreateTheme1::generateACCENT1() [line 440]*

### **Generate a:accent1**

- **Access** protected

*void function CreateTheme1::generateACCENT2() [line 453]*

### **Generate a:accent2**

- **Access** protected

*void function CreateTheme1::generateACCENT3() [line 466]*

### **Generate a:accent3**

- **Access** protected

*void function CreateTheme1::generateACCENT4() [line 479]*

### **Generate a:accent4**

- **Access** protected

*void function CreateTheme1::generateACCENT5() [line 492]*

### **Generate a:accent5**

- **Access** protected

*void function CreateTheme1::generateACCENT6() [line 505]*

### **Generate a:accent6**

- **Access** protected

*void function CreateTheme1::generateALPHA(\$val) [line 1061]*

#### ***Function Parameters:***

- *string \$val*

### **Generate a:alpha**

- **Access** protected

*void function CreateTheme1::generateBEVELT(\$w, \$h) [line 1161]*

#### ***Function Parameters:***

- *string \$w*
- *string \$h*

### **Generate a:bevelt**

- **Access** protected

*void function CreateTheme1::generateBGFILLSTYLELST() [line 1174]*

### **Generate a:bgfillstylelst**

- **Access** protected

*void function CreateTheme1::generateCAMERA(\$prst) [line 1100]*

#### **Function Parameters:**

- *string* **\$prst**

### **Generate a:camera**

- **Access** protected

*void function CreateTheme1::generateCLRScheme([\$name = 'Office']) [line 340]*

#### **Function Parameters:**

- *string* **\$name**

### **Generate a:clrscheme**

- **Access** protected

*void function CreateTheme1::generateCS([\$typeface = ""]) [line 609]*

#### **Function Parameters:**

- *string* **\$typeface**

## Generate a:cs

- **Access** protected

*void function CreateTheme1::generateDK1() [line 359]*

## Generate a:dk1

- **Access** protected

*void function CreateTheme1::generateDK2() [line 401]*

## Generate a:dk2

- **Access** protected

*void function CreateTheme1::generateEA([\$typeface = '']) [line 594]*

### **Function Parameters:**

- *string* **\$typeface**

## Generate a:ea

- **Access** protected

*void function CreateTheme1::generateEFFECTLST() [line 1014]*

### **Generate a:effectlst**

- **Access** protected

*void function CreateTheme1::generateEFFECTLST2() [line 1074]*

### **Generate a:effectlst2**

- **Access** protected

*void function CreateTheme1::generateEFFECTSTYLE() [line 981]*

### **Generate a:effectstyle**

- **Access** protected

*void function CreateTheme1::generateEFFECTSTYLE2() [line 999]*

### **Generate a:effectstyle2**

- **Access** protected

*void function CreateTheme1::generateEFFECTSTYLELST() [line 967]*

### **Generate a:effectstylest**

- **Access** protected

*void function CreateTheme1::generateEXTRACLRSchemeLST() [line 1257]*

### **Generate a:extraclrschemelst**

- **Access** protected

*void function CreateTheme1::generateFILLSTYLELST() [line 705]*

### **Generate a:fillstylelst**

- **Access** protected

*void function CreateTheme1::generateFILLTORECT(\$l, \$t, \$r, \$b) [line 1225]*

#### **Function Parameters:**

- *string* **\$l**
- *string* **\$t**
- *string* **\$r**
- *string* **\$b**

### **Generate a:filltoirect**

- **Access** protected

*void function CreateTheme1::generateFMTSCHEME(\$name) [line 690]*

#### **Function Parameters:**

- *string* **\$name**



## Generate a:fmtscheme

- **Access** protected

*void function CreateTheme1::generateFOLHLINK() [line 531]*

## Generate a:folhlink

- **Access** protected

*void function CreateTheme1::generateFONT([\$script = "], [\$typeface = "]) [line 626]*

### **Function Parameters:**

- *string* **\$script**
- *string* **\$typeface**

## Generate a:font

- **Access** protected

*void function CreateTheme1::generateFONT2([\$script = "], [\$typeface = "]) [line 643]*

### **Function Parameters:**

- *string* **\$typeface**
- *string* **\$script** script

## Generate a:font

- **Access** protected

*void function CreateTheme1::generateFONT3([\$script = "], [\$typeface = "]) [line 661]*

### **Function Parameters:**

- *string* **\$script**
- *string* **\$typeface**

## Generate a:font

- **Access** protected

*void function CreateTheme1::generateFONTSCHEMA([\$name = 'Office']) [line 545]*

### **Function Parameters:**

- *string* **\$name**

## Generate a:fontschema

- **Access** protected

*void function CreateTheme1::generateGRADFILL(\$rotWithShape) [line 751]*

### **Function Parameters:**

- *string* **\$rotWithShape**

## Generate a:gradfill

- **Access** protected

*void function CreateTheme1::generateGRADFILL2(\$rotWithShape) [line 767]*

### **Function Parameters:**

- *string* **\$rotWithShape**

## Generate a:gradfill

- **Access** protected

*void function CreateTheme1::generateGS(\$pos) [line 793]*

### **Function Parameters:**

- *string* **\$pos**

## Generate a:gs

- **Access** protected

*void function CreateTheme1::generateGS2(\$pos) [line 807]*

### **Function Parameters:**

- *string* **\$pos**

## Generate a:gs

- **Access** protected

*void function CreateTheme1::generateGSLST() [line 780]*

## Generate a:gslst

- **Access** protected

*void function CreateTheme1::generateHLINK() [line 518]*

## Generate a:hlink

- **Access** protected

*void function CreateTheme1::generateLATIN([\$typeface = 'cambia']) [line 578]*

### **Function Parameters:**

- *string* **\$typeface**

## Generate a:latin

- **Access** protected

*void function CreateTheme1::generateLIGHTRIG(\$rig, \$dir) [line 1132]*

***Function Parameters:***

- *string \$rig*
- *string \$dir*

## **Generate a:lightrig**

- **Access** protected

*void function CreateTheme1::generateLIN(\$ang, \$scaled, \$val) [line 875]*

***Function Parameters:***

- *string \$val*
- *string \$scaled*
- *\$ang*

## **Generate a:lin**

- **Access** protected

*void function CreateTheme1::generateLN(\$w, \$cap, \$cmpd, \$algn) [line 907]*

***Function Parameters:***

- *string \$w*
- *string \$cap*
- *string \$cmpd*
- *string \$algn*

## **Generate a:ln**

- **Access** protected

*void function CreateTheme1::generateLN2(\$w, \$scap, \$scmpd, \$salgn) [line 925]*

**Function Parameters:**

- *string* **\$w**
- *string* **\$scap**
- *string* **\$scmpd**
- *string* **\$salgn**

**Generate a:ln**

- **Access** protected

*void function CreateTheme1::generateLNSTYLELST() [line 888]*

**Generate a:lnstylelst**

- **Access** protected

*void function CreateTheme1::generateLT1() [line 388]*

**Generate a:lt1**

- **Access** protected

*void function CreateTheme1::generateLT2() [line 427]*

## Generate a:lt2

- **Access** protected

*void* function CreateTheme1::generateMAYORFONT() [*line 562*]

### **Generate a:mayorfont**

- **Access** protected

*void* function CreateTheme1::generateMINORFONT() [*line 676*]

### **Generate a:minorfont**

- **Access** protected

*void* function CreateTheme1::generateOBJECTDEFAULTS() [*line 1239*]

### **Generate a:objectdefaults**

- **Access** protected

*void* function CreateTheme1::generateOUTERSHDW(\$blurRad, \$dist, \$dir, \$rotWithShape) [*line 1031*]

#### ***Function Parameters:***

- *string* **\$blurRad**
- *string* **\$dist**
- *string* **\$dir**
- *string* **\$rotWithShape**

## Generate a:outershdw

- **Access** protected

*void function CreateTheme1::generatePATH(\$path) [line 1207]*

### **Function Parameters:**

- *string* **\$path** @path

## Generate a:path

- **Access** protected

*void function CreateTheme1::generatePRSTDASH(\$val) [line 954]*

### **Function Parameters:**

- *string* **\$val**

## Generate a:prstdash

- **Access** protected

*void function CreateTheme1::generateROT(\$lat, \$lon, \$rev) [line 1117]*

### **Function Parameters:**

- *string* **\$lat**



- *string* **\$lon**
- *string* **\$rev** @rev

## Generate a:rot

- **Access** protected

*void* function CreateTheme1::generateSATMOD(\$val) [*line 861*]

### **Function Parameters:**

- *string* **\$val**

## Generate a:satmod

- **Access** protected

*void* function CreateTheme1::generateSCENE3D() [*line 1086*]

- **Access** protected

*void* function CreateTheme1::generateSCHEMECLR(\$val) [*line 737*]

### **Function Parameters:**

- *string* **\$val**

## Generate a:schemeclr

- **Access** protected

*void function CreateTheme1::generateSCHEMECLR2(\$val) [line 820]*

***Function Parameters:***

- *string* **\$val**

**Generate a:schemeclr**

- **Access** protected

*void function CreateTheme1::generateSCHEMECLR3(\$val) [line 940]*

***Function Parameters:***

- *string* **\$val**

**Generate a:schemeclr3**

- **Access** protected

*void function CreateTheme1::generateSHADE(\$val) [line 848]*

***Function Parameters:***

- *string* **\$val**

**Generate a:shade**

- **Access** protected

*void function CreateTheme1::generateSOLIDFILL() [line 719]*

#### **Generate a:solidfill**

- **Access** protected

*void function CreateTheme1::generateSP3D() [line 1146]*

#### **Generate a:sp3d**

- **Access** protected

*void function CreateTheme1::generateSRGBCLR([\$val = 'windowText']) [line 415]*

#### **Function Parameters:**

- *string* **\$val**

#### **Generate a:srgbclr**

- **Access** protected

*void function CreateTheme1::generateSRGBCLR2(\$val) [line 1047]*

#### **Function Parameters:**

- *string* **\$val**

## Generate a:srgbclr2

- **Access** protected

*void* function CreateTheme1::generateSYSCLR([\$val = 'windowText'], [\$lastClr = '000000']) [*line 375*]

### **Function Parameters:**

- *string* **\$val**
- *string* **\$lastClr**

## Generate a:sysclr

- **Access** protected

*void* function CreateTheme1::generateTHEMEELEMENTS() [*line 325*]

## Generate a:themeelements

- **Access** protected

*void* function CreateTheme1::generateTINT(\$val) [*line 834*]

### **Function Parameters:**

- *string* **\$val**

## Generate a:tint

- **Access** protected

*void* function CreateTheme1::generateTINT2(\$val) [*line 1193*]

### **Function Parameters:**

- *string* \$val

## Generate a:tint2

- **Access** protected

*CreateTheme1* function CreateTheme1::getInstance() [*line 83*]

- **Static**
- **Access** public

*void* function CreateTheme1::\_\_destruct() [*line 62*]

### **Destruct**

- **Access** public

*string* function CreateTheme1::\_\_toString() [*line 72*]

- **Access** public

# Class CreateWebSettings

[line 29]

## Create default websettings XML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

## CreateWebSettings::\$\_xml

*mixed* = [line 36]

- **Access** protected

Constructor *void* function CreateWebSettings::\_\_construct() [line 49]

## Construct

- **Access** public

*void* function CreateWebSettings::generateWebSettings() [line 94]

## Main tags of websettings XML

- **Access** public

*CreateWebSettings* function *CreateWebSettings::getInstance()* [line 81]  
**Singleton, return instance of class**

- **Static**
- **Access** public

*void* function *CreateWebSettings::\_\_destruct()* [line 59]  
**Destruct**

- **Access** public

*string* function *CreateWebSettings::\_\_toString()* [line 70]  
**Magic method, returns current XML**

- **Access** public

## Class *CreateXlsx* [line 28]

**Create XLSX**

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L. (http://www.2mdc.com)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

Constructor *void* function CreateXlsx::\_\_construct() [*line 67*]

## **Construct**

- **Access** public

*void* function CreateXlsx::addSharedStrings(\$args[1]) [*line 210*]

### **Function Parameters:**

- *array* **\$args[1]**

## **Add shared strings**

- **Access** protected

*void* function CreateXlsx::addSheet(\$args[1]) [*line 225*]

### **Function Parameters:**

- *array* **\$args[1]**

## **Add sheet**



- **Access** protected

*void* function CreateXlsx::addTable(\$args[0], \$args[1]) [*line 195*]

**Function Parameters:**

- *array* **\$args[0]**
- *array* **\$args[1]**

## Add table

- **Access** protected

*bool* function CreateXlsx::createXlsx() [*line 112*]

## Create XLSX

- **Access** public

*CreateXlsx* function CreateXlsx::getInstance() [*line 98*]

- **Static**
- **Access** public

*void* function CreateXlsx::\_\_destruct() [*line 77*]

## Destruct

- **Access** public

*string* function CreateXlsx::\_\_toString() [*line 87*]

- **Access** public

## Class TransformDoc

[*line 33*]

### Transform DOCX to PDF or XHTML

- **Package** elements
- **Version** 1.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 1.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

#### TransformDoc::SCHEMA\_IMAGEDOCUMENT

=  
'http://schemas.openxmlformats.org/officeDocument/2006/relationships/image' [*line 35*]

#### TransformDoc::SCHEMA\_OFFICEDOCUMENT

=  
'http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument' [*line 37*]

Constructor *void* function TransformDoc::\_\_construct() [*line 52*]

### **Construct**

- **Access** public

*string* function TransformDoc::absoluteZipPath(\$path) [*line 132*]

**Function Parameters:**

- **\$path**

**Return zip path**

- **Access** public

*void* function TransformDoc::cleanXHTML() [*line 156*]

**Clean HTML**

- **Access** public

*void* function TransformDoc::generatePDF() [*line 275*]

**Convert DOCX to PDF, using dompdf. DOCX->XHTML->PDF**

- **Access** public

*void* function TransformDoc::generateXHTML() [*line 194*]

**Convert DOCX to XHTML**

- **Access** public

*void function TransformDoc::getFileName() [line 176]*

**Return file name**

- **Access** public

*void function TransformDoc::getstrFile() [line 72]*

**Getter. File**

- **Access** public

*void function TransformDoc::getStrOutputFile() [line 92]*

**Getter. Output file**

- **Access** public

*void function TransformDoc::getStrXHTML() [line 82]*

**Getter. XHTML**

- **Access** public

*void function TransformDoc::setstrFile(\$file) [line 102]*

**Function Parameters:**

- **\$file**

## Setter. File

- **Access** public

*void function TransformDoc::setStrOutputFile(\$outputFile) [line 121]*

### **Function Parameters:**

- *string* **\$outputFile**

- **Access** public

*void function TransformDoc::setStrXHTML(\$strXHTML) [line 112]*

### **Function Parameters:**

- **\$strXHTML**

## Setter. XHTML

- **Access** public

*void function TransformDoc::validatorXHTML() [line 297]*

### **Validate HTML using tidy**

- **Access** public

*void* function TransformDoc::\_\_destruct() [*line 62*]

## **Destruct**

- **Access** public



# Package loader Procedural Elements

## AutoLoader.inc

### Autoloader

- **Package** loader
- **Version** 2.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 2.0
- **License** LGPL



# Package loader Classes

## Class AutoLoader

*[line 28]*

### Autoloader

- **Package** loader
- **Version** 2.0
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** Class available since Release 2.0
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

*void function AutoLoader::load() [line 80]*

### Main tags of relationships XML

- **Static**
- **Access** public

*void function AutoLoader::loadPDF() [line 86]*

- **Static**
- **Access** public



# Package transform Classes

## Class Docx2Text

*[line 16]*

### Docx 2 text

- **Package** transform
- **Version** 2012.12.06
- **Copyright** Copyright (c) 2009-2011 Narcea Producciones Multimedia S.L.  
(<http://www.2mdc.com>)
- **Link** <http://www.phpdocx.com>
- **Since** File available since Release 2.6
- **License** [http://www.phpdocx.com/wp-content/themes/lightword/pro\\_license.php](http://www.phpdocx.com/wp-content/themes/lightword/pro_license.php)

### Docx2Text::DEBUG

= 0 *[line 21]*

### Docx2Text::SEPARATOR\_LINUX

= "\n" *[line 19]*

### Docx2Text::SEPARATOR\_LINUX\_DEBUG

= '\n' *[line 23]*

### Docx2Text::SEPARATOR\_TAB

= "\t" *[line 20]*

### Docx2Text::SEPARATOR\_TAB\_DEBUG

= '\t' *[line 24]*

### Docx2Text::SEPARATOR\_WINDOWS

= PHP\_EOL [line 18]

**Docx2Text::SEPARATOR\_WINDOWS\_DEBUG**

= '\n\r' [line 22]

Constructor void function Docx2Text::\_\_construct([\$boolTransforms = array()]) [line 159]

**Function Parameters:**

- **array \$boolTransforms** of boolean values of which elements should be transformed or not

## Construct

- **Access** public

void function Docx2Text::extract([\$filename = ""]) [line 217]

**Function Parameters:**

- **string \$filename** of the word document.

**Extract the content of a word document and create a text file if the name is given**

- **Access** public

void function Docx2Text::getDocument() [line 252]

**Getter**

- **Access** public

*void function Docx2Text::getDocx() [line 272]*

### **Getter**

- **Access** public

*void function Docx2Text::setDocument(\$docu) [line 262]*

#### **Function Parameters:**

- **\$docu**

### **Setter**

- **Access** public

*void function Docx2Text::setDocx(\$filename) [line 282]*

#### **Function Parameters:**

- **\$filename**

### **Setter**

- **Access** public

*void function Docx2Text::writeFile(\$filename, \$data) [line 298]*

#### **Function Parameters:**

- *the* **\$filename** name of the file which is going to write

- *the* **\$data** data of the file

## Write the file

- **Access** public

# Appendices

# Appendix A - Class Trees

## Package elements

### CreateElement

- [CreateElement](#)
  - [CreateChartRels](#)
  - [CreateExcelSharedStrings](#)
  - [CreateExcelSheet](#)
  - [CreateExcelTable](#)
  - [CreateFontTable](#)
  - [CreateFooter](#)
  - [CreateFootnote](#)
  - [CreateGraphic](#)
  - [CreateHeader](#)
  - [CreateImage](#)
  - [CreateLink](#)
  - [CreateList](#)
  - [CreatePage](#)
  - [CreateSettings](#)
  - [CreateStyle](#)
    - [CreateStyleTable](#)
  - [CreateTable](#)
  - [CreateTableContents](#)
  - [CreateText](#)
  - [CreateTheme1](#)
  - [CreateWebSettings](#)

### CreateXlsx

- [CreateXlsx](#)

### TransformDoc



- [TransformDoc](#)

Package loader

## AutoLoader

- [AutoLoader](#)

Package create

## CreateDocx

- [CreateDocx](#)

Package transform

## Docx2Text

- [Docx2Text](#)

# Index

## A

<a href="#">AutoLoader::loadPDF()</a>	217
<a href="#">AutoLoader::load()</a>	217
<i>Main tags of relationships XML</i>	
<a href="#">AutoLoader</a>	217
Autoloader	
<a href="#">AutoLoader.inc</a>	216
Autoloader	

## C

<a href="#">CreateStyle::generateCOLOR()</a>	146
Generate w:color	
<a href="#">CreateStyle::generateCONTEXTUALSPACING()</a>	146
Generate w:contextualspacing	
<a href="#">CreateStyle::generateI()</a>	146
Generate w:i	
<a href="#">CreateStyle::generateICS()</a>	147
Generate w:ics	
<a href="#">CreateStyle::generateBOTTOM()</a>	145
Generate w:bottom	
<a href="#">CreateStyle::generateBCS()</a>	145
Generate w:bcs	
<a href="#">CreateStyle::generateAUTOREDEFINE()</a>	145
Generate w:auto redefine	
<a href="#">CreateStyle::generateB()</a>	145
Generate w:b	
<a href="#">CreateStyle::generateBASEDON()</a>	145
Generate w:basedon	
<a href="#">CreateStyle::generateILVL()</a>	147
Generate w:ilvl	
<a href="#">CreateStyle::generateIND()</a>	147
Generate w:ind	
<a href="#">CreateStyle::generateNAME()</a>	149
Generate w:name	
<a href="#">CreateStyle::generateNEXT()</a>	150
Generate w:next	
<a href="#">CreateStyle::generateNUMPR()</a>	150
Generate w:numpr	
<a href="#">CreateStyle::generateLINK()</a>	149
Generate w:link	
<a href="#">CreateStyle::generateLEFT()</a>	149
Generate w:left	
<a href="#">CreateStyle::generateKEEPLINES()</a>	148

Generate w:keeplines	
<a href="#">CreateStyle::generateKEEPNEXT()</a>	148
Generate w:keepnext	
<a href="#">CreateStyle::generateKERN()</a>	148
Generate w:kern	
<a href="#">CreateStyle::createStyle()</a>	144
Create style	
<a href="#">CreateStyle::addStyleTable()</a>	144
Add table style	
<a href="#">CreatePage::__destruct()</a>	141
Destruct	
<a href="#">CreatePage::__toString()</a>	141
<a href="#">CreateSettings</a>	141
Create default settings	
<a href="#">CreatePage::getInstance()</a>	140
<a href="#">CreatePage::generateTITLEPG()</a>	140
Generate w:titlepg	
<a href="#">CreatePage::generatePGSZ()</a>	139
Generate w:pgsz	
<a href="#">CreatePage::generateSECTIONSECTPR()</a>	139
Generate w:sectionsectpr	
<a href="#">CreatePage::generateSECTPR()</a>	140
Generate w:sectpr	
<a href="#">CreateSettings::\$ xml</a>	141
<a href="#">constructor CreateSettings::__construct()</a>	142
Construct	
<a href="#">CreateStyle::\$ xml</a>	143
<a href="#">constructor CreateStyle::__construct()</a>	143
Construct	
<a href="#">CreateStyle::addStyle()</a>	143
Add style	
<a href="#">CreateStyle</a>	143
Create styles	
<a href="#">CreateSettings::__toString()</a>	142
Magic method, returns current XML	
<a href="#">CreateSettings::generateSettings()</a>	142
Generate settings	
<a href="#">CreateSettings::getInstance()</a>	142
Singleton, return instance of class	
<a href="#">CreateSettings::__destruct()</a>	142
Destruct	
<a href="#">CreateStyle::generateOUTLINELVL()</a>	150
Generate w:outlinelvl	
<a href="#">CreateStyle::generatePBDR()</a>	151
Generate w:pbdr	
<a href="#">CreateStyle::generateTBLCELLMAR()</a>	160
Generate w:tblcellmar	
<a href="#">CreateStyle::generateTBLIND()</a>	160
Generate w:tblind	
<a href="#">CreateStyle::generateTBLPR()</a>	160
Generate w:tblpr	
<a href="#">CreateStyle::generateTBLSTYLECOLBANDSIZE()</a>	160
Generate w:tblstylecolbandsize	

<a href="#"><u>CreateStyle::generateTBLBORDERS_TOP()</u></a>	159
Generate w:top	
<a href="#"><u>CreateStyle::generateTBLBORDERS_RIGHT()</u></a>	159
Generate w:right	
<a href="#"><u>CreateStyle::generateTBLBORDERS_INSIDEH()</u></a>	157
Generate w:insideh	
<a href="#"><u>CreateStyle::generateTBLBORDERS_INSIDEV()</u></a>	158
Generate w:insidev	
<a href="#"><u>CreateStyle::generateTBLBORDERS_LEFT()</u></a>	158
Generate w:left	
<a href="#"><u>CreateStyle::generateTBLSTYLEROWBANDSIZE()</u></a>	161
Generate w:tblstylerowbandsize	
<a href="#"><u>CreateStyle::generateTCPR()</u></a>	161
Generate w:tcpr	
<a href="#"><u>CreateStyle::getInstance()</u></a>	163
<a href="#"><u>CreateStyle::destruct()</u></a>	163
Destruct	
<a href="#"><u>CreateStyle::toString()</u></a>	163
<a href="#"><u>CreateStyle::generateVERTALIGN()</u></a>	163
Generate w:vertAlign	
<a href="#"><u>CreateStyle::generateUNHIDEWHENUSED()</u></a>	162
Generate w:unhidewhenused	
<a href="#"><u>CreateStyle::generateTOP()</u></a>	161
Generate w:top	
<a href="#"><u>CreateStyle::generateU()</u></a>	162
Generate w:u	
<a href="#"><u>CreateStyle::generateUIPRIORITY()</u></a>	162
Generate w:uipriority	
<a href="#"><u>CreateStyle::generateTBLBORDERS_BOTTOM()</u></a>	157
Generate w:bottom	
<a href="#"><u>CreateStyle::generateTBLBORDERS()</u></a>	157
Generate w:tblborders	
<a href="#"><u>CreateStyle::generateRIGHT()</u></a>	152
Generate w:right	
<a href="#"><u>CreateStyle::generateRPR()</u></a>	153
Generate w:rpr	
<a href="#"><u>CreateStyle::generateRPR_SPACING()</u></a>	153
Generate w:spacing	
<a href="#"><u>CreateStyle::generateRFonts2()</u></a>	152
Generate w:rfonts	
<a href="#"><u>CreateStyle::generateRFonts()</u></a>	152
Generate w:rfonts	
<a href="#"><u>CreateStyle::generatePBDR_BOTTOM()</u></a>	151
Generate w:pbdR	
<a href="#"><u>CreateStyle::generatePPR()</u></a>	151
Generate w:ppr	
<a href="#"><u>CreateStyle::generateQFORMAT()</u></a>	151
Generate w:qformat	
<a href="#"><u>CreateStyle::generateRSID()</u></a>	153
Generate w:rsid	
<a href="#"><u>CreateStyle::generateSEMIHIDDEN()</u></a>	154
Generate w:semihidden	
<a href="#"><u>CreateStyle::generateTABCENTER()</u></a>	156

Generate w:tabcenter	
<a href="#">CreateStyle::generateTABRIGHT()</a>	156
Generate w:tabright	
<a href="#">CreateStyle::generateTABS()</a>	156
Generate w:tabs	
<a href="#">CreateStyle::generateSZCS()</a>	155
Generate w:szcs	
<a href="#">CreateStyle::generateSZ()</a>	155
Generate w:sz	
<a href="#">CreateStyle::generateSHD()</a>	154
Generate w:shd	
<a href="#">CreateStyle::generateSPACING()</a>	154
Generate w:spacing	
<a href="#">CreateStyle::generateSTYLE()</a>	155
Generate w:style	
<a href="#">CreatePage::generatePGMAR()</a>	139
Generate w:pgmar	
<a href="#">CreatePage::generatePageBreak()</a>	138
Gnerate pagebreak	
<a href="#">CreateImage::NAMESPACEWORD1</a>	124
<a href="#">CreateImage::NAMESPACEWORD2</a>	124
<a href="#">CreateImage::TAMBORDER</a>	124
<a href="#">constructor CreateImage:: construct()</a>	124
Construct	
<a href="#">CreateImage::NAMESPACEWORD</a>	124
<a href="#">CreateImage::CONSTWORD</a>	124
<a href="#">CreateHeader:: destruct()</a>	123
Destruct	
<a href="#">CreateHeader:: toString()</a>	123
<a href="#">CreateImage</a>	123
Create images	
<a href="#">CreateImage::createImage()</a>	124
Create image	
<a href="#">CreateImage::getInstance()</a>	125
<a href="#">CreateImage:: toString()</a>	126
<a href="#">CreateLink</a>	126
Create links using text strings	
<a href="#">constructor CreateLink:: construct()</a>	127
Construct	
<a href="#">CreateImage:: destruct()</a>	126
Destruct	
<a href="#">CreateImage::setRId()</a>	126
Setter. Rid	
<a href="#">CreateImage::getName()</a>	125
Getter. Name	
<a href="#">CreateImage::getRId()</a>	125
Getter. Rid	
<a href="#">CreateImage::setName()</a>	125
Setter. Name	
<a href="#">CreateHeader::getInstance()</a>	123
<a href="#">CreateHeader::generateP()</a>	123
Generate w:p	
<a href="#">CreateGraphic::getInstance()</a>	119

<a href="#">CreateGraphic::getName()</a>	119
<i>Getter. Name</i>	
<a href="#">CreateGraphic::getRId()</a>	119
<i>Getter. Rid</i>	
<a href="#">CreateGraphic::generateVARYCOLORS()</a>	119
<i>Generate w:varyColors</i>	
<a href="#">CreateGraphic::generateVALAX()</a>	119
<i>Generate w:valAx</i>	
<a href="#">CreateGraphic::generateTX()</a>	118
<i>Generate w:tx</i>	
<a href="#">CreateGraphic::generateV()</a>	118
<i>Generate w:v</i>	
<a href="#">CreateGraphic::generateVAL()</a>	118
<i>Generate w:val</i>	
<a href="#">CreateGraphic::getXmlChart()</a>	120
<i>Getter. Xml chart</i>	
<a href="#">CreateGraphic::setName()</a>	120
<i>Setter. Name</i>	
<a href="#">constructor CreateHeader::__construct()</a>	122
<i>Construct</i>	
<a href="#">CreateHeader::createHeader()</a>	122
<i>Create header</i>	
<a href="#">CreateHeader::generateHDR()</a>	122
<i>Generate hdr token</i>	
<a href="#">CreateHeader</a>	121
<i>Create header</i>	
<a href="#">CreateGraphic::__toString()</a>	121
<a href="#">CreateGraphic::setRId()</a>	120
<i>Setter. Rid</i>	
<a href="#">CreateGraphic::setXmlChart()</a>	121
<i>Setter. Xml chart</i>	
<a href="#">CreateGraphic::__destruct()</a>	121
<i>Destruct</i>	
<a href="#">CreateLink::createLink()</a>	127
<i>Create a link</i>	
<a href="#">CreateLink::generateFLDCHAR()</a>	127
<i>Generate w:fldChar</i>	
<a href="#">CreateList::getInstance()</a>	135
<a href="#">CreateList::runArray()</a>	135
<i>Recursive generation of lists</i>	
<a href="#">CreateList::__destruct()</a>	135
<i>Destruct</i>	
<a href="#">CreateList::generatePSTYLE()</a>	134
<i>Generate w:pstyle</i>	
<a href="#">CreateList::generateNUMPR()</a>	134
<i>Generate w:numpr</i>	
<a href="#">CreateList::generateILVL()</a>	133
<i>Generate w:ilvl</i>	
<a href="#">CreateList::generateLISTPR()</a>	133
<i>Generate w:listpr</i>	
<a href="#">CreateList::generateNUMID()</a>	134
<i>Generate w:numid</i>	
<a href="#">CreateList::__toString()</a>	135

<a href="#">CreatePage</a>	136
Create pages	
<a href="#">CreatePage::generateCOL()</a>	137
Generate w:col	
<a href="#">CreatePage::generateCOLS()</a>	138
Generate w:cols	
<a href="#">CreatePage::generateDOCGRID()</a>	138
Generate w:docgrid	
<a href="#">CreatePage::generateBR()</a>	137
Generate w:br	
<a href="#">CreatePage::createSECTPR()</a>	137
Create sectpr	
<a href="#">CreatePage::\$xml</a>	136
<a href="#">constructor CreatePage::__construct()</a>	136
Construct	
<a href="#">CreatePage::createPage()</a>	136
Create page	
<a href="#">CreateList::generateILFO()</a>	133
Generate w:ilfo	
<a href="#">CreateList::createList()</a>	132
Create list	
<a href="#">CreateLink::getFont()</a>	129
Getter. Access to font var	
<a href="#">CreateLink::getInstance()</a>	129
Singleton, return instance of class	
<a href="#">CreateLink::getLink()</a>	130
Getter. Access to link var	
<a href="#">CreateLink::generateRSTYLE()</a>	129
Generate w:rStyle	
<a href="#">CreateLink::generateR()</a>	129
Generate w:r	
<a href="#">CreateLink::generateHYPERLINK()</a>	128
Generate w:hyperlink	
<a href="#">CreateLink::generateINSTRTEXT()</a>	128
Generate w:instrText	
<a href="#">CreateLink::generatePROOFERR()</a>	128
Generate w:proofErr	
<a href="#">CreateLink::getTitle()</a>	130
Getter. Access to title var	
<a href="#">CreateLink::__destruct()</a>	130
Destruct	
<a href="#">CreateList::\$val</a>	132
<a href="#">constructor CreateList::__construct()</a>	132
Construct	
<a href="#">CreateList::addList()</a>	132
Add list	
<a href="#">CreateList::\$list</a>	131
<a href="#">CreateList::\$font</a>	131
<a href="#">CreateLink::__toString()</a>	130
Magic method, returns current XML	
<a href="#">CreateList</a>	131
Create lists	
<a href="#">CreateList::\$data</a>	131

<a href="#"><u>CreateStyleTable</u></a>	164
Create style table	
<a href="#"><u>CreateStyleTable::\$ _xml</u></a>	164
<a href="#"><u>CreateTheme1::generateGRADFILL2()</u></a>	195
Generate a:gradfill	
<a href="#"><u>CreateTheme1::generateGS()</u></a>	195
Generate a:gs	
<a href="#"><u>CreateTheme1::generateGS2()</u></a>	195
Generate a:gs	
<a href="#"><u>CreateTheme1::generateGSLST()</u></a>	196
Generate a:gslst	
<a href="#"><u>CreateTheme1::generateGRADFILL()</u></a>	194
Generate a:gradfill	
<a href="#"><u>CreateTheme1::generateFONTSCHEMA()</u></a>	194
Generate a:fontschema	
<a href="#"><u>CreateTheme1::generateFONT()</u></a>	193
Generate a:font	
<a href="#"><u>CreateTheme1::generateFONT2()</u></a>	193
Generate a:font	
<a href="#"><u>CreateTheme1::generateFONT3()</u></a>	194
Generate a:font	
<a href="#"><u>CreateTheme1::generateHLINK()</u></a>	196
Generate a:hlink	
<a href="#"><u>CreateTheme1::generateLATIN()</u></a>	196
Generate a:latin	
<a href="#"><u>CreateTheme1::generateLT1()</u></a>	198
Generate a:lt1	
<a href="#"><u>CreateTheme1::generateLT2()</u></a>	198
Generate a:lt2	
<a href="#"><u>CreateTheme1::generateMAYORFONT()</u></a>	199
Generate a:mayorfont	
<a href="#"><u>CreateTheme1::generateLNSTYLELST()</u></a>	198
Generate a:lnstylelst	
<a href="#"><u>CreateTheme1::generateLN2()</u></a>	198
Generate a:ln	
<a href="#"><u>CreateTheme1::generateLIGHTRIG()</u></a>	197
Generate a:lightrig	
<a href="#"><u>CreateTheme1::generateLIN()</u></a>	197
Generate a:lin	
<a href="#"><u>CreateTheme1::generateLN()</u></a>	197
Generate a:ln	
<a href="#"><u>CreateTheme1::generateFOLHLINK()</u></a>	193
Generate a:folhlink	
<a href="#"><u>CreateTheme1::generateFMTSCHEME()</u></a>	192
Generate a:fmtscheme	
<a href="#"><u>CreateTheme1::generateCLRSCHEME()</u></a>	189
Generate a:clrscheme	
<a href="#"><u>CreateTheme1::generateCS()</u></a>	189
Generate a:cs	
<a href="#"><u>CreateTheme1::generateDK1()</u></a>	190
Generate a:dk1	
<a href="#"><u>CreateTheme1::generateCAMERA()</u></a>	189
Generate a:camera	



<a href="#">CreateTheme1::generateBGFILLSTYLELST()</a>	189
<i>Generate a:bgfillstylelst</i>	
<a href="#">CreateTheme1::generateACCENT6()</a>	188
<i>Generate a:accent6</i>	
<a href="#">CreateTheme1::generateALPHA()</a>	188
<i>Generate a:alpha</i>	
<a href="#">CreateTheme1::generateBEVELT()</a>	188
<i>Generate a:bevelt</i>	
<a href="#">CreateTheme1::generateDK2()</a>	190
<i>Generate a:dk2</i>	
<a href="#">CreateTheme1::generateEA()</a>	190
<i>Generate a:ea</i>	
<a href="#">CreateTheme1::generateEXTRACLRSchemeLST()</a>	192
<i>Generate a:extraclrschemelst</i>	
<a href="#">CreateTheme1::generateFILLSTYLELST()</a>	192
<i>Generate a:fillstylelst</i>	
<a href="#">CreateTheme1::generateFILLTORECT()</a>	192
<i>Generate a:filltorect</i>	
<a href="#">CreateTheme1::generateEFFECTSTYLELST()</a>	191
<i>Generate a:effectstylest</i>	
<a href="#">CreateTheme1::generateEFFECTSTYLE2()</a>	191
<i>Generate a:effectstyle2</i>	
<a href="#">CreateTheme1::generateEFFECTLST()</a>	191
<i>Generate a:effectlst</i>	
<a href="#">CreateTheme1::generateEFFECTLST2()</a>	191
<i>Generate a:effectlst2</i>	
<a href="#">CreateTheme1::generateEFFECTSTYLE()</a>	191
<i>Generate a:effectstyle</i>	
<a href="#">CreateTheme1::generateMINORFONT()</a>	199
<i>Generate a:minorfont</i>	
<a href="#">CreateTheme1::generateOBJECTDEFAULTS()</a>	199
<i>Generate a:objectdefaults</i>	
<a href="#">CreateWebSettings::getInstance()</a>	207
<i>Singleton, return instance of class</i>	
<a href="#">CreateWebSettings::__destruct()</a>	207
<i>Destruct</i>	
<a href="#">CreateWebSettings::__toString()</a>	207
<i>Magic method, returns current XML</i>	
<a href="#">CreateXlsx</a>	207
<i>Create XLSX</i>	
<a href="#">CreateWebSettings::generateWebSettings()</a>	206
<i>Main tags of websettings XML</i>	
<a href="#">constructor CreateWebSettings::__construct()</a>	206
<i>Construct</i>	
<a href="#">CreateTheme1::__toString()</a>	205
<a href="#">CreateWebSettings</a>	206
<i>Create default websettings XML</i>	
<a href="#">CreateWebSettings::\$xml</a>	206
<a href="#">constructor CreateXlsx::__construct()</a>	208
<i>Construct</i>	
<a href="#">CreateXlsx::addSharedStrings()</a>	208
<i>Add shared strings</i>	
<a href="#">CreateXlsx::__toString()</a>	210

<a href="#"><u>constructor TransformDoc:: construct()</u></a>	210
Construct	
<a href="#"><u>constructor Docx2Text:: construct()</u></a>	220
Construct	
<a href="#"><u>CreateXlsx:: destruct()</u></a>	209
Destruct	
<a href="#"><u>CreateXlsx::getInstance()</u></a>	209
<a href="#"><u>CreateXlsx::addSheet()</u></a>	208
Add sheet	
<a href="#"><u>CreateXlsx::addTable()</u></a>	209
Add table	
<a href="#"><u>CreateXlsx::createXlsx()</u></a>	209
Create XLSX	
<a href="#"><u>CreateTheme1:: destruct()</u></a>	205
Destruct	
<a href="#"><u>CreateTheme1::getInstance()</u></a>	205
<a href="#"><u>CreateTheme1::generateSCENE3D()</u></a>	201
<a href="#"><u>CreateTheme1::generateSCHEMECLR()</u></a>	201
Generate a:schemeclr	
<a href="#"><u>CreateTheme1::generateSCHEMECLR2()</u></a>	202
Generate a:schemeclr	
<a href="#"><u>CreateTheme1::generateSATMOD()</u></a>	201
Generate a:satmod	
<a href="#"><u>CreateTheme1::generateROT()</u></a>	200
Generate a:rot	
<a href="#"><u>CreateTheme1::generateOUTERSHDW()</u></a>	199
Generate a:outershdw	
<a href="#"><u>CreateTheme1::generatePATH()</u></a>	200
Generate a:path	
<a href="#"><u>CreateTheme1::generatePRSTDASH()</u></a>	200
Generate a:prstdash	
<a href="#"><u>CreateTheme1::generateSCHEMECLR3()</u></a>	202
Generate a:schemeclr3	
<a href="#"><u>CreateTheme1::generateSHADE()</u></a>	202
Generate a:shade	
<a href="#"><u>CreateTheme1::generateTHEMEELEMENTS()</u></a>	204
Generate a:themeelements	
<a href="#"><u>CreateTheme1::generateTINT()</u></a>	204
Generate a:tint	
<a href="#"><u>CreateTheme1::generateTINT2()</u></a>	205
Generate a:tint2	
<a href="#"><u>CreateTheme1::generateSYSCLR()</u></a>	204
Generate a:sysclr	
<a href="#"><u>CreateTheme1::generateSRGBCLR2()</u></a>	203
Generate a:srgbclr2	
<a href="#"><u>CreateTheme1::generateSOLIDFILL()</u></a>	203
Generate a:solidfill	
<a href="#"><u>CreateTheme1::generateSP3D()</u></a>	203
Generate a:sp3d	
<a href="#"><u>CreateTheme1::generateSRGBCLR()</u></a>	203
Generate a:srgbclr	
<a href="#"><u>CreateTheme1::generateACCENT5()</u></a>	187
Generate a:accent5	

<a href="#"><u>CreateTheme1::generateACCENT4()</u></a>	187
Generate a:accent4	
<a href="#"><u>CreateTable::generateTBLINSIDEV()</u></a>	172
Generate w:tblinsidev	
<a href="#"><u>CreateTable::generateTBLLEFT()</u></a>	172
Generate w:tblleft	
<a href="#"><u>CreateTable::generateTBLLOOK()</u></a>	172
Generate w:tbllook	
<a href="#"><u>CreateTable::generateTBLOVERLAP()</u></a>	173
Generate w:tbloverlap	
<a href="#"><u>CreateTable::generateTBLINSIDEH()</u></a>	171
Generate w:tblinsideh	
<a href="#"><u>CreateTable::generateTBLGRID()</u></a>	171
Generate w:tblgrid	
<a href="#"><u>CreateTable::generateTBLBORDERS()</u></a>	170
Generate w:tblborders	
<a href="#"><u>CreateTable::generateTBLBOTTOM()</u></a>	170
Generate w:tblbottom	
<a href="#"><u>CreateTable::generateTBLCELLSPACING()</u></a>	171
Generate w:tblcellspacing	
<a href="#"><u>CreateTable::generateTBLPR()</u></a>	173
Generate w:tblpr	
<a href="#"><u>CreateTable::generateTBLRIGHT()</u></a>	173
Generate w:tblright	
<a href="#"><u>CreateTable::generateTCW()</u></a>	175
Generate w:tcw	
<a href="#"><u>CreateTable::generateTR()</u></a>	176
Generate w:tr	
<a href="#"><u>CreateTable::generateTRPR()</u></a>	176
Generate w:trpr	
<a href="#"><u>CreateTable::generateTCPR()</u></a>	175
Generate w:tcpr	
<a href="#"><u>CreateTable::generateTC()</u></a>	175
Generate w:tc	
<a href="#"><u>CreateTable::generateTBLSTYLE()</u></a>	174
Generate w:tblstyle	
<a href="#"><u>CreateTable::generateTBLTOP()</u></a>	174
Generate w:tbltop	
<a href="#"><u>CreateTable::generateTBLW()</u></a>	174
Generate w:tblw	
<a href="#"><u>CreateTable::generateTBL()</u></a>	170
Generate w:tbl	
<a href="#"><u>CreateTable::generateSHD()</u></a>	169
Generate w:shd	
<a href="#"><u>CreateStyleTable::generateTCBORDERS()</u></a>	166
Generate w:tcBorders	
<a href="#"><u>CreateStyleTable::generateTCPR()</u></a>	166
Generate w:tcPr	
<a href="#"><u>CreateStyleTable::getInstance()</u></a>	166
<a href="#"><u>CreateStyleTable::generateTBLSTYLEPR()</u></a>	165
Generate w:tblStylePr	
<a href="#"><u>CreateStyleTable::generateTBLPR()</u></a>	165
Generate w:tblPr	

<a href="#"><u>constructor CreateStyleTable:: construct()</u></a>	164
Construct	
<a href="#"><u>CreateStyleTable::addStyleTable()</u></a>	164
Add table style	
<a href="#"><u>CreateStyleTable::generateSHD()</u></a>	165
Generate w:shd	
<a href="#"><u>CreateStyleTable:: destruct()</u></a>	166
Destruct	
<a href="#"><u>CreateStyleTable:: toString()</u></a>	166
<a href="#"><u>CreateTable::generateHMERGE()</u></a>	168
Generate w:hmerge	
<a href="#"><u>CreateTable::generateJC()</u></a>	169
Generate w:jc	
<a href="#"><u>CreateTable::generateP()</u></a>	169
Generate w:p	
<a href="#"><u>CreateTable::generateGRIDCOLS()</u></a>	168
Generate w:gridcols	
<a href="#"><u>CreateTable::createTable()</u></a>	168
Create table	
<a href="#"><u>CreateTable</u></a>	167
Create tables	
<a href="#"><u>constructor CreateTable:: construct()</u></a>	167
Construct	
<a href="#"><u>CreateTable::addList()</u></a>	167
Add list	
<a href="#"><u>CreateTable::generateVMERGE()</u></a>	176
Generate w:vmerge	
<a href="#"><u>CreateTable::getInstance()</u></a>	176
<a href="#"><u>CreateText::generateWIDOWCONTROL()</u></a>	184
Generate w:widowcontrol	
<a href="#"><u>CreateText::generateWORDWRAP()</u></a>	184
Generate w:wordwrap	
<a href="#"><u>CreateText::getInstance()</u></a>	185
Singleton, return instance of class	
<a href="#"><u>CreateText::generateU()</u></a>	184
Generate w:u	
<a href="#"><u>CreateText::generateSZ()</u></a>	183
Generate w:sz	
<a href="#"><u>CreateText::generateJC()</u></a>	182
Generate w:jc	
<a href="#"><u>CreateText::generatePAGEBREAKBEFORE()</u></a>	183
Generate w:pagebreakbefore	
<a href="#"><u>CreateText::generatePSTYLE()</u></a>	183
Generate w:pstyle	
<a href="#"><u>CreateText:: destruct()</u></a>	185
Destruct	
<a href="#"><u>CreateText:: toString()</u></a>	185
Magic method, returns current XML	
<a href="#"><u>CreateTheme1::generateACCENT1()</u></a>	187
Generate a:accent1	
<a href="#"><u>CreateTheme1::generateACCENT2()</u></a>	187
Generate a:accent2	
<a href="#"><u>CreateTheme1::generateACCENT3()</u></a>	187

Generate a:accent3	
<a href="#">CreateTheme1::createTheme()</a>	186
Create theme	
<a href="#">constructor CreateTheme1::construct()</a>	186
Construct	
<a href="#">CreateTheme1</a>	185
<a href="#">CreateTheme1::NAMESPACEWORD</a>	186
<a href="#">CreateTheme1::\$ _xml</a>	186
<a href="#">CreateText::generateI()</a>	182
Generate w:i	
<a href="#">CreateText::generateCOLOR()</a>	182
Generate w:color	
<a href="#">CreateTableContents::createTableContents()</a>	178
Create table of contents	
<a href="#">CreateTableContents::generateFLDSIMPLE()</a>	178
Generate w:fldsimple	
<a href="#">CreateTableContents::getInstance()</a>	178
<a href="#">constructor CreateTableContents::construct()</a>	178
Construct	
<a href="#">CreateTableContents::\$ _xml</a>	177
<a href="#">CreateTable::destruct()</a>	176
Destruct	
<a href="#">CreateTable::toString()</a>	177
<a href="#">CreateTableContents</a>	177
Create table of contents	
<a href="#">CreateTableContents::destruct()</a>	179
Destruct	
<a href="#">CreateTableContents::toString()</a>	179
Magic method, returns current XML	
<a href="#">CreateText::generateB()</a>	180
Generate w:b	
<a href="#">CreateText::generateBOOKMARKEND()</a>	181
Generate w:bookmarkend	
<a href="#">CreateText::generateBOOKMARKSTART()</a>	181
Generate w:bookmarkstart	
<a href="#">CreateText::createTitle()</a>	180
Create title	
<a href="#">CreateText::createText()</a>	180
Create text	
<a href="#">CreateText</a>	179
Create text	
<a href="#">CreateText::IDTITLE</a>	180
<a href="#">constructor CreateText::construct()</a>	180
Destruct	
<a href="#">CreateGraphic::generateTITLETX()</a>	118
Generate w:titletx	
<a href="#">CreateGraphic::generateTITLET()</a>	117
Generate w:titlet	
<a href="#">CreateChartRels::destruct()</a>	55
Destruct	
<a href="#">CreateChartRels::toString()</a>	55
Magic method, returns current XML	
<a href="#">CreateElement</a>	55

<i>Main class, create tag elements</i>	
<a href="#">CreateElement::MATHNAMESPACEWORD</a>	56
<a href="#">CreateChartRels::getInstance()</a>	55
<i>Singleton, return instance of class</i>	
<a href="#">CreateChartRels::generateRELATIONSHIPS()</a>	54
<i>Main tags of relationships XML</i>	
<a href="#">constructor CreateChartRels::__construct()</a>	53
<i>Construct</i>	
<a href="#">CreateChartRels::createRelationship()</a>	54
<i>Create relationship document to use in DOCX file</i>	
<a href="#">CreateChartRels::generateRELATIONSHIP()</a>	54
<i>New relationship, added to relationships XML</i>	
<a href="#">CreateElement::NAMESPACEWORD</a>	56
<a href="#">CreateElement::\$ _xml</a>	56
<a href="#">CreateElement::generateB()</a>	57
<i>Generate w:b</i>	
<a href="#">CreateElement::generateBCS()</a>	58
<i>Generate w:bcs</i>	
<a href="#">CreateElement::generateBLIP()</a>	58
<i>Generate w:blip</i>	
<a href="#">CreateElement::generateAVLST()</a>	57
<i>Generate w:avlst</i>	
<a href="#">CreateElement::generateANCHOR()</a>	57
<i>Generate w:anchor</i>	
<a href="#">constructor CreateElement::__construct()</a>	56
<i>Construct</i>	
<a href="#">CreateElement::cleanTemplate()</a>	56
<i>Delete pending tags</i>	
<a href="#">CreateElement::cleanTemplateFirstRPR()</a>	56
<i>Delete first w:rpr</i>	
<a href="#">CreateChartRels::\$ _xml</a>	53
<a href="#">CreateChartRels</a>	53
<i>Create relationships used by images, charts...</i>	
<a href="#">CreateImage.inc</a>	39
<i>Create images</i>	
<a href="#">CreateLink.inc</a>	40
<i>Create links using text strings</i>	
<a href="#">CreateList.inc</a>	41
<i>Create lists</i>	
<a href="#">CreateHeader.inc</a>	38
<i>Create header</i>	
<a href="#">CreateGraphic.inc</a>	37
<i>Create graphics (charts)</i>	
<a href="#">CreateFontTable.inc</a>	34
<i>Create font table</i>	
<a href="#">CreateFooter.inc</a>	35
<i>Create footer</i>	
<a href="#">CreateFootnote.inc</a>	36
<i>Create footnote</i>	
<a href="#">CreatePage.inc</a>	42
<i>Create pages</i>	
<a href="#">CreateSettings.inc</a>	43
<i>Create default settings</i>	

<a href="#">CreateTheme1.inc</a>	49
<a href="#">CreateWebSettings.inc</a>	50
Create default websettings XML	
<a href="#">CreateXlsx.inc</a>	51
Create XLSX	
<a href="#">CreateText.inc</a>	48
Create text	
<a href="#">CreateTableContents.inc</a>	47
Create table of contents	
<a href="#">CreateStyle.inc</a>	44
Create styles	
<a href="#">CreateStyleTable.inc</a>	45
Create style table	
<a href="#">CreateTable.inc</a>	46
Create tables	
<a href="#">CreateElement::generateBLIPFILL()</a>	58
Generate w:blipfill	
<a href="#">CreateElement::generateCNVGRAPHICFRAMEPR()</a>	58
Generate w:cnvgraphicframepr	
<a href="#">CreateElement::generatePRSTGEOM()</a>	67
Generate w:prstgeom	
<a href="#">CreateElement::generatePSTYLE()</a>	67
Generate w:pstyle	
<a href="#">CreateElement::generateQUITAR()</a>	67
Generate w:r	
<a href="#">CreateElement::generateR()</a>	68
Generate w:r	
<a href="#">CreateElement::generatePRSTDASH()</a>	66
Generate w:prstdash	
<a href="#">CreateElement::generatePPR()</a>	66
Generate w:ppr	
<a href="#">CreateElement::generatePOSITIONH()</a>	65
Generate w:positionh	
<a href="#">CreateElement::generatePOSITIONV()</a>	65
Generate w:positionv	
<a href="#">CreateElement::generatePOSOFFSET()</a>	66
Generate w:posoffset	
<a href="#">CreateElement::generateRFonts()</a>	68
Generate w:rfonts	
<a href="#">CreateElement::generateRPR()</a>	68
Generate w:rpr	
<a href="#">CreateElement::generateSTART()</a>	70
Generate w:start	
<a href="#">CreateElement::generateSTRETCH()</a>	70
Generate w:stretch	
<a href="#">CreateElement::generateT()</a>	70
Generate w:t	
<a href="#">CreateElement::generateSPPR()</a>	70
Generate w:sppr	
<a href="#">CreateElement::generateSOLIDFILL()</a>	69
Generate w:solidfill	
<a href="#">CreateElement::generateRSTYLE()</a>	68
Generate w:rstyle	

<a href="#"><u>CreateElement::generateSCHEMECLR()</u></a>	69
Generate w:schemeclr	
<a href="#"><u>CreateElement::generateSIMPLEPOS()</u></a>	69
Generate w:simplepos	
<a href="#"><u>CreateElement::generatePIC()</u></a>	65
Generate w:pic	
<a href="#"><u>CreateElement::generateP()</u></a>	64
Generate w:p	
<a href="#"><u>CreateElement::generateEXT()</u></a>	60
Generate w:ext	
<a href="#"><u>CreateElement::generateEXTENT()</u></a>	61
Generate w:extent	
<a href="#"><u>CreateElement::generateFILLRECT()</u></a>	61
Generate w:fillrect	
<a href="#"><u>CreateElement::generateEFFECTEXTENT()</u></a>	60
Generate w:effectextent	
<a href="#"><u>CreateElement::generateDRAWING()</u></a>	60
Generate w:drawing	
<a href="#"><u>CreateElement::generateCNVPICPR()</u></a>	59
Generate w:cnvpicpr	
<a href="#"><u>CreateElement::generateCNVPR()</u></a>	59
Generate w:cnvpr	
<a href="#"><u>CreateElement::generateDOCPR()</u></a>	59
Generate w:docpr	
<a href="#"><u>CreateElement::generateGRAPHIC()</u></a>	61
Generate w:graphic	
<a href="#"><u>CreateElement::generateGRAPHICDATA()</u></a>	62
Generate w:graphicdata	
<a href="#"><u>CreateElement::generateNOPROOF()</u></a>	64
Generate w:noproof	
<a href="#"><u>CreateElement::generateNPICPR()</u></a>	64
Generate w:nvpicpr	
<a href="#"><u>CreateElement::generateOFF()</u></a>	64
Generate w:off	
<a href="#"><u>CreateElement::generateLN()</u></a>	63
Generate w:ln	
<a href="#"><u>CreateElement::generateLINETO()</u></a>	63
Generate w:lineto	
<a href="#"><u>CreateElement::generateGRAPHICPRAMELOCKS()</u></a>	62
Generate w:graphicpramelocks	
<a href="#"><u>CreateElement::generateINLINE()</u></a>	62
Generate w:inline	
<a href="#"><u>CreateElement::generateJC()</u></a>	63
Generate w:jc	
<a href="#"><u>CreateExcelTable.inc</u></a>	33
Create excel table	
<a href="#"><u>CreateExcelSheet.inc</u></a>	32
Create excel sheet	
<a href="#"><u>CreateDocx::docx2txt()</u></a>	11
Transform a word document to a text file	
<a href="#"><u>CreateDocx::fAddBreak()</u></a>	11
Add a break	
<a href="#"><u>CreateDocx::fAddFont()</u></a>	11



<i>Add a new font</i>	
<a href="#">CreateDocx::fAddFooter()</a>	12
<i>Add a footer</i>	
<a href="#">CreateDocx::createDocx()</a>	10
<i>Generate a new DOCX file</i>	
<a href="#">CreateDocx::addTitle()</a>	10
<i>Add a title</i>	
<a href="#">CreateDocx::addTable()</a>	9
<i>Add a table.</i>	
<a href="#">CreateDocx::addTableContents()</a>	9
<i>Add a table of contents (TOC)</i>	
<a href="#">CreateDocx::addText()</a>	9
<i>Add a text</i>	
<a href="#">CreateDocx::fAddGraphic()</a>	12
<i>Add a graphic</i>	
<a href="#">CreateDocx::fAddHeader()</a>	13
<i>Add a header.</i>	
<a href="#">CreateDocx::fAddParagraph()</a>	15
<i>Add a paragraph</i>	
<a href="#">CreateDocx::fAddTable()</a>	15
<i>Add a table.</i>	
<a href="#">CreateDocx::fAddTableContents()</a>	16
<i>Add a table of contents (TOC)</i>	
<a href="#">CreateDocx::fAddMathEq()</a>	14
<i>Add an existing math eq to DOCX</i>	
<a href="#">CreateDocx::fAddMathDocx()</a>	14
<i>Convert a math eq to DOCX</i>	
<a href="#">CreateDocx::fAddImage()</a>	13
<i>Add an image</i>	
<a href="#">CreateDocx::fAddLink()</a>	13
<i>Add a link</i>	
<a href="#">CreateDocx::fAddList()</a>	14
<i>Add a list</i>	
<a href="#">CreateDocx::addParagraph()</a>	8
<i>Add a paragraph</i>	
<a href="#">CreateDocx::addMathEq()</a>	8
<i>Add an existing math eq to DOCX</i>	
<a href="#">CreateDocx::\$graphicTemplate</a>	4
<a href="#">CreateDocx::\$intIdWord</a>	4
<a href="#">CreateDocx::\$log</a>	4
<a href="#">CreateDocx::\$fileGraphicTemplate</a>	3
<a href="#">CreateDocx::SCHEMA_OFFICEDOCUMENT</a>	3
<a href="#">CreateDocx</a>	3
<i>Main class. Methods and vars to generate a DOCX file</i>	
<a href="#">CreateDocx::NAMESPACEWORD</a>	3
<a href="#">CreateDocx::SCHEMA_IMAGEDOCUMENT</a>	3
<a href="#">constructor CreateDocx::__construct()</a>	4
<i>Construct</i>	
<a href="#">CreateDocx::addBreak()</a>	5
<i>Add a break</i>	
<a href="#">CreateDocx::addLink()</a>	7
<i>Add a link</i>	
<a href="#">CreateDocx::addList()</a>	7

<i>Add a list</i>	8
<a href="#">CreateDocx::addMathDocx()</a>	8
<i>Convert a math eq to DOCX</i>	
<a href="#">CreateDocx::addImage()</a>	6
<i>Add an image</i>	
<a href="#">CreateDocx::addHeader()</a>	6
<i>Add a header.</i>	
<a href="#">CreateDocx::addFont()</a>	5
<i>Add a new font</i>	
<a href="#">CreateDocx::addFooter()</a>	5
<i>Add a footer</i>	
<a href="#">CreateDocx::addGraphic()</a>	6
<i>Add a graphic</i>	
<a href="#">CreateDocx::fAddText()</a>	16
<i>Add a text</i>	
<a href="#">CreateDocx::fAddTitle()</a>	16
<i>Add a title</i>	
<a href="#">CreateDocx::setXmlWordFontTable()</a>	23
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordFooter1()</a>	24
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordHeader1()</a>	24
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordEndnotes()</a>	23
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordDocument()</a>	23
<i>Setter</i>	
<a href="#">CreateDocx::setXmlDocPropsApp()</a>	22
<i>Setter</i>	
<a href="#">CreateDocx::setXmlDocPropsCore()</a>	22
<i>Setter</i>	
<a href="#">CreateDocx::setXmlRelsRels()</a>	22
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordRelsDocumentRels()</a>	24
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordSettings()</a>	25
<i>Setter</i>	
<a href="#">CreateChartRels.inc</a>	29
<i>Create relationships used by images, charts...</i>	
<a href="#">CreateElement.inc</a>	30
<i>Create tag elements</i>	
<a href="#">CreateExcelSharedStrings.inc</a>	31
<i>Generate excel shared strings</i>	
<a href="#">CreateDocx::__toString()</a>	26
<i>Magic method, returns current word XML</i>	
<a href="#">CreateDocx::__destruct()</a>	26
<i>Destruct</i>	
<a href="#">CreateDocx::setXmlWordStyles()</a>	25
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordThemeTheme1()</a>	25
<i>Setter</i>	
<a href="#">CreateDocx::setXmlWordWebSettings()</a>	26
<i>Setter</i>	

<a href="#">CreateDocx::setXmlContentTypes()</a>	21
<i>Setter</i>	
<a href="#">CreateDocx::setLanguage()</a>	21
<i>Change default language.</i>	
<a href="#">CreateDocx::getXmlRels_Rels()</a>	18
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordDocumentContent()</a>	18
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordEndnotes()</a>	19
<i>Getter</i>	
<a href="#">CreateDocx::getXmlDocPropsCore()</a>	18
<i>Getter</i>	
<a href="#">CreateDocx::getXmlDocPropsApp()</a>	18
<i>Getter</i>	
<a href="#">CreateDocx::fCreateDocx()</a>	17
<i>Generate a new DOCX file</i>	
<a href="#">CreateDocx::fSetDefaultFont()</a>	17
<i>Change the default font</i>	
<a href="#">CreateDocx::getXmlContentTypes()</a>	17
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordFontTable()</a>	19
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordFooter1()</a>	19
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordWebSettings()</a>	20
<i>Setter</i>	
<a href="#">CreateDocx::setDefaultFont()</a>	20
<i>Change the default font</i>	
<a href="#">CreateDocx::setEncodeUTF8()</a>	21
<i>Transform to UTF-8 charset</i>	
<a href="#">CreateDocx::getXmlWordThemeTheme1()</a>	20
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordStyles()</a>	20
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordHeader1()</a>	19
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordRelsDocumentRels()</a>	19
<i>Getter</i>	
<a href="#">CreateDocx::getXmlWordSettings()</a>	20
<i>Getter</i>	
<a href="#">CreateElement::generateWRAPNONE()</a>	71
<i>Generate w:wrapnone</i>	
<a href="#">CreateElement::generateWRAPPOLYGON()</a>	71
<i>Generate w:wrappolygon</i>	
<a href="#">CreateGraphic::generateCHARTSPACE()</a>	102
<i>Generate chartspace XML</i>	
<a href="#">CreateGraphic::generateCROSSAX()</a>	102
<i>Generate w:crossAx</i>	
<a href="#">CreateGraphic::generateCROSSBETWEEN()</a>	102
<i>Generate w:crossBetween</i>	
<a href="#">CreateGraphic::generateCROSSES()</a>	103
<i>Generate w:crosses</i>	
<a href="#">CreateGraphic::generateCHART()</a>	102

Generate w:chart	
<a href="#">CreateGraphic::generateCATAX()</a>	101
Generate w:catAx	
<a href="#">CreateGraphic::generateBARDIR()</a>	101
Generate w:barDir	
<a href="#">CreateGraphic::generateBODYPR()</a>	101
Generate w:bodypr	
<a href="#">CreateGraphic::generateCAT()</a>	101
Generate w:cat	
<a href="#">CreateGraphic::generateDATE1904()</a>	103
Generate w:date1904	
<a href="#">CreateGraphic::generateDEFRPR()</a>	103
Generate w:defrpr	
<a href="#">CreateGraphic::generateFORMATCODE()</a>	105
Generate w:formatCode	
<a href="#">CreateGraphic::generateGROUPING()</a>	105
Generate w:grouping	
<a href="#">CreateGraphic::generateIDX()</a>	106
Generate w:idx	
<a href="#">CreateGraphic::generateFIRSTSLICEANG()</a>	105
Generate w:firstSliceAng	
<a href="#">CreateGraphic::generateF()</a>	104
Generate w:f	
<a href="#">CreateGraphic::generateDLBLS()</a>	104
Generate w:dLbIs	
<a href="#">CreateGraphic::generateDOCUMENTCHART()</a>	104
Generate w:chart	
<a href="#">CreateGraphic::generateEXTERNALDATA()</a>	104
Generate w:externalData	
<a href="#">CreateGraphic::generateBARCHART()</a>	100
Generate w:barChart	
<a href="#">CreateGraphic::generateAXPOS()</a>	100
Generate w:axPos	
<a href="#">CreateFootnote::__destruct()</a>	96
Destruct	
<a href="#">CreateFootnote::__toString()</a>	97
<a href="#">CreateGraphic</a>	97
Create graphics (charts)	
<a href="#">CreateFootnote::getInstance()</a>	96
<a href="#">CreateFootnote::generateSPACING()</a>	96
Generate w:spacing	
<a href="#">CreateFootnote::generatePPR()</a>	95
Generate w:ppr	
<a href="#">CreateFootnote::generateR()</a>	95
Generate w:r	
<a href="#">CreateFootnote::generateSEPARATOR()</a>	96
Generate w:separator	
<a href="#">CreateGraphic::NAMESPACEWORD</a>	97
<a href="#">CreateGraphic::\$ xmlChart</a>	97
<a href="#">CreateGraphic::generateAUTOTITLEDELETED()</a>	99
Generate w:autotitledeleted	
<a href="#">CreateGraphic::generateAXAXID()</a>	99
Generate w:axId	

<a href="#"><u>CreateGraphic::generateAXID()</u></a>	100
Generate w:axid	
<a href="#"><u>CreateGraphic::generateAUTO()</u></a>	99
Generate w:auto	
<a href="#"><u>CreateGraphic::createGraphic()</u></a>	98
Create graphic	
<a href="#"><u>constructor CreateGraphic::__construct()</u></a>	97
Construct	
<a href="#"><u>CreateGraphic::createCHARTXML()</u></a>	98
Create chart xml	
<a href="#"><u>CreateGraphic::createDOCUEMNTXML()</u></a>	98
Create document xml	
<a href="#"><u>CreateGraphic::generateLANG()</u></a>	106
Generate w:lang	
<a href="#"><u>CreateGraphic::generateLAYOUT()</u></a>	106
Generate w:layout	
<a href="#"><u>CreateGraphic::generateSHOWPERCENT()</u></a>	114
Generate w:showPercent	
<a href="#"><u>CreateGraphic::generateSPPR()</u></a>	114
Generate w:spPr	
<a href="#"><u>CreateGraphic::generateSTRCACHE()</u></a>	114
Generate w:strcache	
<a href="#"><u>CreateGraphic::generateSHAPE()</u></a>	113
Generate w:shape	
<a href="#"><u>CreateGraphic::generateSER()</u></a>	113
Generate w:ser	
<a href="#"><u>CreateGraphic::generatePTCOUNT()</u></a>	112
Generate w:ptcount	
<a href="#"><u>CreateGraphic::generateRICH()</u></a>	113
Generate w:rich	
<a href="#"><u>CreateGraphic::generateSCALING()</u></a>	113
Generate w:scaling	
<a href="#"><u>CreateGraphic::generateSTRREF()</u></a>	114
Generate w:strref	
<a href="#"><u>CreateGraphic::generateSTYLE()</u></a>	115
Generate w:style	
<a href="#"><u>CreateGraphic::generateTITLER()</u></a>	116
Generate w:titler	
<a href="#"><u>CreateGraphic::generateTITLERFONTS()</u></a>	116
Generate w:titlerfonts	
<a href="#"><u>CreateGraphic::generateTITLERPR()</u></a>	117
Generate w:titlerpr	
<a href="#"><u>CreateGraphic::generateTITLEPPR()</u></a>	116
Generate w:titleppr	
<a href="#"><u>CreateGraphic::generateTITLEP()</u></a>	116
Generate w:titlep	
<a href="#"><u>CreateGraphic::generateTICKLBLPOS()</u></a>	115
Generate w:tickLblPos	
<a href="#"><u>CreateGraphic::generateTITLE()</u></a>	115
Generate w:title	
<a href="#"><u>CreateGraphic::generateTITLELAYOUT()</u></a>	116
Generate w:titlelayout	
<a href="#"><u>CreateGraphic::generatePT()</u></a>	112

Generate w:pt	
<a href="#">CreateGraphic::generatePLOTVISONLY()</a>	112
Generate w:poltVisOnly	
<a href="#">CreateGraphic::generateLINECHART()</a>	108
Generate w:lineChart	
<a href="#">CreateGraphic::generateLN()</a>	109
Generate w:ln	
<a href="#">CreateGraphic::generateLSTSTYLE()</a>	109
Generate w:lststyle	
<a href="#">CreateGraphic::generateLEGENDPOS()</a>	108
Generate w:legendPos	
<a href="#">CreateGraphic::generateLEGENDFONT()</a>	108
Generate c:layout	
<a href="#">CreateGraphic::generateLBLALGN()</a>	107
Generate w:lblAlgn	
<a href="#">CreateGraphic::generateLBLOFFSET()</a>	107
Generate w:lblOffset	
<a href="#">CreateGraphic::generateLEGEND()</a>	107
Generate w:legend	
<a href="#">CreateGraphic::generateMAJORGRIDLINES()</a>	109
Generate w:majorGridlines	
<a href="#">CreateGraphic::generateNOFILL()</a>	109
Generate w:noFill	
<a href="#">CreateGraphic::generateOVERLAP()</a>	111
Generate w:overlap	
<a href="#">CreateGraphic::generatePIECHART()</a>	111
Generate w:piechart	
<a href="#">CreateGraphic::generatePLOTAREA()</a>	111
Generate w:plotarea	
<a href="#">CreateGraphic::generateORIENTATION()</a>	110
Generate w:orientation	
<a href="#">CreateGraphic::generateORDER()</a>	110
Generate w:order	
<a href="#">CreateGraphic::generateNUMCACHE()</a>	109
Generate w:numcache	
<a href="#">CreateGraphic::generateNUMFMT()</a>	110
Generate w:numFmt	
<a href="#">CreateGraphic::generateNUMREF()</a>	110
Generate w:numRef	
<a href="#">CreateFootnote::generateP()</a>	95
Generate w:p	
<a href="#">CreateFootnote::generateFOOTNOTEREFERENCE()</a>	94
Generate w:footnotereference	
<a href="#">CreateExcelSheet::generateSELECTION()</a>	79
Generate selection	
<a href="#">CreateExcelSheet::generateSHEETDATA()</a>	79
Generate sheetdata	
<a href="#">CreateExcelSheet::generateSHEETFORMATPR()</a>	79
Generate sheetformatpr	
<a href="#">CreateExcelSheet::generateSHEETVIEW()</a>	80
Generate sheetview	
<a href="#">CreateExcelSheet::generateROW()</a>	78
Generate row	

<a href="#"><u>CreateExcelSheet::generatePAGESETUP()</u></a>	78
<i>Generate pagesetup</i>	
<a href="#"><u>CreateExcelSheet::generateCOLS()</u></a>	77
<i>Generate cols</i>	
<a href="#"><u>CreateExcelSheet::generateDIMENSION()</u></a>	77
<i>Generate dimension</i>	
<a href="#"><u>CreateExcelSheet::generatePAGEMARGINS()</u></a>	78
<i>Generate pagemargins</i>	
<a href="#"><u>CreateExcelSheet::generateSHEETVIEWS()</u></a>	80
<i>Generate sheetviews</i>	
<a href="#"><u>CreateExcelSheet::generateTABLEPART()</u></a>	80
<i>Generate tablepart</i>	
<a href="#"><u>CreateExcelSheet:: toString()</u></a>	82
<a href="#"><u>CreateExcelTable</u></a>	82
<i>Create excel table</i>	
<a href="#"><u>constructor CreateExcelTable:: construct()</u></a>	83
<i>Construct</i>	
<a href="#"><u>CreateExcelSheet:: destruct()</u></a>	82
<i>Destruct</i>	
<a href="#"><u>CreateExcelSheet::getInstance()</u></a>	82
<a href="#"><u>CreateExcelSheet::generateTABLEPARTS()</u></a>	81
<i>Generate tableparts</i>	
<a href="#"><u>CreateExcelSheet::generateV()</u></a>	81
<i>Generate v</i>	
<a href="#"><u>CreateExcelSheet::generateWORKSHEET()</u></a>	81
<i>Generate worksheet</i>	
<a href="#"><u>CreateExcelSheet::generateCOL()</u></a>	77
<i>Generate col</i>	
<a href="#"><u>CreateExcelSheet::generateC()</u></a>	76
<i>Generate c</i>	
<a href="#"><u>CreateElement:: toString()</u></a>	73
<a href="#"><u>CreateExcelSharedStrings</u></a>	73
<i>Generate excel shared strings</i>	
<a href="#"><u>constructor CreateExcelSharedStrings:: construct()</u></a>	73
<i>Construct</i>	
<a href="#"><u>CreateElement:: destruct()</u></a>	72
<i>Destruct</i>	
<a href="#"><u>CreateElement::generateXFRM()</u></a>	72
<i>Generate w:xfrm</i>	
<a href="#"><u>CreateElement::generateWRAPSQUARE()</u></a>	71
<i>Generate w:wrapsquare</i>	
<a href="#"><u>CreateElement::generateWRAPTHROUGH()</u></a>	72
<i>Generate w:wrapthrough</i>	
<a href="#"><u>CreateElement::generateWRAPTOPANDBOTTOM()</u></a>	72
<i>Generate w:wraptopandbottom</i>	
<a href="#"><u>CreateExcelSharedStrings::createExcelSharedStrings()</u></a>	73
<i>Create excel shared strings</i>	
<a href="#"><u>CreateExcelSharedStrings::generateSI()</u></a>	74
<i>Generate si</i>	
<a href="#"><u>CreateExcelSheet</u></a>	75
<i>Create excel sheet</i>	
<a href="#"><u>constructor CreateExcelSheet:: construct()</u></a>	76
<i>Construct</i>	

<a href="#">CreateExcelSheet::createExcelSheet()</a>	76
<i>Create excel sheet</i>	
<a href="#">CreateExcelSharedStrings::__toString()</a>	75
<a href="#">CreateExcelSharedStrings::__destruct()</a>	75
<i>Destruct</i>	
<a href="#">CreateExcelSharedStrings::generateSST()</a>	74
<i>Generate sst</i>	
<a href="#">CreateExcelSharedStrings::generateT()</a>	74
<i>Generate t</i>	
<a href="#">CreateExcelSharedStrings::getInstance()</a>	75
<a href="#">CreateExcelTable::createExcelTable()</a>	83
<i>Create excel table</i>	
<a href="#">CreateExcelTable::generateTABLE()</a>	83
<i>Generate table</i>	
<a href="#">CreateFooter::generatePTAB()</a>	91
<i>Generate w:ptab</i>	
<a href="#">CreateFooter::generateR()</a>	91
<i>Generate w:r</i>	
<a href="#">CreateFooter::getInstance()</a>	91
<a href="#">CreateFooter::generateP()</a>	91
<i>Generate w:p</i>	
<a href="#">CreateFooter::generateFTR()</a>	90
<i>Generate ftr token</i>	
<a href="#">constructor CreateFooter::__construct()</a>	90
<i>Construct</i>	
<a href="#">CreateFooter::createFooter()</a>	90
<i>Create footer</i>	
<a href="#">CreateFooter::generateFLDSIMPLE()</a>	90
<i>Generate w:fldsimple</i>	
<a href="#">CreateFooter::__destruct()</a>	92
<i>Destruct</i>	
<a href="#">CreateFooter::__toString()</a>	92
<a href="#">CreateFootnote::createInitFootnote()</a>	93
<i>Create init footnote</i>	
<a href="#">CreateFootnote::generateFOOTNOTE()</a>	94
<i>Generate w:footnote</i>	
<a href="#">CreateFootnote::generateFOOTNOTEREF()</a>	94
<i>Generate w:footnoteref</i>	
<a href="#">CreateFootnote::createFootnote()</a>	93
<i>Create footnote</i>	
<a href="#">CreateFootnote::createDocumentFootnote()</a>	93
<i>Create document footnote</i>	
<a href="#">CreateFootnote</a>	92
<i>Create footnote</i>	
<a href="#">CreateFootnote::\$init</a>	92
<a href="#">constructor CreateFootnote::__construct()</a>	93
<i>Construct</i>	
<a href="#">CreateFooter</a>	89
<i>Create footer</i>	
<a href="#">CreateFontTable::__toString()</a>	89
<a href="#">CreateExcelTable::__toString()</a>	85
<a href="#">CreateFontTable</a>	85
<i>Create font table</i>	



<a href="#">CreateFontTable::\$ xml</a>	86
<a href="#">CreateExcelTable::destruct()</a>	85
<i>Destruct</i>	
<a href="#">CreateExcelTable::getInstance()</a>	85
<a href="#">CreateExcelTable::generateTABLECOLUMN()</a>	83
<i>Generate tablecolumn</i>	
<a href="#">CreateExcelTable::generateTABLECOLUMNS()</a>	84
<i>Generate tablecolumns</i>	
<a href="#">CreateExcelTable::generateTABLESTYLEINFO()</a>	84
<i>Generate tablestyleinfo</i>	
<a href="#">constructor CreateFontTable::construct()</a>	86
<i>Construct</i>	
<a href="#">CreateFontTable::createFont()</a>	86
<i>Create font</i>	
<a href="#">CreateFontTable::generateSIG()</a>	88
<i>Generate w:sig</i>	
<a href="#">CreateFontTable::getInstance()</a>	89
<a href="#">CreateFontTable::destruct()</a>	89
<i>Destruct</i>	
<a href="#">CreateFontTable::generatePITCH()</a>	88
<i>Generate w:pitch</i>	
<a href="#">CreateFontTable::generatePANOSE1()</a>	87
<i>Generate w:panose1</i>	
<a href="#">CreateFontTable::generateCHARSET()</a>	86
<i>Generate w:charset</i>	
<a href="#">CreateFontTable::generateFAMILY()</a>	87
<i>Generate w:family</i>	
<a href="#">CreateFontTable::generateFONT()</a>	87
<i>Generate w:font</i>	
<a href="#">CreateDocx.inc</a>	2
<i>Generate a DOCX file</i>	

## D

<a href="#">Docx2Text::getDocument()</a>	220
<i>Getter</i>	
<a href="#">Docx2Text::extract()</a>	220
<i>Extract the content of a word document and create a text file if the name is given</i>	
<a href="#">Docx2Text::getDocx()</a>	221
<i>Getter</i>	
<a href="#">Docx2Text::setDocument()</a>	221
<i>Setter</i>	
<a href="#">Docx2Text::writeFile()</a>	221
<i>Write the file</i>	
<a href="#">Docx2Text::setDocx()</a>	221
<i>Setter</i>	
<a href="#">Docx2Text::SEPARATOR_WINDOWS_DEBUG</a>	220
<a href="#">Docx2Text::SEPARATOR_WINDOWS</a>	220
<a href="#">Docx2Text::SEPARATOR_LINUX</a>	219
<a href="#">Docx2Text::DEBUG</a>	219
<a href="#">Docx2Text::SEPARATOR_LINUX_DEBUG</a>	219
<a href="#">Docx2Text::SEPARATOR_TAB</a>	219

<a href="#">Docx2Text::SEPARATOR TAB DEBUG</a>	219
<a href="#">Docx2Text</a>	219
<i>Docx 2 text</i>	

## T

<a href="#">TransformDoc::setstrFile()</a>	212
<i>Setter. File</i>	
<a href="#">TransformDoc::getStrXHTML()</a>	212
<i>Getter. XHTML</i>	
<a href="#">TransformDoc::getStrOutputFile()</a>	212
<i>Getter. Output file</i>	
<a href="#">TransformDoc::setStrOutputFile()</a>	213
<a href="#">TransformDoc::setStrXHTML()</a>	213
<i>Setter. XHTML</i>	
<a href="#">TransformDoc:: _destruct()</a>	214
<i>Destruct</i>	
<a href="#">TransformDoc::validatorXHTML()</a>	213
<i>Validate HTML using tidy</i>	
<a href="#">TransformDoc::getstrFile()</a>	212
<i>Getter. File</i>	
<a href="#">TransformDoc::getFileName()</a>	212
<i>Return file name</i>	
<a href="#">TransformDoc::SCHEMA_OFFICEDOCUMENT</a>	210
<a href="#">TransformDoc::SCHEMA_IMAGEDOCUMENT</a>	210
<a href="#">TransformDoc</a>	210
<i>Transform DOCX to PDF or XHTML</i>	
<a href="#">TransformDoc::absoluteZipPath()</a>	211
<i>Return zip path</i>	
<a href="#">TransformDoc::cleanXHTML()</a>	211
<i>Clean HTML</i>	
<a href="#">TransformDoc::generateXHTML()</a>	211
<i>Convert DOCX to XHTML</i>	
<a href="#">TransformDoc::generatePDF()</a>	211
<i>Convert DOCX to PDF, using dompdf. DOCX-&gt;XHTML-&gt;PDF</i>	
<a href="#">TransformDoc.inc</a>	52
<i>Transform DOCX to PDF or XHTML</i>	