

Knitweb Lens - Top 10 Feedback Targets

Generated June 20, 2026. Public feedback map for Lens; this is not an endorsement list and does not include private contact details.

How to use this PDF

Ask for narrow design feedback in public issues, discussions, or project channels. Include the Lens repository link, one concrete question, and the relevant source file or doc. Best first ask: review the adapter contract, citation shape, and integer-only ranking boundary.

1. Ben Goertzel / OpenCog Hyperon

<https://hyperon.opencog.org/>

Domain: Hyperon, MeTTa, symbolic reasoning

Why ask: Closest conceptual match for symbolic reasoning over graph-like atoms.

Focused ask: Does Lens preserve enough structure for an RLM-like loop without adopting MeTTa as a storage dependency?

2. Alexey Potapov / OpenCog Hyperon

<https://arxiv.org/abs/2310.18318>

Domain: Hyperon architecture and MeTTa semantics

Why ask: Useful for stress-testing the distinction between chunks, atoms, and durable fabric records.

Focused ask: Which minimal atom/path metadata would make Lens useful for symbolic reasoning experiments?

3. Daniel.y / @danielaskdd

<https://github.com/danielaskdd>

Domain: LightRAG graph retrieval

Why ask: Leading public contributor signal on a directly relevant graph RAG implementation.

Focused ask: Are Lens relation paths and graph-row adapters enough for graph-enhanced retrieval without forcing a graph database dependency?

4. Jerry Liu / @jerryliu

<https://github.com/jerryliu>

Domain: LlamaIndex connectors and retrieval

Why ask: Major reference for data connectors, indexing, and retrieval interfaces.

Focused ask: Is the SourceAdapter and Chunk contract clear enough for third-party data connectors?

5. Logan Markewich / @logan-markewich

<https://github.com/logan-markewich>

Domain: LlamaIndex maintainer ergonomics

Why ask: High-volume maintainer experience is useful for adapter ergonomics and test fixtures.

Focused ask: What would make Lens adapters easy to test and contribute?

6. Harrison Chase / @hwchase17

<https://github.com/hwchase17>

Domain: LangChain agent and retriever composition

Why ask: Major reference for agent/retriever composition and integration boundaries.

Focused ask: Should Lens keep generation behind a tiny LLMAdapter protocol, or expose a richer tool loop?

7. Andrey Vasnetsov / @generall

<https://github.com/generall>

Domain: Qdrant and vector search

Why ask: Can help validate vector result metadata, filtering, and quantized score handling.

Focused ask: Is integer quantization of external vector scores acceptable at the Lens boundary, and what metadata should be preserved?

8. David Dias / @daviddias

<https://github.com/daviddias>

Domain: IPFS, libp2p, IPLD, multiformats

Why ask: Relevant to content addressing, provider discovery, and transport/interpret separation.

Focused ask: Are Lens source references compatible with future p2p provider discovery without smuggling transport concerns into the interpret layer?

9. Manu Sporny / @msporny

<https://github.com/msporny>

Domain: W3C VC, DID, linked data integrity

Why ask: Directly relevant to tamper-evident citations and proof-preserving export.

Focused ask: What should a provenance-cited answer expose so linked-data proofs remain independently verifiable?

10. moazbuilds / ClaudeClaw

<https://github.com/moazbuilds>

Domain: ClaudeClaw daemon and contributor workflow

Why ask: Useful reference for lightweight, isolated, contributor-friendly agent services.

Focused ask: What service/auth boundaries should Lens keep before adding any always-on daemon or channel integration?

Reference projects checked: OpenCog Hyperon, hyperon-experimental, LightRAG, LlamaIndex, LangChain, Qdrant, IPFS/libp2p Kademlia specs, W3C VC/DID/Data Integrity, and ClaudeClaw.