_____

_____

_____

Reviewer signature or initials: _____

Date: _____

Scope reminder: Completing this worksheet supports independent human verification of the proposed baseline. It does not require generating or modifying `patterns.csv`, `pattern_counts.csv` or UML diagrams. Those activities should follow the completed human decisions.

The most important judgment calls are **HV-05 (bulk import), HV-07 (account traveler enrollment), and HV-09 (Turbo Observer)** because their distinction from ordinary procedural code or framework behavior is comparatively subtle. They deserve particular scrutiny.

Once you have made the nine decisions, the verified results—not the earlier LLM classifications—should determine the final inventory.

The pattern-discovery phase and final source-based verification are complete.
Do not search for any new patterns.
Freeze the baseline source-supported inventory using these nine instances:

1. GRASP Information Expert — Parsed Email to Trip Record Linking
2. GRASP Controller — Inbound Travel Email Intake Coordination
3. GRASP Controller — Trip Creation Coordination
4. GRASP Controller — Trip Membership Management Coordination
5. GRASP Controller — Bulk Itinerary Import Coordination
6. GRASP Controller — OAuth Sign-in and Identity Linking Coordination

7. GRASP Controller — Account Traveler Enrollment Coordination
8. Observer — Outbound Mail Delivery Logging
9. Observer — Trip-Scoped Turbo Refresh Notifications

Keep these rejected classifications outside the confirmed inventory:

1. Geocoding Template Method
2. Geocoding Strategy
3. Geocoding Adapter
4. Itinerary Timeline–Map Event Coordination as Observer
5. Beta Invite Eligibility Evaluation as Information Expert

For each of the nine confirmed instances:

1. Give the final stable instance name.
2. Give the exact pattern name.
3. Give the pattern type/category.
4. Give a concise description of the pattern responsibility or mechanism.
5. Map every participant role to an actual class, module, method, view or framework participant.
6. Give the exact source file locations and reliable line ranges.
7. Clearly distinguish application-owned participants from Rails or other framework participants.
8. Give concise intent-and-evidence wording suitable for the eventual `patterns.csv`.
9. Check that no participant or role is invented.
10. Check that no collaboration is counted twice.

Before freezing, recheck any suspicious source ranges from earlier worksheets, especially the `ParseInboxItemJob` line range associated with inbound email processing. Use the actual source snapshot rather than copying an inconsistent earlier line reference. Apply these counting rules consistently:

1. One GRASP Controller instance means one cohesive system-event/use-case responsibility, not one controller class, HTTP action or method.
2. Repeated appearances of the same collaboration do not create new instances.

3. Multiple providers, mailers, messages, broadcasts, jobs or subscribed pages do not automatically create additional instances.
4. Framework-mediated Observer patterns must distinguish application-defined roles from framework-supplied infrastructure.
5. Bulk import preview and confirmation remain one instance.
6. Trip membership add/remove remain one instance.
7. Google and Apple authentication remain one OAuth coordination instance.
8. Trip-Scoped Turbo Refresh Notifications remains one Observer instance across inbox processing and geocoding.
9. Outbound Mail Delivery Logging remains one Observer instance across all mailers and messages.

At the end provide:

1. The frozen nine-instance inventory.
2. Final participant-role mappings.
3. Final source locations.
4. Final rejected-candidate list with rejection reasons.
5. Final counting rule.
6. Pattern counts:
   GRASP Controller = 6
   GRASP Information Expert = 1
   Observer = 2
   Total pattern instances = 9
   Total distinct pattern types = 3
7. State clearly that this is the frozen source-supported baseline proposal.

Do not search for additional patterns.
Do not generate CSV files, UML diagrams or evolution analysis yet.

Worked for 1m 32s

DaPlanStan — Frozen Baseline Pattern Inventory

Source-supported baseline frozen 9 instances · 3 pattern types · 8 October 2026

The baseline is frozen at the **nine specified pattern instances**, using the original uploaded `daplanstan-main.zip` as the source snapshot.