Do not search for new patterns and do not modify any frozen classification.
Now prepare the LLM audit record for Part 2.
Use this exact `llm.csv` schema:
`part,model_and_date,prompt_file,input_file,output_file,evaluation,verification_file`
The purpose is to document how LLM assistance was used during Part 2 and how each important output was checked against source evidence.
Use one row for each major prompt/output stage rather than one row for every small conversational message.
Group the completed workflow into these stages:

1. Initial requirements and source-inspection planning.
2. Geocoding investigation.
3. Geocoding candidate verification.
4. Inbound email investigation.
5. Inbound email candidate verification.
6. Trip creation and membership investigation.
7. Trip creation and membership verification.
8. Itinerary and expense investigation.
9. Bulk itinerary import verification.
10. External integrations and identity investigation.
11. External integration pattern verification.
12. Frontend interaction investigation.
13. Frontend Observer verification.
14. Repository-wide missed-pattern sweep.
15. Final adversarial review.
16. Human-verification worksheet preparation.
17. Baseline inventory freeze.
18. `patterns.csv` and `pattern_counts.csv` preparation.
19. UML preparation.
20. Verification and rejected-candidate evidence preparation.

For each row:

1. Use `Part 2 - Pattern Discovery and Verification` in the `part` field.

2. In `model_and_date`, record the actual model/date if known from the conversation record. If the exact model name is

unavailable, do not invent one; write `ChatGPT - 2026-10-08`.

3. Give clear, simple filenames for the prompt, input and output artifacts.

4. `prompt_file` should identify the saved prompt text for that stage.

5. `input_file` should identify the source ZIP or previous analysis artifact used for that stage.

6. `output_file` should identify the raw LLM output that should be preserved unchanged.

7. In `evaluation`, use one of:
   Correct
   Partial
   Incorrect
   Cannot confirm

   Then add a short correction or qualification where needed.

8. In `verification_file`, point to the source-check or later verification artifact that supports the evaluation.

9. Do not mark an output Correct merely because the LLM said it was correct. Base the evaluation on later source verification.

10. Preserve the distinction between:
    raw LLM output
    later human/source verification
    final frozen artifacts.

11. Note that several early candidate classifications were later rejected or revised. Their original outputs should still be preserved in the audit trail rather than silently deleted.

12. For outputs involving the Turbo or mail Observer, mention that the final acceptance depended on checked framework contracts.

13. For the human-verification worksheet, do not claim that the worksheet itself constitutes independent human sign-off.

14. For the final frozen inventory, use `Correct - source-supported baseline frozen; independent human sign-off and runtime testing not established`.

Before producing the CSV, check that:

1. All major stages of the prompt history are represented.
2. The original prompt/output files can be preserved as raw evidence.
3. Rejected candidates remain visible in the audit trail.
4. The final nine-instance count is not retroactively applied to early outputs that had fewer confirmed instances.
5. Evaluation wording reflects what was known at that stage.

At the end output:

1. Final `llm.csv` in a CSV code block.
2. A suggested filename list for the 20 prompt files and 20 raw-output files.
3. A short note explaining which files should remain unchanged as raw LLM evidence.

Do not generate evolution analysis.
Do not change `patterns.csv`, `pattern_counts.csv`, UML or the frozen verification records.

Worked for 1m 9s

Part 2 — LLM Audit Record

The audit contains **20 stages**, covering initial planning, source investigations, candidate verification, the adversarial review, baseline freezing and final documentation.

Historical model identifiers cannot be reliably established for each stage, so the requested fallback `ChatGPT - 2026-10-08` is used. Filenames are proposed archival names for the original conversation records; they do not imply that those files have already been saved.

1. Final `llm.csv`

```csv
part,model_and_date,prompt_file,input_file,output_file,evaluation,verification_file
Part 2 - Pattern Discovery and Verification,ChatGPT - 2026-10-08,01_requirements_plan_prompt.txt,daplans
Part 2 - Pattern Discovery and Verification,ChatGPT - 2026-10-08,02_geocoding_investigation_prompt.txt,"
```