# Rajalakshmi Engineering College

Name: Karthick Raja R

Email: 240801147@rajalakshmi.edu.in

Roll no: 2116240801147 Phone: 6380349066

Branch: REC

Department: I ECE FB

Batch: 2028

Degree: B.E - ECE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 6\_COD\_Question 2

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

### 1. Problem Statement

Nandhini asked her students to arrange a set of numbers in ascending order. She asked the students to arrange the elements using insertion sort, which involves taking each element and placing it in its appropriate position within the sorted portion of the array.

Assist them in the task.

#### **Input Format**

The first line of input consists of the value of n, representing the number of array elements.

The second line consists of n elements, separated by a space.

**Output Format** 

The output prints the sorted array, separated by a space.

Refer to the sample output for formatting specifications.

2176240801747

2176240801747

2176240807747

## Sample Test Case

```
Input: 5
67 28 92 37 59
Output: 28 37 59 67 92
Answer
#include <stdio.h>
void insertionSort(int arr[], int n) {
   for(int i = 1; i < n; i++) {
     int key = arr[i];
     int j = i - 1;
     while(j >= 0 \&\& arr[j] > key) {
        arr[i + 1] = arr[i];
        j--;
     arr[j + 1] = key;
void printArray(int arr[], int n) {
   for(int i = 0; i < n; i++)
     printf("%d", arr[i]);
     if(i != n - 1)
        printf(" ");
  }
}
int main() {
   int n;
   scanf("%d", &n);
   int arr[n];
   for (int i = 0; i < n; i++) {
     scanf("%d", &arr[i]);
```

insertionSort printArray(arr return 0; } Status : Correct		2116240801747	21162A08011A1 Marks: 10/10
2116240801141	2116240801141	2116240801747	2116240801747
2176240801747	2176240801747	2116240801747	2116240801141