Cucumber Report

Jul 26, 2022, 5:53:56 AM

| Start : Jul 26, 5:53:45.686 AM	End : Jul 26, 5:53:54.949 AM	Duration : 9.263 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 2 SKIPPED - 0	PASSED - 49 FAILED - 2 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	UsersAPI	17	15	2	0	9.263 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	UsersAPI	Validate GetUsers with wrong credentials	3	3	0	0	2.494 s
2	UsersAPI	Validate GetUsers with correct authentication	3	3	0	0	0.107 s
3	UsersAPI	Get request is to retrive specific user using contact	3	3	0	0	2.351 s
4	UsersAPI	Get request is to retrive specific user using DieticianId	3	3	0	0	0.211 s
5	UsersAPI	Get request is to retrive specific user using email	3	3	0	0	0.196 s
6	UsersAPI	Get request is to retrive specific user using FirstName	3	3	0	0	0.180 s
7	UsersAPI	Get request is to retrive specific user using UserType	3	3	0	0	0.160 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
8	UsersAPI	delete request is to delete existing user record	3	2	1	0	0.890 s
9	UsersAPI	Post request is to create new user record	3	2	1	0	0.523 s
10	UsersAPI	Put request is to update user record	3	3	0	0	0.256 s
11	UsersAPI	Put request is to update user record	3	3	0	0	0.294 s
12	UsersAPI	Put request is to update user record	3	3	0	0	0.229 s
13	UsersAPI	Put request is to update user record	3	3	0	0	0.227 s
14	UsersAPI	Put request is to update user record	3	3	0	0	0.224 s
15	UsersAPI	Put request is to update user record	3	3	0	0	0.203 s
16	UsersAPI	Put request is to update user record	3	3	0	0	0.202 s
17	UsersAPI	Put request is to update user record	3	3	0	0	0.196 s

(F)- UsersAPI

FAILED	DURATION - 9.263 s	Scenarios		Steps	
/ 5:53:45.686 AM // 5:53:54.949 AM /		Total - 17 Pass - 15 Fail - 2 Skip - 0	17	Total - 51 Pass - 49 Fail - 2 Skip - 0	51

(S)- Validate GetUsers with wrong credentials

PASSED	DURATION - 2.494 s		Steps	
/ 5:53:45.700 AM // 5:53:48.194 AM /			Total - 3	
UsersAPI			Pass - 3	3
@Smoke @All @Regression			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Initilize base uri with wrong credentials	PASSED	1.203 s
2	When Get request is sent with endpoint as "/Users/"	PASSED	1.128 s
3	Then Verify statuscode is 401 unauthorised	PASSED	0.061 s

(S)- Validate GetUsers with correct authentication

PASSED	DURATION - 0.107 s		Steps	
/ 5:53:48.216 AM // 5:53:48.323 AM /			Total - 3	
UsersAPI			Pass - 3	3
@Smoke @All @Regression			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.021 s

#	Step / Hook Details	Status	Duration
2	When User sends Get request to retrive data with endpoint as "/Users/"	PASSED	0.057 s
3	Then API should return all User records with success code 200	PASSED	0.002 s

(S)- Get request is to retrive specific user using contact

PASSED	DURATION - 2.351 s		Steps
/ 5:53:48.345 AM // 5:53:50.696 AM /			Total - 3
			Pass - 3
			Fail - 0
UsersAPI			Skip - 0
@Smoke @All @Regression			

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends Get request to retrieve specific user data with endpoint as "/Users/Contact=" from given sheetname "GetContact" and rownumber 0	PASSED	1.503 s
3	Then API should return record for specific user with success code 200	PASSED	0.823 s

(S)- Get request is to retrive specific user using DieticianId

PASSED	DURATION - 0.211 s		Steps
/ 5:53:50.718 AM // 5:53:50.929 AM /			Total - 3
			Pass - 3
			Fail - 0
UsersAPI			Skip - 0
@Smoke @All @Regression			

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.004 s
2	When User sends Get request to retrive specific user data by DieticianId with endpoint as "/Users/DieticianId=" from given sheetname "GetDieticianId" and rownumber 0	PASSED	0.154 s
3	Then API should return record for specific user by DieticianId with success code 200	PASSED	0.027 s

(S)- Get request is to retrive specific user using email

PASSED	DURATION - 0.196 s		Steps	
			Total - 3	
/ 5:53:50.948 AM // 5:53:51.144 AM /			Pass - 3	3
UsersAPI			Fail - 0	
@Smoke @All @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends Get request to retrive specific user data by email with endpoint as "/Users/Email=" from given sheetname "GetEmail" and rownumber 0	PASSED	0.131 s
3	Then API should return record for specific user by email with success code 200	PASSED	0.044 s

(S)- Get request is to retrive specific user using FirstName

PASSED	DURATION - 0.180 s		Steps	
			Total - 3	
/ 5:53:51.158 AM // 5:53:51.338 AM /			Pass - 3	3
UsersAPI			Fail - 0	
@Smoke @All @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends Get request to retrive specific user data by firstname with endpoint as "/Users/FirstName=" from given sheetname "GetFirstName" and rownumber 0	PASSED	0.122 s
3	Then API should return record for specific user by firstname with success code 200	PASSED	0.039 s

(S)- Get request is to retrive specific user using UserType

PASSED	DURATION - 0.160 s		Steps	
/ 5:53:51.358 AM // 5:53:51.518 AM /			Total - 3	
UsersAPI			Pass - 3	
			Fail - 0	
@Smoke @All @Regression			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends Get request to retrive specific user data by usertype with endpoint as "/Users/UserType=" from given sheetname "GetUserType" and rownumber 0	PASSED	0.127 s
3	Then API should return record for specific user by usertype with success code 200	PASSED	0.014 s

(S)- delete request is to delete existing user record

FAILED	DURATION - 0.890 s		Steps	
/ 5:53:51.531 AM // 5:53:52.421 AM /			Total - 3	
UsersAPI			Pass - 2	
			Fail - 1	
@Smoke @All @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends delete request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Delete" and rownumber 0	PASSED	0.138 s
3	Then User record is successsfully deleted with successcode 200	FAILED	0.731 s
	junit.framework.ComparisonFailure: expected:<[Already Deleted OR wrong DieticinaId ,UserI]d.> but was:<[Successfully Delete]d.> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at StepDefinition.UsersApiSteps.user_record_is_successsfully_deleted_with_successcode(UsersApiSteps.java:229) at ?.User record is successsfully deleted with successcode 200(file:///C:/Users/abhij/eclipse-workspace/com.numpyninja. DieticianApiAutomation/./src/test/resources/Features/UsersApi.feature:68)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

(S)- Post request is to create new user record

FAILED	DURATION - 0.523 s

/ 5:53:52.444 AM // 5:53:52.967 AM /

UsersAPI

@Smoke @All @Regression

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.004 s
2	When User sends post request with valid inputs and endpoint as "/Users/" from given sheetname "Post"	PASSED	0.460 s
3	Then New user record is created with success code 200	FAILED	0.046 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["UserId"]) level: "error" schema: {"loadingURI":"#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["Message","UserId"] missing: ["UserId"] Actual: {"Message": "User detail already Exists. Check on [Firstname, Contact , Email]"} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59) at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:499) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:684) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		

#	Step / Hook Details	Status	Duration

	java:193)
	    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)
	    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
	    at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:99)
	    at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)
	    at io.restassured.internal.ValidatableResponseImpl.super2body(ValidatableResponseImpl.groovy)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	    at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)
	    at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)
	    at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)
	    at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)
	    at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy:293)
	    at io.restassured.internal.ValidatableResponseImpl.body(ValidatableResponseImpl.groovy)
	    at StepDefinition.UsersApiSteps.new_user_record_is_created_with_success_code(UsersApiSteps.java:257)
	    at ?.New user record is created with success code 200(file:///C:/Users/abhij/eclipse-workspace/com.numpyninja.DieticianApiAutomation/./src/test/resources/Features/UsersApi.feature:78)
	* Not displayable characters are replaced by '?'.		

(S)- Put request is to update user record

PASSED	DURATION - 0.256 s		Steps	
/ 5:53:52.992 AM // 5:53:53.248 AM /			Total - 3	
UsersAPI			Pass - 3	3
@Smoke @All @Regression			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.001 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 0	PASSED	0.126 s
3	Then User record is updated with success code 200	PASSED	0.111 s

(S)- Put request is to update user record

PASSED	DURATION - 0.294 s		Steps	
/ 5:53:53.268 AM // 5:53:53.562 AM /			Total - 3	
UsersAPI			Pass - 3	3
@Smoke @All @Regression			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 1	PASSED	0.114 s
3	Then User record is updated with success code 200	PASSED	0.159 s

(S)- Put request is to update user record

PASSED	DURATION - 0.229 s		Steps	
/ 5:53:53.579 AM // 5:53:53.808 AM /			Total - 3	
UsersAPI			Pass - 3	3
@Smoke @All @Regression			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 2	PASSED	0.107 s
3	Then User record is updated with success code 200	PASSED	0.106 s

(S)- Put request is to update user record

PASSED	DURATION - 0.227 s	Steps	
	/ 5:53:53.829 AM // 5:53:54.056 AM /	Total - 3	
	UsersAPI	Pass - 3	3
	@Smoke @All @Regression	Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.005 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 3	PASSED	0.104 s
3	Then User record is updated with success code 200	PASSED	0.103 s

(S)- Put request is to update user record

PASSED	DURATION - 0.224 s	Steps	
	/ 5:53:54.071 AM // 5:53:54.295 AM /	Total - 3	
	UsersAPI	Pass - 3	3
	@Smoke @All @Regression	Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.001 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 4	PASSED	0.097 s
3	Then User record is updated with success code 200	PASSED	0.109 s

(S)- Put request is to update user record

PASSED	DURATION - 0.203 s		Steps	
/ 5:53:54.314 AM // 5:53:54.517 AM /			Total - 3	
			Pass - 3	
UsersAPI			Fail - 0	
@Smoke @All @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.002 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 5	PASSED	0.094 s
3	Then User record is updated with success code 200	PASSED	0.094 s

(S)- Put request is to update user record

PASSED	DURATION - 0.202 s		Steps	
/ 5:53:54.533 AM // 5:53:54.735 AM /			Total - 3	
			Pass - 3	
UsersAPI			Fail - 0	
@Smoke @All @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.003 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 6	PASSED	0.094 s
3	Then User record is updated with success code 200	PASSED	0.085 s

(S)- Put request is to update user record

PASSED	DURATION - 0.196 s

/ 5:53:54.753 AM // 5:53:54.949 AM /

UsersAPI

@Smoke @All @Regression

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given UsersAPI is up and running for authorised user	PASSED	0.001 s
2	When User sends put request with valid inputs and endpoint as "/Users/DieticianId=" from given sheetname "Put" and rownumber 7	PASSED	0.092 s
3	Then User record is updated with success code 200	PASSED	0.088 s