

SYNTHETIC DISCHARGE SUMMARY (fictional patient, not real data)

Hospital: Sunrise General Hospital, Chennai (synthetic)

Patient: Sureshkumar, 58 years, Male Patient code: PAT-4103

Date of Admission: 02 Oct 2026

Date of Discharge: 07 Oct 2026

Attending Physician: Dr. Sanjay, Endocrinology (attending on the day of discharge)

PCP: Dr. Karthikeyan, Perambur Health Clinic, Perambur, Chennai

Admission Diagnosis: Very high blood sugar with vomiting

Discharge Diagnosis: Uncontrolled type 2 diabetes with high blood sugar, resolved

Secondary Diagnoses: High blood pressure; Raised creatinine, improving

Consultations: Dr. Jega, Nephrology

Procedures: None

HPI:

58 year old man with type 2 diabetes for 10 years, 3 days of thirst, passing urine often and vomiting. Blood sugar at home above 450 mg/dl.

Brief Hospital Course:

- Blood sugar: 512 mg/dl on admission, no ketoacidosis. Controlled with insulin, now 140 to 190 mg/dl.
- Kidneys: Creatinine 1.9 mg/dl on admission and 1.4 mg/dl on discharge after fluids.
- Blood pressure: 150/94 mmHg on admission, 132/84 mmHg at discharge.

Physical Exam:

Pulse 84 per minute, BP 132/84 mmHg. Alert, well hydrated. Feet: no wounds.

Pending Lab or Test Results:

1. HbA1c result pending; Dr. Karthikeyan to review the report.
2. Kidney function blood test (creatinine) on Day 7.

Immunizations Given During Admission: None

Discharge Disposition: Home

Diet:

1. Diabetic diet as taught by the dietitian.

Discharge Medications:

1. Metformin 500 mg tablet, by mouth, twice daily after food, for 30 days.
2. Metformin 1000 mg tablet, by mouth, once daily.
3. Stop Glimepiride.
4. Insulin glargine 10 units injection, under the skin, at bedtime, long-term. Increase by 2 units every 3 days if fasting sugar is above 130 mg/dl.
5. Amlodipine 5 mg tablet, by mouth, once daily. Continue as advised.
6. Telmisartan 40 mg tablet, by mouth, once daily in the morning, long-term.

Discharge Instructions:

1. Check blood sugar before breakfast and before dinner every day and write it down.
2. Patient question noted at discharge: What should I do if my sugar drops and I feel dizzy?
3. Seek immediate care if sugar is below 70 mg/dl with confusion, or above 300 mg/dl with vomiting.

Follow-up Appointments:

1. Follow up soon with Dr. Sanjay, Endocrinology.

2. Dr. Jega, Nephrology, Kilpauk Kidney Care, Kilpauk, Chennai, on 22 Oct 2026 at 4:00 PM. Phone 044-4000-0109.

CC: PCP Dr. Karthikeyan, Perambur Health Clinic