

```
SQL> insert into cricketboard  
values('&boardID', '&name', '&addrees', &contact_number);  
Enter value for boardid: B1  
Enter value for name: rajy  
Enter value for addrees: 2/292-3 chennai 600052;  
Enter value for contact_number: 6583241956  
old  1: insert into cricketboard  
values('&boardID', '&name', '&addrees', &contact_number)  
new  1: insert into cricketboard values('B1', 'rajy', '2/292-3 chennai  
600052;', 6583241956)
```

1 row created.

```
SQL> /  
Enter value for boardid: B2  
Enter value for name: sai  
Enter value for addrees: 4/262-5 chennai 600052;  
Enter value for contact_number: 9576214736  
old  1: insert into cricketboard  
values('&boardID', '&name', '&addrees', &contact_number)  
new  1: insert into cricketboard values('B2', 'sai ', '4/262-5 chennai  
600052;', 9576214736)
```

1 row created.

```
SQL> /  
Enter value for boardid: B3  
Enter value for name: VENKET  
Enter value for addrees: 8/266-5 chennai 600052;  
Enter value for contact_number: 5314267895  
old  1: insert into cricketboard  
values('&boardID', '&name', '&addrees', &contact_number)  
new  1: insert into cricketboard values('B3', 'VENKET', '8/266-5 chennai  
600052;', 5314267895)
```

1 row created.

```
SQL> /  
Enter value for boardid: B4  
Enter value for name: niranjan  
Enter value for addrees: 1/268-3 chennai 600052;  
Enter value for contact_number: 5473691824  
old  1: insert into cricketboard  
values('&boardID', '&name', '&addrees', &contact_number)  
new  1: insert into cricketboard values('B4 ', 'niranjan', '1/268-3 chennai  
600052;', 5473691824)
```

1 row created.

```
SQL> /  
Enter value for boardid: B5  
Enter value for name: harsha  
Enter value for addrees: 1/265-4 chennai 600052;  
Enter value for contact_number: 5784631596  
old  1: insert into cricketboard  
values('&boardID', '&name', '&addrees', &contact_number)
```

```
new  1: insert into cricketboard values('B5','harsha','1/265-4 chennai  
600052;',5784631596)  
1 row created.  
SQL>,/  
  
BOARDID  
-----  
NAME  
-----  
ADDRESS CONTACTNO  
-----  
B1  
rajy  
2/292-3 chennai 600052; 6583241956  
  
B2  
sai  
4/262-5 chennai 600052; 9576214736  
  
BOARDID  
-----  
NAME  
-----  
ADDRESS CONTACTNO  
-----  
B3  
VENKET  
8/266-5 chennai 600052; 5314267895  
  
B4  
niranjan  
  
BOARDID  
-----  
NAME  
-----  
ADDRESS CONTACTNO  
-----  
1/268-3 chennai 600052; 5473691824  
  
B5  
harsha  
1/265-4 chennai 600052; 5784631596  
  
SQL> commit;  
Commit complete.  
SQL>  
SQL*Plus: Release 11.2.0.2.0 Production on Mon Sep 8 14:03:12 2025  
Copyright (c) 1982, 2014, Oracle. All rights reserved.  
SQL> connect  
Enter user-name: vtu29836  
Enter password:  
Connected.  
SQL> select*from cricketboard;
```

BOARDID	NAME	ADDRESS	CONTACTNO
B1	rajy	2/292-3 chennai 600052;	6583241956
B2	sai	4/262-5 chennai 600052;	9576214736
BOARDID	NAME	ADDRESS	CONTACTNO
B3	VENKET	8/266-5 chennai 600052;	5314267895
B4	niranjan		
BOARDID	NAME	ADDRESS	CONTACTNO
B5	harsha	1/268-3 chennai 600052;	5473691824

```

SQL> desc team;
Name          Null?    Type
-----        -----   -----
TEAM          VARCHAR2(50)
CONTACTNO    NUMBER
NAME          VARCHAR2(50)
COACH         VARCHAR2(50)
CAPTAIN       VARCHAR2(50)

SQL> insert into team values
('&teamID','&contactno','&name','&coach','&captain');
Enter value for teamid: t1
Enter value for contactno: 6583241956
Enter value for name: rajy
Enter value for coach: tej
Enter value for captain: manohar
old   1: insert into team values
('&teamID','&contactno','&name','&coach','&captain')
new   1: insert into team values ('t1','6583241956','rajy','tej','manohar')

```

1 row created.

```
SQL> /
Enter value for teamid: t2
Enter value for contactno: 9576214736
Enter value for name: sai
Enter value for coach: venkat
Enter value for captain: ram
old  1: insert into team values
('teamID', 'contactno', 'name', 'coach', 'captain')
new  1: insert into team values ('t2', '9576214736', 'sai', 'venkat', 'ram')
```

1 row created.

```
SQL> /
Enter value for teamid: t3
Enter value for contactno: 5314267895
Enter value for name: venket
Enter value for coach: ram
Enter value for captain: nirmal
old  1: insert into team values
('teamID', 'contactno', 'name', 'coach', 'captain')
new  1: insert into team values ('t3', '5314267895', 'venket', 'ram', 'nirmal')
```

1 row created.

```
SQL> /
Enter value for teamid: t4
Enter value for contactno: 5473691824
Enter value for name: niranjan
Enter value for coach: yohith
Enter value for captain: tony
old  1: insert into team values
('teamID', 'contactno', 'name', 'coach', 'captain')
new  1: insert into team values ('t4', '5473691824', 'niranjan', 'yohith', 'tony')
```

1 row created.

```
SQL> /
Enter value for teamid: t5
Enter value for contactno: 5784631596
Enter value for name: harsha
Enter value for coach: karthik
Enter value for captain: hemanth
old  1: insert into team values
('teamID', 'contactno', 'name', 'coach', 'captain')
new  1: insert into team values
('t5', '5784631596', 'harsha', 'karthik', 'hemanth')
```

1 row created.

```
SQL> select*from team;
```

TEAM	CONTACTNO
NAME	
COACH	
CAPTAIN	
t1	6583241956
rajy	
tej	

manohar

TEAM	CONTACTNO
NAME	
COACH	
CAPTAIN	
t2 sai venkat ram	9576214736

TEAM	CONTACTNO
NAME	
COACH	
CAPTAIN	
t3 venket ram nirmal	5314267895

TEAM	CONTACTNO
NAME	
COACH	
CAPTAIN	
t4 niranjan yohith tony	5473691824

TEAM	CONTACTNO
NAME	
COACH	
CAPTAIN	
t5 harsha karthik hemanth	5784631596

SQL> insert into player

```
values('&playerid','&fname','&lname',&age,TO_DATE('&dob','DD-MM-  
YYYY'), '&playingrole');  
Enter value for playerid: P1  
Enter value for fname: RAJY  
Enter value for lname: M  
Enter value for age: 23  
Enter value for dob: 12-MAR-2002  
Enter value for playingrole: TRAINER  
old 1: insert into player  
values('&playerid','&fname','&lname',&age,TO_DATE('&dob','DD-MM-  
YYYY'), '&playingrole')  
new 1: insert into player values('P1','RAJY','M',23,TO_DATE('12-MAR-2002','DD-  
MM-YYYY'), 'TRAINER')
```

1 row created.

```
SQL> /  
Enter value for playerid: P2  
Enter value for fname: TEJ  
Enter value for lname: K  
Enter value for age: 22  
Enter value for dob: 13-MAR-2003  
Enter value for playingrole: BOLWER  
old 1: insert into player  
values('&playerid','&fname','&lname',&age,TO_DATE('&dob','DD-MM-  
YYYY'), '&playingrole')  
new 1: insert into player values('P2','TEJ','K',22,TO_DATE('13-MAR-2003','DD-  
MM-YYYY'), 'BOLWER')
```

1 row created.

```
SQL> /  
Enter value for playerid: P3  
Enter value for fname: SAI  
Enter value for lname: R  
Enter value for age: 24  
Enter value for dob: 14-APR-2001  
Enter value for playingrole: WICKETKEEPER  
old 1: insert into player  
values('&playerid','&fname','&lname',&age,TO_DATE('&dob','DD-MM-  
YYYY'), '&playingrole')  
new 1: insert into player values('P3','SAI','R',24,TO_DATE('14-APR-2001','DD-  
MM-YYYY'), 'WICKETKEEPER')
```

1 row created.

```
SQL> insert into match values('&matchid',TO_DATE('&matchdate','DD-MM-  
YYYY'), '&time', '&result');  
Enter value for matchid: m1  
Enter value for matchdate: 08-sep-2025  
Enter value for time: 02:46  
Enter value for result: win  
old 1: insert into match values('&matchid',TO_DATE('&matchdate','DD-MM-  
YYYY'), '&time', '&result')  
new 1: insert into match values('m1',TO_DATE('08-sep-2025','DD-MM-  
YYYY'), '02:46', 'win')
```

1 row created.

```
SQL> /  
Enter value for matchid: m2  
Enter value for matchdate: 07-aug-2024
```

```
Enter value for time: 10:30
Enter value for result: win
old  1: insert into match values('&matchid',TO_DATE('&matchdate','DD-MM-
YYYY'), '&time', '&result')
new  1: insert into match values('m2',TO_DATE('07-aug-2024', 'DD-MM-
YYYY'), '10:30', 'win')
```

1 row created.

```
SQL> /
Enter value for matchid: m3
Enter value for matchdate: 06-jun-2025
Enter value for time: 12:36
Enter value for result: win
old  1: insert into match values('&matchid',TO_DATE('&matchdate','DD-MM-
YYYY'), '&time', '&result')
new  1: insert into match values('m3',TO_DATE(' 06-jun-2025', 'DD-MM-
YYYY'), '12:36', 'win')
```

1 row created.

```
SQL> /
Enter value for matchid: m4
Enter value for matchdate: 12-may-2025
Enter value for time: 13:26
Enter value for result: win
old  1: insert into match values('&matchid',TO_DATE('&matchdate','DD-MM-
YYYY'), '&time', '&result')
new  1: insert into match values('m4',TO_DATE('12-may-2025', 'DD-MM-
YYYY'), '13:26', 'win')
```

1 row created.

```
SQL> insert into ground values('&groundid', '&name', '&location', '&capacity');
Enter value for groundid: g1
Enter value for name: ginkana
Enter value for location: avadi
Enter value for capacity: 200
old  1: insert into ground values('&groundid', '&name', '&location'
new  1: insert into ground values('g1','ginkana','avadi','200')
```

1 row created.

```
SQL> /
Enter value for groundid: g2
Enter value for name: ck naidu
Enter value for location:
Enter value for capacity:
old  1: insert into ground values('&groundid', '&name', '&location', '&capacity')
new  1: insert into ground values('g2','ck naidu','','')
```

1 row created.

```
SQL> insert into umpire
values('&umpireid', '&fname', '&lname', &age, TO_DATE('&dob', 'DD-MM-
YYYY'), '&country');
Enter value for umpireid: u1
Enter value for fname: mahesh
Enter value for lname: k
Enter value for age: 36
Enter value for dob: 18-jan-1984
Enter value for country: india
old  1: insert into umpire
values('&umpireid', '&fname', '&lname', &age, TO_DATE('&dob', 'DD-MM-
```

```
YYYY'), '&country')
new 1: insert into umpire values('u1', 'mahesh', 'k', 36, TO_DATE('18-
jan-1984', 'DD-MM-YYYY'), 'india')
```

1 row created.

```
SQL> /
Enter value for umpireid: u2
Enter value for fname: karthik
Enter value for lname: p
Enter value for age: 46
Enter value for dob: 16-may-1974
Enter value for country: kannada
old 1: insert into umpire
values('&umpireid', '&fname', '&lname', &age, TO_DATE('&dob', 'DD-MM-
YYYY'), '&country')
new 1: insert into umpire values('u2', 'karthik', 'p', 46, TO_DATE('16-
may-1974', 'DD-MM-YYYY'), 'kannada')
```

1 row created.

```
SQL> select * from player;
```

PLAYERID	-----	-----	-----
FNAME	-----	-----	-----
LNAME	-----	-----	AGE DOB
PLAYINGROLE	-----	-----	-----
P1			
RAJY			
M			23 12-MAR-02
TRAINER			

PLAYERID	-----	-----	-----
FNAME	-----	-----	-----
LNAME	-----	-----	AGE DOB
PLAYINGROLE	-----	-----	-----
P2			
TEJ			
K			22 13-MAR-03
BOLWER			

PLAYERID	-----	-----	-----
FNAME	-----	-----	-----
LNAME	-----	-----	AGE DOB
PLAYINGROLE	-----	-----	-----
P3			
SAI			

R  
WICKETKEEPER

24 14-APR-01

SQL> select LNAME from player WHERE LNAME like 'R%';

LNAME

-----  
R

SQL> alter table player ADD( batting varchar(50) , bowling varchar(50));

Table altered.

SQL> desc player;

Name	Null?	Type
PLAYERID	NOT NULL	VARCHAR2(50)
FNAME		VARCHAR2(50)
LNAME		VARCHAR2(50)
AGE		NUMBER
DOB		DATE
PLAYINGROLE		VARCHAR2(50)
BATTING		VARCHAR2(50)
BOWLING		VARCHAR2(50)

SQL> select BoardID from cricketboard WHERE BoardID IN ('B1', 'B4')

BOARDID

-----  
B1