

LaunchLens MVP Database Design

Schema Overview

User (1) -> Project (N) -> Campaign (N) -> ClickEvent (N). Analytics are computed from ClickEvent records and are not stored as a separate table.

User

Field	Type	Notes
id	String (cuid)	Primary Key
name	String	Required
email	String	Unique
password	String	Hashed with bcrypt
createdAt	DateTime	Default now()
updatedAt	DateTime	Auto updated

Project

Field	Type	Notes
id	String (cuid)	Primary Key
name	String	Required
description	String?	Optional
website	String?	Optional
userId	String	FK -> User.id
createdAt	DateTime	Default now()
updatedAt	DateTime	Auto updated

Campaign

Field	Type	Notes
id	String (cuid)	Primary Key
name	String	Required
slug	String	Readable identifier
destinationUrl	String	Redirect target
trackingCode	String	Unique
projectId	String	FK -> Project.id
createdAt	DateTime	Default now()

updatedAt	DateTime	Auto updated
-----------	----------	--------------

ClickEvent

Field	Type	Notes
id	String (cuid)	Primary Key
campaignId	String	FK -> Campaign.id
ipAddress	String?	Optional
country	String?	Optional
city	String?	Optional
device	String?	Optional
browser	String?	Optional
os	String?	Optional
referrer	String?	Optional
clickedAt	DateTime	Default now()

Relationships

User 1:N Project, Project 1:N Campaign, Campaign 1:N ClickEvent.