# GSF NAV DW2 PostgreSQL Schema Documentation

**Author:** Bakhrom Botirov

**Date:** 12/08/2025

---

**Database:** ait_db

**Schema:** dw2_nav

**Source:** Microsoft Dynamics NAV Data Warehouse (DW2.nav)

**Total Tables:** 59

---

## Table of Contents

1. [Overview](#overview)

2. [Data Type Mappings](#data-type-mappings)

3. [Schema Conventions](#schema-conventions)

4. [Tables by Domain](#tables-by-domain)

5. [Relationships](#relationships)

6. [Table Specifications](#table-specifications)

7. [Indexes](#indexes)

8. [Migration Notes](#migration-notes)

# Overview

This schema represents the PostgreSQL conversion of Gold Star Foods' Microsoft Dynamics NAV Data Warehouse (DW2). The schema is designed for:

- **Read Replication**: Primary use case via AWS Aurora PostgreSQL
- **DMS Compatibility**: Structured for AWS Database Migration Service
- **Query Performance**: Optimized indexes on FK columns and common query patterns
- **Data Integrity**: Preserved original NAV structure and naming conventions

## Key Statistics

| Metric | Value |
|---|---|
| Total Tables | 59 |
| Total Columns | 1956 |
| Business Domains | 11 |
| Tables with Composite PK | 27 |

## Data Type Mappings

| MS SQL Server | PostgreSQL | Notes |
|---|---|---|
| `nvarchar(n)` | `text` | PostgreSQL optimizes text storage internally |
| `varchar(n)` | `text` | Except varchar(32) for DateFormula fields |
| `varchar(32)` | `varchar(32)` | Preserved for NAV DateFormula (Lead Time, etc.) |
| `datetime` | `timestamptz` | GSF operates in multiple timezones |
| `datetime2` | `timestamptz` | With timezone for consistency |
| `int` | `integer` | Standard 32-bit integer |
| `bigint` | `bigint` | 64-bit integer |
| `tinyint` (flags) | `boolean` | For boolean flags (blocked, open, etc.) |
| `tinyint` (enums) | `smallint` | For enumeration values |
| `decimal` | `decimal` | Without precision (arbitrary precision) |
| `uniqueidentifier` | `uuid` | Native UUID type |

# Schema Conventions

## Naming Conventions

| Element | Convention | Example |
|---|---|---|
| Schema | `dw2_nav` | `dw2_nav.customer` |
| Tables | snake_case (no prefix) | `purch_inv_header` |
| Columns | snake_case (preserving NAV) | `bill_to_customer_no_` |
| Primary Keys | `table_pkey` | `customer_pkey` |
| Indexes | `idx_table_column` | `idx_customer_no_` |
| GIN Indexes | `idx_table_column_gin` | `idx_item_description_gin` |

## NAV Naming Preservation

The following NAV naming patterns are preserved:

- `no_` suffix for number/code fields
- `qty_` prefix for quantity fields
- `purch_` prefix for purchasing fields
- `inv_` for invoice
- `rcpt_` for receipt
- `hdr_` for header

# Tables by Domain

## Master Data

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Item | `item` | 108 | source_db, no_ |
| Customer | `customer` | 82 | source_db, no_ |
| Location | `location` | 127 | source_db, code |
| Employee | `employee` | 12 | source_db, no_ |
| Contact | `contact` | 30 | source_db, no_ |
| Bank Account | `bank_account` | 10 | source_db, no_ |
| Fixed Asset | `fixed_asset` | 21 | source_db, no_ |
| G_L Account | `g_l_account` | 22 | source_db, no_ |

## Item Extensions (GSF Custom)

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Item Spec | `item_spec` | 66 | source_db, item_no_ |
| Item Unit of Measure | `item_unit_of_measure` | 13 | source_db, item_no_, code |
| Item History | `item_history` | 108 | |
| Item OLD | `item_old` | 103 | source_db, no_ |
| Item Date Range | `item_date_range` | 9 | source_db, item_no_, code, ... |
| Item Grouping | `item_grouping` | 7 | source_db, type, code, ... |
| Item Charge | `item_charge` | 10 | source_db, no_ |
| GSF Item Cost | `gsf_item_cost` | 10 | source_db, location_code, item_no_, ... |
| GSF Item Cost History | `gsf_item_cost_history` | 10 | |
| GSF Item Usage | `gsf_item_usage` | 19 | source_db, entry_no_ |
| GSF Sales Price | `gsf_sales_price` | 11 | source_db, bill_to_customer_no_, item_no_, ... |

## Warehouse & Inventory

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Bin | `bin` | 36 | source_db, location_code, code |
| Bin Content | `bin_content` | 24 | source_db, location_code, bin_code, ... |
| Bin Type | `bin_type` | 10 | source_db, code |

| | | | |
|---|---|---|---|
| Pallet Bin Content | `pallet_bin_content` | 28 | source_db, bin, location, ... |
| Pallet Movement | `pallet_movement` | 24 | source_db, entry_no_ |
| Lot No_ Information | `lot_no_information` | 14 | source_db, item_no_, variant_code, ... |

## Ledger Entries

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Item Ledger Entry | `item_ledger_entry` | 47 | source_db, entry_no_ |
| Item Application Entry | `item_application_entry` | 16 | source_db, entry_no_ |
| Cust_ Ledger Entry | `cust_ledger_entry` | 44 | source_db, entry_no_ |
| Detailed Cust_ Ledg_ Entry | `detailed_cust_ledg_entry` | 32 | source_db, entry_no_ |
| Detailed Vendor Ledg_ Entry | `detailed_vendor_ledg_entry` | 34 | source_db, entry_no_ |
| G_L Entry | `g_l_entry` | 28 | source_db, entry_no_ |
| Change Log Entry | `change_log_entry` | 16 | source_db, entry_no_ |
| Change Log Entry (Full History) | `change_log_entry_full_history` | 16 | source_db, entry_no_ |

## Purchasing

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Purchase Header | `purchase_header` | 147 | source_db, document_type, no_ |
| Purch_ Inv_ Header | `purch_inv_header` | 93 | source_db, no_ |
| Purch_ Inv_ Line | `purch_inv_line` | 59 | source_db, document_no_, line_no_ |
| Purch_ Rcpt_ Header | `purch_rcpt_header` | 72 | source_db, no_ |
| Purch_ Rcpt_ Line | `purch_rcpt_line` | 74 | source_db, document_no_, line_no_ |
| Purch_ Cr_ Memo Hdr_ | `purch_cr_memo_hdr` | 68 | source_db, no_ |
| Purch_ Cr_ Memo Line | `purch_cr_memo_line` | 59 | source_db, document_no_, line_no_ |

## Dimensions

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Dimension Value | `dimension_value` | 12 | source_db, dimension_code, code |
| Dimension Set Entry | `dimension_set_entry` | 6 | source_db, dimension_set_id, dimension_code |
| Default Dimension | `default_dimension` | 8 | source_db, table_id, no_, ... |

## Commodity/USDA

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Commodity Ledger Entry | `commodity_ledger_entry` | 29 | source_db, entry_no_ |
| Commodity Component | `commodity_component` | 9 | source_db, parent_item_no_, vendor_no_, ... |
| Commodity AMT Limit | `commodity_amt_limit` | 3 | source_db, co_op_district_amt_code |
| Commodity LB Limit | `commodity_lb_limit` | 5 | source_db, co_op_district_quantity_code, vendor_group_code, ... |
| Commodity Opt Out | `commodity_opt_out` | 6 | source_db, co_op_district_group_code, vendor_group_code, ... |
| Co-op Distributor Transaction | `co_op_distributor_transaction` | 27 | source_db, manufacturer_code, recipient_agency_no_, ... |

## Pricing

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Bid Header | `bid_header` | 10 | source_db, code |
| Bid Line | `bid_line` | 25 | source_db, code, item_type, ... |

## CRM & Campaigns

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Campaign | `campaign` | 14 | source_db, no_ |
| Campaign Target Group | `campaign_target_group` | 6 | source_db, type, no_, ... |
| Contact Business Relation | `contact_business_relation` | 6 | source_db, contact_no_, business_relation_code |

## Other/Configuration

| Original Table | PostgreSQL Table | Columns | Primary Key |
|---|---|---|---|
| Accounting Period | `accounting_period` | 9 | source_db, starting_date |
| Acc_ Schedule Line | `acc_schedule_line` | 24 | source_db, schedule_name, line_no_ |
| Appointment Schedule | `appointment_schedule` | 9 | source_db, location_code, code, ... |
| Customer Grouping | `customer_grouping` | 8 | source_db, type, code, ... |
| Delivery Schedule | `delivery_schedule` | 21 | source_db, type, source_no_, ... |

# Relationships

## Document Header-Line Relationships

| Parent Table | Parent Key | Child Table | Child Key | Cardinality |
|---|---|---|---|---|
| bid_header | code | bid_line | code | 1:N |
| purch_inv_header | no_ | purch_inv_line | document_no_ | 1:N |
| purch_rcpt_header | no_ | purch_rcpt_line | document_no_ | 1:N |
| purch_cr_memo_hdr_ | no_ | purch_cr_memo_line | document_no_ | 1:N |

## Item Master Relationships

| Parent Table | Parent Key | Child Table | Child Key | Cardinality |
|---|---|---|---|---|
| item | no_ | item_ledger_entry | item_no_ | 1:N |
| item | no_ | item_spec | item_no_ | 1:1 |
| item | no_ | item_unit_of_measure | item_no_ | 1:N |
| item | no_ | gsf_item_cost | item_no_ | 1:N |
| item | no_ | gsf_sales_price | item_no_ | 1:N |
| item | no_ | gsf_item_usage | item_no_ | 1:N |
| item | no_ | bin_content | item_no_ | 1:N |
| item | no_ | commodity_ledger_entry | item_no_ | 1:N |
| item | no_ | bid_line | item_code | 1:N |

## Customer Master Relationships

| Parent Table | Parent Key | Child Table | Child Key | Cardinality |
|---|---|---|---|---|
| customer | no_ | cust_ledger_entry | customer_no_ | 1:N |
| customer | no_ | detailed_cust_ledg_entry | customer_no_ | 1:N |
| customer | no_ | gsf_sales_price | bill_to_customer_no_ | 1:N |
| customer | no_ | commodity_ledger_entry | bill_to_customer_no_ | 1:N |
| customer | no_ | campaign_target_group | no_ | 1:N |

## Location/Warehouse Relationships

| Parent Table | Parent Key | Child Table | Child Key | Cardinality |
|---|---|---|---|---|
| location | code | bin | location_code | 1:N |
| location | code | bin_content | location_code | 1:N |
| location | code | item_ledger_entry | location_code | 1:N |
| location | code | gsf_item_cost | location_code | 1:N |
| bin | location_code, code | bin_content | location_code, bin_code | 1:N |
| bin_type | code | bin | bin_type_code | 1:N |

## Ledger Entry Relationships

| Parent Table | Parent Key | Child Table | Child Key | Cardinality |
|---|---|---|---|---|
| cust_ledger_entry | entry_no_ | detailed_cust_ledg_entry | cust_ledger_entry_no_ | 1:N |
| item_ledger_entry | entry_no_ | item_application_entry | item_ledger_entry_no_ | 1:N |
| g_l_account | no_ | g_l_entry | g_l_account_no_ | 1:N |

## Dimension Relationships

| Parent Table | Parent Key | Child Table | Child Key | Cardinality |
|---|---|---|---|---|
| dimension_value | dimension_code, code | dimension_set_entry | dimension_code, dimension_value_code | 1:N |
| dimension_set_entry | dimension_set_id | g_l_entry | dimension_set_id | 1:N |
| dimension_set_entry | dimension_set_id | item_ledger_entry | dimension_set_id | 1:N |

## Self-Referencing Relationships

| Table | Column | Purpose |
|---|---|---|
| employee | manager_no_ | Employee reporting hierarchy |
| customer | bill_to_customer_no_ | Bill-to customer relationship |
| item | alternative_item_no_ | Item substitution |
| item | repack_item_no_ | Repack relationship |
| item | lb_item_no_ | Pound-unit item conversion |
| item | master_item_no_ | Master item grouping |
| bin | linked_to_drop_bin | Bin linking for drop operations |

# Table Specifications

## acc_schedule_line

**Original NAV Table:** `Acc_ Schedule Line`

**Columns:** 24

**Primary Key:** `(source_db, schedule_name, line_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `schedule_name` | `text` | ✓ | nvarchar(10) |
| 4 | `line_no_` | `integer` | ✓ | int |
| 5 | `row_no_` | `text` | | nvarchar(10) |
| 6 | `description` | `text` | | nvarchar(80) |
| 7 | `totaling` | `text` | | nvarchar(250) |
| 8 | `totaling_type` | `integer` | | int |
| 9 | `new_page` | `boolean` | | tinyint |
| 10 | `indentation` | `integer` | | int |
| 11 | `show` | `integer` | | int |
| 12 | `dimension_1_totaling` | `text` | | nvarchar(250) |
| 13 | `dimension_2_totaling` | `text` | | nvarchar(250) |
| 14 | `dimension_3_totaling` | `text` | | nvarchar(250) |
| 15 | `dimension_4_totaling` | `text` | | nvarchar(250) |
| 16 | `bold` | `boolean` | | tinyint |
| 17 | `italic` | `boolean` | | tinyint |
| 18 | `underline` | `boolean` | | tinyint |
| 19 | `show_opposite_sign` | `boolean` | | tinyint |
| 20 | `row_type` | `integer` | | int |
| 21 | `amount_type` | `integer` | | int |
| 22 | `double_underline` | `boolean` | | tinyint |
| 23 | `cost_center_totaling` | `text` | | nvarchar(80) |
| 24 | `cost_object_totaling` | `text` | | nvarchar(80) |

## accounting_period

**Original NAV Table:** `Accounting Period`

**Columns:** 9

**Primary Key:** `(source_db, starting_date)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `starting_date` | `timestamptz` | ✓ | datetime |
| 4 | `name` | `text` | | nvarchar(10) |
| 5 | `new_fiscal_year` | `boolean` | | tinyint |
| 6 | `closed` | `boolean` | | tinyint |
| 7 | `date_locked` | `boolean` | | tinyint |
| 8 | `average_cost_calc_type` | `integer` | | int |
| 9 | `average_cost_period` | `integer` | | int |

## appointment_schedule

**Original NAV Table:** `Appointment Schedule`

**Columns:** 9

**Primary Key:** `(source_db, location_code, code, date, time)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `location_code` | `text` | ✓ | nvarchar(20) |
| 4 | `code` | `text` | ✓ | nvarchar(20) |
| 5 | `date` | `timestamptz` | ✓ | datetime |
| 6 | `time` | `timestamptz` | ✓ | datetime |
| 7 | `document_no_` | `text` | | nvarchar(20) |
| 8 | `vendor_name` | `text` | | nvarchar(50) |
| 9 | `user_id` | `text` | | nvarchar(50) |

## bank_account

**Original NAV Table:** `Bank Account`

**Columns:** 10

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `name` | `text` | | nvarchar(50) |
| 5 | `search_name` | `text` | | nvarchar(50) |
| 6 | `name_2` | `text` | | nvarchar(50) |
| 7 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 8 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 9 | `bank_acc_posting_group` | `text` | | nvarchar(20) |
| 10 | `last_check_no_` | `text` | | nvarchar(20) |

## bid_header

**Original NAV Table:** `Bid Header`

**Columns:** 10

**Primary Key:** `(source_db, code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `code` | `text` | ✓ | nvarchar(20) |
| 4 | `description` | `text` | | nvarchar(50) |
| 5 | `standard_markup` | `integer` | | int |
| 6 | `bid_type` | `integer` | | int |
| 7 | `markup_cost` | `integer` | | int |
| 8 | `fixed_price` | `boolean` | | tinyint |
| 9 | `starting_date` | `timestamptz` | | datetime |
| 10 | `ending_date` | `timestamptz` | | datetime |

## bid_line

**Original NAV Table:** `Bid Line`

**Columns:** 25

**Primary Key:** `(source_db, code, item_type, item_code, starting_date, ending_date)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `code` | `text` | ✓ | nvarchar(20) |
| 4 | `item_type` | `integer` | ✓ | int |

| | | | | |
|---|---|---|---|---|
| 5 | `item_code` | `text` | ✓ | nvarchar(20) |
| 6 | `starting_date` | `timestamptz` | ✓ | datetime |
| 7 | `ending_date` | `timestamptz` | ✓ | datetime |
| 8 | `standard_markup` | `integer` | | int |
| 9 | `bid_type` | `integer` | | int |
| 10 | `markup_cost` | `integer` | | int |
| 11 | `fixed_price` | `boolean` | | tinyint |
| 12 | `markup_amount` | `decimal` | | decimal |
| 13 | `current_price` | `decimal` | | decimal |
| 14 | `future_price` | `decimal` | | decimal |
| 15 | `actual_cost` | `decimal` | | decimal |
| 16 | `allowance_per_case` | `decimal` | | decimal |
| 17 | `break_case_upcharge` | `decimal` | | decimal |
| 18 | `current_break_case_price` | `decimal` | | decimal |
| 19 | `future_break_case_price` | `decimal` | | decimal |
| 20 | `change_code` | `text` | | nvarchar(1) |
| 21 | `cost_type` | `integer` | | int |
| 22 | `sales_rep_cost_overide` | `decimal` | | decimal |
| 23 | `locked` | `boolean` | | tinyint |
| 24 | `commodity_markup_amount` | `decimal` | | decimal |
| 25 | `commodity_break_case_upcharge` | `decimal` | | decimal |

## bin

**Original NAV Table:** `Bin`

**Columns:** 36

**Primary Key:** `(source_db, location_code, code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `location_code` | `text` | ✓ | nvarchar(10) |
| 4 | `code` | `text` | ✓ | nvarchar(20) |
| 5 | `description` | `text` | | nvarchar(50) |
| 6 | `zone_code` | `text` | | nvarchar(10) |
| 7 | `bin_type_code` | `text` | | nvarchar(10) |
| 8 | `warehouse_class_code` | `text` | | nvarchar(10) |
| 9 | `block_movement` | `integer` | | int |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 10 | `special_equipment_code` | `text` | | nvarchar(10) |
| 11 | `bin_ranking` | `integer` | | int |
| 12 | `maximum_cubage` | `decimal` | | decimal |
| 13 | `maximum_weight` | `decimal` | | decimal |
| 14 | `empty` | `boolean` | | tinyint |
| 15 | `cross_dock_bin` | `smallint` | | tinyint |
| 16 | `dedicated` | `boolean` | | tinyint |
| 17 | `aisle` | `integer` | | int |
| 18 | `side` | `integer` | | int |
| 19 | `position` | `integer` | | int |
| 20 | `level` | `integer` | | int |
| 21 | `distance` | `integer` | | int |
| 22 | `bin_size` | `decimal` | | decimal |
| 23 | `bin_height` | `decimal` | | decimal |
| 24 | `dummy_bin` | `smallint` | | tinyint |
| 25 | `wave_pick_bin` | `boolean` | | tinyint |
| 26 | `bin_sorting` | `integer` | | int |
| 27 | `pallet_bin` | `smallint` | | tinyint |
| 28 | `pallet_counting_period` | `text` | | nvarchar(10) |
| 29 | `last_counted_date` | `timestamptz` | | datetime |
| 30 | `pallet_count_ranking` | `integer` | | int |
| 31 | `included_in_quick_count` | `boolean` | | tinyint |
| 32 | `drop_bin` | `smallint` | | tinyint |
| 33 | `linked_to_drop_bin` | `text` | | nvarchar(20) |
| 34 | `last_counted_datetime` | `timestamptz` | | datetime |
| 35 | `default_replenishment_rule` | `text` | | nvarchar(10) |
| 36 | `pallet_type` | `text` | | nvarchar(20) |

## bin_content

**Original NAV Table:** `Bin Content`

**Columns:** 24

**Primary Key:** `(source_db, location_code, bin_code, item_no_, variant_code, unit_of_measure_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `location_code` | `text` | ✓ | nvarchar(10) |
| 4 | `bin_code` | `text` | ✓ | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 5 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 6 | `variant_code` | `text` | ✓ | nvarchar(10) |
| 7 | `unit_of_measure_code` | `text` | ✓ | nvarchar(10) |
| 8 | `zone_code` | `text` | | nvarchar(10) |
| 9 | `bin_type_code` | `text` | | nvarchar(10) |
| 10 | `warehouse_class_code` | `text` | | nvarchar(10) |
| 11 | `block_movement` | `integer` | | int |
| 12 | `min_qty` | `decimal` | | decimal |
| 13 | `max_qty` | `decimal` | | decimal |
| 14 | `bin_ranking` | `integer` | | int |
| 15 | `fixed` | `boolean` | | tinyint |
| 16 | `cross_dock_bin` | `smallint` | | tinyint |
| 17 | `default` | `boolean` | | tinyint |
| 18 | `qty_per_unit_of_measure` | `decimal` | | decimal |
| 19 | `dedicated` | `boolean` | | tinyint |
| 20 | `replen_user` | `text` | | nvarchar(50) |
| 21 | `source_no_` | `text` | | nvarchar(20) |
| 22 | `bin_sorting` | `integer` | | int |
| 23 | `license_plate_ranking` | `integer` | | int |
| 24 | `replenishment_rule` | `text` | | nvarchar(10) |

## bin_type

**Original NAV Table:** `Bin Type`

**Columns:** 10

**Primary Key:** `(source_db, code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `code` | `text` | ✓ | nvarchar(10) |
| 4 | `description` | `text` | | nvarchar(50) |
| 5 | `receive` | `boolean` | | tinyint |
| 6 | `ship` | `boolean` | | tinyint |
| 7 | `put_away` | `boolean` | | tinyint |
| 8 | `pick` | `boolean` | | tinyint |
| 9 | `pallet_pick` | `boolean` | | tinyint |
| 10 | `special_order` | `smallint` | | tinyint |

## campaign

**Original NAV Table:** `Campaign`

**Columns:** 14

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `description` | `text` | | nvarchar(50) |
| 5 | `starting_date` | `timestamptz` | | datetime |
| 6 | `ending_date` | `timestamptz` | | datetime |
| 7 | `salesperson_code` | `text` | | nvarchar(20) |
| 8 | `last_date_modified` | `timestamptz` | | datetime |
| 9 | `no_series` | `text` | | nvarchar(20) |
| 10 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 11 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 12 | `status_code` | `text` | | nvarchar(10) |
| 13 | `price_sequence` | `integer` | | int |
| 14 | `location_code` | `text` | | nvarchar(10) |

## campaign_target_group

**Original NAV Table:** `Campaign Target Group`

**Columns:** 6

**Primary Key:** `(source_db, type, no_, campaign_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `type` | `integer` | ✓ | int |
| 4 | `no_` | `text` | ✓ | nvarchar(20) |
| 5 | `campaign_no_` | `text` | ✓ | nvarchar(20) |
| 6 | `price_sequence` | `integer` | | int |

## change_log_entry

**Original NAV Table:** `Change Log Entry`

**Columns:** 16

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `entry_no_` | `bigint` | ✓ | bigint |
| 3 | `date_and_time` | `timestamptz` | | datetime |
| 4 | `time` | `timestamptz` | | datetime |
| 5 | `user_id` | `text` | | nvarchar(50) |
| 6 | `table_no_` | `integer` | | int |
| 7 | `field_no_` | `integer` | | int |
| 8 | `type_of_change` | `integer` | | int |
| 9 | `old_value` | `text` | | nvarchar(250) |
| 10 | `new_value` | `text` | | nvarchar(250) |
| 11 | `primary_key_field_1_no_` | `integer` | | int |
| 12 | `primary_key_field_1_value` | `text` | | nvarchar(50) |
| 13 | `primary_key_field_2_no_` | `integer` | | int |
| 14 | `primary_key_field_2_value` | `text` | | nvarchar(50) |
| 15 | `primary_key_field_3_no_` | `integer` | | int |
| 16 | `primary_key_field_3_value` | `text` | | nvarchar(50) |

## change_log_entry_full_history

**Original NAV Table:** `Change Log Entry (Full History)`

**Columns:** 16

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `entry_no_` | `bigint` | ✓ | bigint |
| 3 | `date_and_time` | `timestamptz` | | datetime |
| 4 | `time` | `timestamptz` | | datetime |
| 5 | `user_id` | `text` | | nvarchar(50) |
| 6 | `table_no_` | `integer` | | int |
| 7 | `field_no_` | `integer` | | int |
| 8 | `type_of_change` | `integer` | | int |
| 9 | `old_value` | `text` | | nvarchar(250) |

| | | | | |
|---|---|---|---|---|
| 10 | `new_value` | `text` | | nvarchar(250) |
| 11 | `primary_key_field_1_no_` | `integer` | | int |
| 12 | `primary_key_field_1_value` | `text` | | nvarchar(50) |
| 13 | `primary_key_field_2_no_` | `integer` | | int |
| 14 | `primary_key_field_2_value` | `text` | | nvarchar(50) |
| 15 | `primary_key_field_3_no_` | `integer` | | int |
| 16 | `primary_key_field_3_value` | `text` | | nvarchar(50) |

## co_op_distributor_transaction

**Original NAV Table:** `Co-op Distributor Transaction`

**Columns:** 27

**Primary Key:** `(source_db, manufacturer_code, recipient_agency_no_, document_no_, document_line_no_, manufacture_item_no_, document_type)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `manufacturer_code` | `text` | ✓ | nvarchar(6) |
| 4 | `recipient_agency_no_` | `text` | ✓ | nvarchar(12) |
| 5 | `document_no_` | `text` | ✓ | nvarchar(20) |
| 6 | `document_line_no_` | `text` | ✓ | nvarchar(20) |
| 7 | `manufacture_item_no_` | `text` | ✓ | nvarchar(20) |
| 8 | `document_type` | `text` | ✓ | nvarchar(3) |
| 9 | `reported_by` | `text` | | nvarchar(15) |
| 10 | `document_date` | `timestamptz` | | datetime |
| 11 | `quantity` | `decimal` | | decimal |
| 12 | `distributor_name` | `text` | | nvarchar(50) |
| 13 | `bill_to_customer_no_` | `text` | | nvarchar(12) |
| 14 | `nav_vendor_no_` | `text` | | nvarchar(20) |
| 15 | `nav_item_no_` | `text` | | nvarchar(20) |
| 16 | `line_import_error` | `boolean` | | tinyint |
| 17 | `error_message` | `text` | | nvarchar(250) |
| 18 | `date_imported` | `timestamptz` | | datetime |
| 19 | `time_imported` | `timestamptz` | | datetime |
| 20 | `imported_by` | `text` | | nvarchar(50) |
| 21 | `date_processed` | `timestamptz` | | datetime |
| 22 | `time_processed` | `timestamptz` | | datetime |
| 23 | `posted_by` | `text` | | nvarchar(50) |

| | | | | |
|---|---|---|---|---|
| 24 | `import_filename` | `text` | | nvarchar(250) |
| 25 | `distributor_name_modified` | `text` | | nvarchar(50) |
| 26 | `commodity_ledger_entry_no_` | `integer` | | int |
| 27 | `entry_no_` | `integer` | | int |

## commodity_amt_limit

**Original NAV Table:** `Commodity AMT Limit`

**Columns:** 3

**Primary Key:** `(source_db, co_op_district_amt_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `co_op_district_amt_code` | `text` | ✓ | nvarchar(20) |

## commodity_component

**Original NAV Table:** `Commodity Component`

**Columns:** 9

**Primary Key:** `(source_db, parent_item_no_, vendor_no_, line_no_, unit_of_measure_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `parent_item_no_` | `text` | ✓ | nvarchar(40) |
| 4 | `vendor_no_` | `text` | ✓ | nvarchar(20) |
| 5 | `line_no_` | `integer` | ✓ | int |
| 6 | `item_no_` | `text` | | nvarchar(20) |
| 7 | `unit_of_measure_code` | `text` | ✓ | nvarchar(10) |
| 8 | `yield` | `decimal` | | decimal |
| 9 | `net_off_invoice_amount` | `decimal` | | decimal |

## commodity_lb_limit

**Original NAV Table:** `Commodity LB Limit`

**Columns:** 5

**Primary Key:** `(source_db, co_op_district_quantity_code, vendor_group_code, item_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `co_op_district_quantity_code` | `text` | ✓ | nvarchar(20) |
| 4 | `vendor_group_code` | `text` | ✓ | nvarchar(20) |
| 5 | `item_no_` | `text` | ✓ | nvarchar(20) |

## commodity_ledger_entry

**Original NAV Table:** `Commodity Ledger Entry`

**Columns:** 29

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `entry_no_` | `integer` | ✓ | int |
| 4 | `item_no_` | `text` | | nvarchar(40) |
| 5 | `posting_date` | `timestamptz` | | datetime |
| 6 | `entry_type` | `integer` | | int |
| 7 | `document_no_` | `text` | | nvarchar(20) |
| 8 | `vendor_group_code` | `text` | | nvarchar(20) |
| 9 | `document_type` | `integer` | | int |
| 10 | `document_line_no_` | `integer` | | int |
| 11 | `item_ledger_entry_no_` | `integer` | | int |
| 12 | `true_posting_date_time` | `timestamptz` | | datetime |
| 13 | `quantity` | `decimal` | | decimal |
| 14 | `bill_to_customer_no_` | `text` | | nvarchar(20) |
| 15 | `distributor_name` | `text` | | nvarchar(50) |
| 16 | `distributor_sub_name` | `text` | | nvarchar(50) |
| 17 | `co_op_district_quantity_code` | `text` | | nvarchar(20) |
| 18 | `amount` | `decimal` | | decimal |
| 19 | `fair_market_value` | `decimal` | | decimal |
| 20 | `unit_of_measure_code` | `text` | | nvarchar(10) |
| 21 | `reason_code` | `text` | | nvarchar(10) |
| 22 | `gsf_item` | `boolean` | | tinyint |
| 23 | `finished_good` | `boolean` | | tinyint |
| 24 | `reported_by` | `text` | | nvarchar(30) |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 25 | `co_op_district_amount_code` | `text` | | nvarchar(20) |
| 26 | `entitlement_type` | `text` | | nvarchar(20) |
| 27 | `outside_sale` | `boolean` | | tinyint |
| 28 | `state_code` | `text` | | nvarchar(10) |
| 29 | `commodity_region` | `text` | | nvarchar(20) |

## commodity_opt_out

**Original NAV Table:** `Commodity Opt Out`

**Columns:** 6

**Primary Key:** `(source_db, co_op_district_group_code, vendor_group_code, item_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `co_op_district_group_code` | `text` | ✓ | nvarchar(20) |
| 4 | `vendor_group_code` | `text` | ✓ | nvarchar(20) |
| 5 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 6 | `type` | `integer` | | int |

## contact

**Original NAV Table:** `Contact`

**Columns:** 30

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `name` | `text` | | nvarchar(50) |
| 5 | `search_name` | `text` | | nvarchar(50) |
| 6 | `name_2` | `text` | | nvarchar(50) |
| 7 | `address` | `text` | | nvarchar(50) |
| 8 | `address_2` | `text` | | nvarchar(50) |
| 9 | `city` | `text` | | nvarchar(30) |
| 10 | `phone_no_` | `text` | | nvarchar(30) |
| 11 | `salesperson_code` | `text` | | nvarchar(20) |
| 12 | `fax_no_` | `text` | | nvarchar(30) |

| | | | | |
|---|---|---|---|---|
| 13 | `post_code` | `text` | | nvarchar(20) |
| 14 | `county` | `text` | | nvarchar(30) |
| 15 | `e_mail` | `text` | | nvarchar(80) |
| 16 | `home_page` | `text` | | nvarchar(80) |
| 17 | `no_series` | `text` | | nvarchar(20) |
| 18 | `type` | `integer` | | int |
| 19 | `company_no_` | `text` | | nvarchar(20) |
| 20 | `company_name` | `text` | | nvarchar(50) |
| 21 | `first_name` | `text` | | nvarchar(30) |
| 22 | `middle_name` | `text` | | nvarchar(30) |
| 23 | `surname` | `text` | | nvarchar(30) |
| 24 | `job_title` | `text` | | nvarchar(30) |
| 25 | `mobile_phone_no_` | `text` | | nvarchar(30) |
| 26 | `pager` | `text` | | nvarchar(30) |
| 27 | `organizational_level_code` | `text` | | nvarchar(10) |
| 28 | `exclude_from_segment` | `boolean` | | tinyint |
| 29 | `search_e_mail` | `text` | | nvarchar(80) |
| 30 | `e_mail_2` | `text` | | nvarchar(80) |

## contact_business_relation

**Original NAV Table:** `Contact Business Relation`

**Columns:** 6

**Primary Key:** `(source_db, contact_no_, business_relation_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `contact_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `business_relation_code` | `text` | ✓ | nvarchar(10) |
| 5 | `link_to_table` | `integer` | | int |
| 6 | `no_` | `text` | | nvarchar(20) |

## cust_ledger_entry

**Original NAV Table:** `Cust_ Ledger Entry`

**Columns:** 44

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `entry_no_` | `integer` | ✓ | int |
| 4 | `customer_no_` | `text` | | nvarchar(20) |
| 5 | `posting_date` | `timestamptz` | | datetime |
| 6 | `document_type` | `integer` | | int |
| 7 | `document_no_` | `text` | | nvarchar(20) |
| 8 | `description` | `text` | | nvarchar(50) |
| 9 | `sales_lcy` | `decimal` | | decimal |
| 10 | `profit_lcy` | `decimal` | | decimal |
| 11 | `inv_discount_lcy` | `decimal` | | decimal |
| 12 | `sell_to_customer_no_` | `text` | | nvarchar(20) |
| 13 | `customer_posting_group` | `text` | | nvarchar(20) |
| 14 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 15 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 16 | `salesperson_code` | `text` | | nvarchar(20) |
| 17 | `user_id` | `text` | | nvarchar(50) |
| 18 | `source_code` | `text` | | nvarchar(10) |
| 19 | `open` | `boolean` | | tinyint |
| 20 | `due_date` | `timestamptz` | | datetime |
| 21 | `pmt_discount_date` | `timestamptz` | | datetime |
| 22 | `original_pmt_disc_possible` | `decimal` | | decimal |
| 23 | `pmt_disc_given_lcy` | `decimal` | | decimal |
| 24 | `positive` | `boolean` | | tinyint |
| 25 | `closed_by_entry_no_` | `integer` | | int |
| 26 | `closed_at_date` | `timestamptz` | | datetime |
| 27 | `closed_by_amount` | `decimal` | | decimal |
| 28 | `applies_to_id` | `text` | | nvarchar(50) |
| 29 | `journal_batch_name` | `text` | | nvarchar(10) |
| 30 | `reason_code` | `text` | | nvarchar(10) |
| 31 | `bal_account_type` | `integer` | | int |
| 32 | `bal_account_no_` | `text` | | nvarchar(20) |
| 33 | `transaction_no_` | `integer` | | int |
| 34 | `closed_by_amount_lcy` | `decimal` | | decimal |
| 35 | `document_date` | `timestamptz` | | datetime |
| 36 | `external_document_no_` | `text` | | nvarchar(35) |
| 37 | `no_series` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 38 | `closed_by_currency_amount` | `decimal` | | decimal |
| 39 | `adjusted_currency_factor` | `decimal` | | decimal |
| 40 | `original_currency_factor` | `decimal` | | decimal |
| 41 | `remaining_pmt_disc_possible` | `decimal` | | decimal |
| 42 | `pmt_disc_tolerance_date` | `timestamptz` | | datetime |
| 43 | `dimension_set_id` | `integer` | | int |
| 44 | `order_type` | `text` | | nvarchar(20) |

## customer

**Original NAV Table:** `Customer`

**Columns:** 82

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `name` | `text` | | nvarchar(50) |
| 5 | `name_2` | `text` | | nvarchar(50) |
| 6 | `address` | `text` | | nvarchar(50) |
| 7 | `address_2` | `text` | | nvarchar(50) |
| 8 | `city` | `text` | | nvarchar(30) |
| 9 | `contact` | `text` | | nvarchar(50) |
| 10 | `phone_no_` | `text` | | nvarchar(30) |
| 11 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 12 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 13 | `customer_posting_group` | `text` | | nvarchar(20) |
| 14 | `payment_terms_code` | `text` | | nvarchar(10) |
| 15 | `salesperson_code` | `text` | | nvarchar(20) |
| 16 | `shipment_method_code` | `text` | | nvarchar(10) |
| 17 | `invoice_disc_code` | `text` | | nvarchar(20) |
| 18 | `customer_disc_group` | `text` | | nvarchar(20) |
| 19 | `country_region_code` | `text` | | nvarchar(10) |
| 20 | `print_statements` | `boolean` | | tinyint |
| 21 | `bill_to_customer_no_` | `text` | | nvarchar(20) |
| 22 | `payment_method_code` | `text` | | nvarchar(10) |
| 23 | `location_code` | `text` | | nvarchar(10) |
| 24 | `combine_shipments` | `boolean` | | tinyint |

| | | | | |
|---|---|---|---|---|
| 25 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 26 | `post_code` | `text` | | nvarchar(20) |
| 27 | `county` | `text` | | nvarchar(30) |
| 28 | `e_mail` | `text` | | nvarchar(80) |
| 29 | `tax_area_code` | `text` | | nvarchar(20) |
| 30 | `tax_liable` | `boolean` | | tinyint |
| 31 | `reserve` | `integer` | | int |
| 32 | `primary_contact_no_` | `text` | | nvarchar(20) |
| 33 | `allow_line_disc` | `boolean` | | tinyint |
| 34 | `tax_area_id` | `uuid` | | uniqueidentifier |
| 35 | `csr` | `text` | | nvarchar(20) |
| 36 | `district_group_code` | `text` | | nvarchar(10) |
| 37 | `price_orders_at_shipment` | `boolean` | | tinyint |
| 38 | `geographic_code` | `text` | | nvarchar(20) |
| 39 | `sodexo_unit_no_` | `text` | | nvarchar(20) |
| 40 | `ra_no_` | `text` | | nvarchar(20) |
| 41 | `hours_of_operation` | `text` | | nvarchar(20) |
| 42 | `bill_to_primary_contact_no_` | `text` | | nvarchar(20) |
| 43 | `default_external_document_no_` | `text` | | nvarchar(20) |
| 44 | `dod_usda_customer_no_` | `text` | | nvarchar(10) |
| 45 | `allow_zero_qty_lines` | `boolean` | | tinyint |
| 46 | `combine_bread_broadline` | `boolean` | | tinyint |
| 47 | `online_customer` | `boolean` | | tinyint |
| 48 | `pricing_uses_order_date` | `smallint` | | tinyint |
| 49 | `charge_storage_fees` | `smallint` | | tinyint |
| 50 | `rebate_invoices` | `boolean` | | tinyint |
| 51 | `ups_location_code` | `text` | | nvarchar(20) |
| 52 | `exclude_from_crv` | `boolean` | | tinyint |
| 53 | `use_invoice_with_zones` | `boolean` | | tinyint |
| 54 | `special_instructions` | `text` | | nvarchar(50) |
| 55 | `bill_to_customer` | `smallint` | | tinyint |
| 56 | `customer_accepts_subs` | `smallint` | | tinyint |
| 57 | `keys_to_gate` | `smallint` | | tinyint |
| 58 | `keys_to_kitchen` | `smallint` | | tinyint |
| 59 | `keys_to_walk_in` | `smallint` | | tinyint |
| 60 | `co_op_code` | `text` | | nvarchar(10) |
| 61 | `5_star_exception` | `smallint` | | tinyint |
| 62 | `do_not_combine` | `boolean` | | tinyint |

| | | | | |
|---|---|---|---|---|
| 63 | `do_not_break_item` | `smallint` | | tinyint |
| 64 | `tls` | `integer` | | int |
| 65 | `order_type` | `text` | | nvarchar(20) |
| 66 | `njpa_code` | `integer` | | int |
| 67 | `customer_drop_type` | `text` | | nvarchar(20) |
| 68 | `pallet_per_item` | `smallint` | | tinyint |
| 69 | `audit_picks` | `boolean` | | tinyint |
| 70 | `edi_invoice` | `integer` | | int |
| 71 | `edi_trade_partner` | `text` | | nvarchar(20) |
| 72 | `dod_customer` | `boolean` | | tinyint |
| 73 | `chain_name` | `text` | | nvarchar(10) |
| 74 | `priority` | `integer` | | int |
| 75 | `legacy_no_` | `text` | | nvarchar(20) |
| 76 | `sync_filter` | `text` | | nvarchar(20) |
| 77 | `credit_limit_lcy` | `decimal` | | decimal |
| 78 | `type` | `text` | | nvarchar(20) |
| 79 | `group` | `text` | | nvarchar(20) |
| 80 | `status` | `text` | | nvarchar(20) |
| 81 | `account_type` | `text` | | nvarchar(20) |
| 82 | `commodity_region` | `text` | | nvarchar(20) |

## customer_grouping

**Original NAV Table:** `Customer Grouping`

**Columns:** 8

**Primary Key:** `(source_db, type, code, customer_type, customer_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `type` | `text` | ✓ | nvarchar(10) |
| 4 | `code` | `text` | ✓ | nvarchar(20) |
| 5 | `customer_type` | `integer` | ✓ | int |
| 6 | `customer_code` | `text` | ✓ | nvarchar(20) |
| 7 | `priority` | `integer` | | int |
| 8 | `exclude` | `boolean` | | tinyint |

## default_dimension

**Original NAV Table:** `Default Dimension`

**Columns:** 8

**Primary Key:** `(source_db, table_id, no_, dimension_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `table_id` | `integer` | ✓ | int |
| 4 | `no_` | `text` | ✓ | nvarchar(20) |
| 5 | `dimension_code` | `text` | ✓ | nvarchar(20) |
| 6 | `dimension_value_code` | `text` | | nvarchar(20) |
| 7 | `value_posting` | `integer` | | int |
| 8 | `multi_selection_action` | `integer` | | int |

## delivery_schedule

**Original NAV Table:** `Delivery Schedule`

**Columns:** 21

**Primary Key:** `(source_db, type, source_no_, order_type)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `type` | `integer` | ✓ | int |
| 4 | `source_no_` | `text` | ✓ | nvarchar(20) |
| 5 | `order_type` | `text` | ✓ | nvarchar(20) |
| 6 | `monday` | `boolean` | | tinyint |
| 7 | `tuesday` | `boolean` | | tinyint |
| 8 | `wednesday` | `boolean` | | tinyint |
| 9 | `thursday` | `boolean` | | tinyint |
| 10 | `friday` | `boolean` | | tinyint |
| 11 | `saturday` | `boolean` | | tinyint |
| 12 | `sunday` | `boolean` | | tinyint |
| 13 | `minimum_order_amount` | `decimal` | | decimal |
| 14 | `lead_time` | `integer` | | int |
| 15 | `back_date_in_days` | `integer` | | int |
| 16 | `csr` | `text` | | nvarchar(20) |
| 17 | `first_week` | `boolean` | | tinyint |

| | | | | |
|---|---|---|---|---|
| 18 | `second_week` | `boolean` | | tinyint |
| 19 | `third_week` | `boolean` | | tinyint |
| 20 | `fourth_week` | `boolean` | | tinyint |
| 21 | `last_week` | `boolean` | | tinyint |

## detailed_cust_ledg_entry

**Original NAV Table:** `Detailed Cust_ Ledg_ Entry`

**Columns:** 32

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `entry_no_` | `integer` | ✓ | int |
| 4 | `cust_ledger_entry_no_` | `integer` | | int |
| 5 | `entry_type` | `integer` | | int |
| 6 | `posting_date` | `timestamptz` | | datetime |
| 7 | `document_type` | `integer` | | int |
| 8 | `document_no_` | `text` | | nvarchar(20) |
| 9 | `amount` | `decimal` | | decimal |
| 10 | `amount_lcy` | `decimal` | | decimal |
| 11 | `customer_no_` | `text` | | nvarchar(20) |
| 12 | `user_id` | `text` | | nvarchar(50) |
| 13 | `source_code` | `text` | | nvarchar(10) |
| 14 | `transaction_no_` | `integer` | | int |
| 15 | `journal_batch_name` | `text` | | nvarchar(10) |
| 16 | `reason_code` | `text` | | nvarchar(10) |
| 17 | `debit_amount` | `decimal` | | decimal |
| 18 | `credit_amount` | `decimal` | | decimal |
| 19 | `debit_amount_lcy` | `decimal` | | decimal |
| 20 | `credit_amount_lcy` | `decimal` | | decimal |
| 21 | `initial_entry_due_date` | `timestamptz` | | datetime |
| 22 | `initial_entry_global_dim_1` | `text` | | nvarchar(20) |
| 23 | `initial_entry_global_dim_2` | `text` | | nvarchar(20) |
| 24 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 25 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 26 | `initial_document_type` | `integer` | | int |
| 27 | `applied_cust_ledger_entry_no_` | `integer` | | int |

| | | | | |
|---|---|---|---|---|
| 28 | `unapplied` | `boolean` | | tinyint |
| 29 | `unapplied_by_entry_no_` | `integer` | | int |
| 30 | `remaining_pmt_disc_possible` | `decimal` | | decimal |
| 31 | `max_payment_tolerance` | `decimal` | | decimal |
| 32 | `ledger_entry_amount` | `boolean` | | tinyint |

## detailed_vendor_ledg_entry

**Original NAV Table:** `Detailed Vendor Ledg_ Entry`

**Columns:** 34

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | varchar(10) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `entry_no_` | `integer` | ✓ | int |
| 4 | `vendor_ledger_entry_no_` | `integer` | | int |
| 5 | `entry_type` | `integer` | | int |
| 6 | `posting_date` | `timestamptz` | | datetime |
| 7 | `document_type` | `integer` | | int |
| 8 | `document_no_` | `text` | | nvarchar(20) |
| 9 | `amount` | `decimal` | | decimal |
| 10 | `amount_lcy` | `decimal` | | decimal |
| 11 | `vendor_no_` | `text` | | nvarchar(20) |
| 12 | `user_id` | `text` | | nvarchar(50) |
| 13 | `source_code` | `text` | | nvarchar(10) |
| 14 | `transaction_no_` | `integer` | | int |
| 15 | `journal_batch_name` | `text` | | nvarchar(10) |
| 16 | `reason_code` | `text` | | nvarchar(10) |
| 17 | `debit_amount` | `decimal` | | decimal |
| 18 | `credit_amount` | `decimal` | | decimal |
| 19 | `debit_amount_lcy` | `decimal` | | decimal |
| 20 | `credit_amount_lcy` | `decimal` | | decimal |
| 21 | `initial_entry_due_date` | `timestamptz` | | datetime |
| 22 | `initial_entry_global_dim_1` | `text` | | nvarchar(20) |
| 23 | `initial_entry_global_dim_2` | `text` | | nvarchar(20) |
| 24 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 25 | `gen_prod_posting_group` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 26 | `initial_document_type` | `integer` | | int |
| 27 | `applied_vend_ledger_entry_no_` | `integer` | | int |
| 28 | `unapplied` | `boolean` | | tinyint |
| 29 | `unapplied_by_entry_no_` | `integer` | | int |
| 30 | `remaining_pmt_disc_possible` | `decimal` | | decimal |
| 31 | `max_payment_tolerance` | `decimal` | | decimal |
| 32 | `tax_jurisdiction_code` | `text` | | nvarchar(10) |
| 33 | `application_no_` | `integer` | | int |
| 34 | `ledger_entry_amount` | `boolean` | | tinyint |

## dimension_set_entry

**Original NAV Table:** `Dimension Set Entry`

**Columns:** 6

**Primary Key:** `(source_db, dimension_set_id, dimension_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `dimension_set_id` | `integer` | ✓ | int |
| 4 | `dimension_code` | `text` | ✓ | nvarchar(20) |
| 5 | `dimension_value_code` | `text` | | nvarchar(20) |
| 6 | `dimension_value_id` | `integer` | | int |

## dimension_value

**Original NAV Table:** `Dimension Value`

**Columns:** 12

**Primary Key:** `(source_db, dimension_code, code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `dimension_code` | `text` | ✓ | nvarchar(20) |
| 4 | `code` | `text` | ✓ | nvarchar(20) |
| 5 | `name` | `text` | | nvarchar(50) |
| 6 | `dimension_value_type` | `integer` | | int |
| 7 | `totaling` | `text` | | nvarchar(250) |
| 8 | `blocked` | `boolean` | | tinyint |

| | | | | |
|---|---|---|---|---|
| 9 | `consolidation_code` | `text` | | nvarchar(20) |
| 10 | `indentation` | `integer` | | int |
| 11 | `global_dimension_no_` | `integer` | | int |
| 12 | `dimension_value_id` | `integer` | | int |

## employee

**Original NAV Table:** `Employee`

**Columns:** 12

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `first_name` | `text` | | nvarchar(30) |
| 5 | `middle_name` | `text` | | nvarchar(30) |
| 6 | `last_name` | `text` | | nvarchar(30) |
| 7 | `initials` | `text` | | nvarchar(30) |
| 8 | `job_title` | `text` | | nvarchar(30) |
| 9 | `e_mail` | `text` | | nvarchar(80) |
| 10 | `manager_no_` | `text` | | nvarchar(20) |
| 11 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 12 | `global_dimension_2_code` | `text` | | nvarchar(20) |

## fixed_asset

**Original NAV Table:** `Fixed Asset`

**Columns:** 21

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `description` | `text` | | nvarchar(50) |
| 5 | `search_description` | `text` | | nvarchar(50) |
| 6 | `description_2` | `text` | | nvarchar(50) |

| | | | | |
|---|---|---|---|---|
| 7 | `fa_class_code` | `text` | | nvarchar(10) |
| 8 | `fa_subclass_code` | `text` | | nvarchar(10) |
| 9 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 10 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 11 | `location_code` | `text` | | nvarchar(10) |
| 12 | `fa_location_code` | `text` | | nvarchar(10) |
| 13 | `vendor_no_` | `text` | | nvarchar(20) |
| 14 | `responsible_employee` | `text` | | nvarchar(20) |
| 15 | `serial_no_` | `text` | | nvarchar(30) |
| 16 | `blocked` | `boolean` | | tinyint |
| 17 | `maintenance_vendor_no_` | `text` | | nvarchar(20) |
| 18 | `under_maintenance` | `smallint` | | tinyint |
| 19 | `inactive` | `boolean` | | tinyint |
| 20 | `no_series` | `text` | | nvarchar(20) |
| 21 | `fa_posting_group` | `text` | | nvarchar(20) |

## gsf_item_cost

**Original NAV Table:** `GSF Item Cost`

**Columns:** 10

**Primary Key:** `(source_db, location_code, item_no_, code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `location_code` | `text` | ✓ | nvarchar(20) |
| 4 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 5 | `code` | `text` | ✓ | nvarchar(20) |
| 6 | `amount` | `decimal` | | decimal |
| 7 | `amount_type` | `integer` | | int |
| 8 | `calculated_amount` | `decimal` | | decimal |
| 9 | `validfrom` | `timestamptz` | | datetime2 |
| 10 | `validto` | `timestamptz` | | datetime2 |

## gsf_item_cost_history

**Original NAV Table:** `GSF Item Cost History`

**Columns:** 10

**Primary Key:** `(None)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `location_code` | `text` | | nvarchar(20) |
| 4 | `item_no_` | `text` | | nvarchar(20) |
| 5 | `code` | `text` | | nvarchar(20) |
| 6 | `amount` | `decimal` | | decimal |
| 7 | `amount_type` | `integer` | | int |
| 8 | `calculated_amount` | `decimal` | | decimal |
| 9 | `validfrom` | `timestamptz` | | datetime2 |
| 10 | `validto` | `timestamptz` | | datetime2 |

## gsf_item_usage

**Original NAV Table:** `GSF Item Usage`

**Columns:** 19

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `entry_no_` | `integer` | ✓ | int |
| 4 | `location_code` | `text` | | nvarchar(20) |
| 5 | `item_no_` | `text` | | nvarchar(20) |
| 6 | `entry_type` | `integer` | | int |
| 7 | `posting_date` | `timestamptz` | | datetime |
| 8 | `month` | `integer` | | int |
| 9 | `week` | `integer` | | int |
| 10 | `year` | `integer` | | int |
| 11 | `document_no_` | `text` | | nvarchar(20) |
| 12 | `document_type` | `integer` | | int |
| 13 | `source_no_` | `text` | | nvarchar(20) |
| 14 | `source_type` | `integer` | | int |
| 15 | `quantity` | `decimal` | | decimal |
| 16 | `qty_per_unit_of_measure` | `decimal` | | decimal |
| 17 | `unit_of_measure_code` | `text` | | nvarchar(10) |
| 18 | `redirected_from_item_no_` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 19 | `bill_to_customer_no_` | `text` | | nvarchar(20) |

## gsf_sales_price

**Original NAV Table:** `GSF Sales Price`

**Columns:** 11

**Primary Key:** `(source_db, bill_to_customer_no_, item_no_, unit_of_measure_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `bill_to_customer_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 5 | `unit_of_measure_code` | `text` | ✓ | nvarchar(20) |
| 6 | `unit_price` | `decimal` | | decimal |
| 7 | `contract_item` | `boolean` | | tinyint |
| 8 | `bid_code` | `text` | | nvarchar(20) |
| 9 | `last_date_updated` | `timestamptz` | | datetime |
| 10 | `starting_date` | `timestamptz` | | datetime |
| 11 | `ending_date` | `timestamptz` | | datetime |

## g_l_account

**Original NAV Table:** `G_L Account`

**Columns:** 22

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(10) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `name` | `text` | | nvarchar(50) |
| 5 | `search_name` | `text` | | nvarchar(50) |
| 6 | `account_type` | `integer` | | int |
| 7 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 8 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 9 | `account_category` | `integer` | | int |
| 10 | `income_balance` | `integer` | | int |
| 11 | `debit_credit` | `integer` | | int |

| | | | | |
|---|---|---|---|---|
| 12 | `no_2` | `text` | | nvarchar(20) |
| 13 | `blocked` | `boolean` | | tinyint |
| 14 | `direct_posting` | `smallint` | | tinyint |
| 15 | `reconciliation_account` | `smallint` | | tinyint |
| 16 | `gen_posting_type` | `integer` | | int |
| 17 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 18 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 19 | `tax_area_code` | `text` | | nvarchar(20) |
| 20 | `tax_liable` | `boolean` | | tinyint |
| 21 | `tax_group_code` | `text` | | nvarchar(20) |
| 22 | `id` | `uuid` | | uniqueidentifier |

## g_l_entry

**Original NAV Table:** `G_L Entry`

**Columns:** 28

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `entry_no_` | `integer` | ✓ | int |
| 3 | `g_l_account_no_` | `text` | | nvarchar(20) |
| 4 | `posting_date` | `timestamptz` | | datetime |
| 5 | `document_type` | `integer` | | int |
| 6 | `document_no_` | `text` | | nvarchar(20) |
| 7 | `description` | `text` | | nvarchar(50) |
| 8 | `bal_account_no_` | `text` | | nvarchar(20) |
| 9 | `amount` | `decimal` | | decimal |
| 10 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 11 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 12 | `user_id` | `text` | | nvarchar(50) |
| 13 | `source_code` | `text` | | nvarchar(10) |
| 14 | `quantity` | `decimal` | | decimal |
| 15 | `journal_batch_name` | `text` | | nvarchar(10) |
| 16 | `reason_code` | `text` | | nvarchar(10) |
| 17 | `gen_posting_type` | `integer` | | int |
| 18 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 19 | `gen_prod_posting_group` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 20 | `transaction_no_` | `integer` | | int |
| 21 | `debit_amount` | `decimal` | | decimal |
| 22 | `credit_amount` | `decimal` | | decimal |
| 23 | `document_date` | `timestamptz` | | datetime |
| 24 | `source_type` | `integer` | | int |
| 25 | `source_no_` | `text` | | nvarchar(20) |
| 26 | `no_series` | `text` | | nvarchar(20) |
| 27 | `dimension_set_id` | `integer` | | int |
| 28 | `external_document_no_` | `text` | | nvarchar(35) |

## item

**Original NAV Table:** `Item`

**Columns:** 108

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `validfrom` | `timestamptz` | | datetime2 |
| 2 | `validto` | `timestamptz` | | datetime2 |
| 3 | `source_db` | `text` | ✓ | nvarchar(20) |
| 4 | `hash` | `text` | | nvarchar(66) |
| 5 | `no_` | `text` | ✓ | nvarchar(20) |
| 6 | `no_2` | `text` | | nvarchar(20) |
| 7 | `description` | `text` | | nvarchar(50) |
| 8 | `description_2` | `text` | | nvarchar(50) |
| 9 | `base_unit_of_measure` | `text` | | nvarchar(10) |
| 10 | `price_unit_conversion` | `integer` | | int |
| 11 | `type` | `integer` | | int |
| 12 | `inventory_posting_group` | `text` | | nvarchar(20) |
| 13 | `item_disc_group` | `text` | | nvarchar(20) |
| 14 | `allow_invoice_disc` | `boolean` | | tinyint |
| 15 | `unit_price` | `decimal` | | decimal |
| 16 | `price_profit_calculation` | `integer` | | int |
| 17 | `profit` | `decimal` | | decimal |
| 18 | `costing_method` | `integer` | | int |
| 19 | `unit_cost` | `decimal` | | decimal |
| 20 | `last_direct_cost` | `decimal` | | decimal |
| 21 | `cost_is_adjusted` | `boolean` | | tinyint |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 22 | `allow_online_adjustment` | `boolean` | | tinyint |
| 23 | `vendor_no_` | `text` | | nvarchar(20) |
| 24 | `vendor_item_no_` | `text` | | nvarchar(20) |
| 25 | `lead_time_calculation` | `varchar(32)` | | varchar(32) |
| 26 | `reorder_point` | `decimal` | | decimal |
| 27 | `maximum_inventory` | `decimal` | | decimal |
| 28 | `reorder_quantity` | `decimal` | | decimal |
| 29 | `alternative_item_no_` | `text` | | nvarchar(20) |
| 30 | `unit_list_price` | `decimal` | | decimal |
| 31 | `gross_weight` | `decimal` | | decimal |
| 32 | `net_weight` | `decimal` | | decimal |
| 33 | `units_per_parcel` | `decimal` | | decimal |
| 34 | `unit_volume` | `decimal` | | decimal |
| 35 | `country_region_purchased_code` | `text` | | nvarchar(10) |
| 36 | `blocked` | `boolean` | | tinyint |
| 37 | `block_reason` | `text` | | nvarchar(250) |
| 38 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 39 | `country_region_of_origin_code` | `text` | | nvarchar(10) |
| 40 | `reserve` | `integer` | | int |
| 41 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 42 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 43 | `lot_size` | `decimal` | | decimal |
| 44 | `last_unit_cost_calc_date` | `timestamptz` | | datetime |
| 45 | `minimum_order_quantity` | `decimal` | | decimal |
| 46 | `safety_stock_quantity` | `decimal` | | decimal |
| 47 | `order_multiple` | `decimal` | | decimal |
| 48 | `safety_lead_time` | `varchar(32)` | | varchar(32) |
| 49 | `sales_unit_of_measure` | `text` | | nvarchar(10) |
| 50 | `purch_unit_of_measure` | `text` | | nvarchar(10) |
| 51 | `reordering_policy` | `integer` | | int |
| 52 | `include_inventory` | `boolean` | | tinyint |
| 53 | `manufacturer_code` | `text` | | nvarchar(10) |
| 54 | `item_category_code` | `text` | | nvarchar(20) |
| 55 | `product_group_code` | `text` | | nvarchar(10) |
| 56 | `phys_invt_counting_period_code` | `text` | | nvarchar(10) |
| 57 | `last_counting_period_update` | `timestamptz` | | datetime |
| 58 | `use_cross_docking` | `boolean` | | tinyint |
| 59 | `next_counting_start_date` | `timestamptz` | | datetime |
| 60 | `next_counting_end_date` | `timestamptz` | | datetime |

| | | | | |
|---|---|---|---|---|
| 61 | `expiration_date_type` | `integer` | | int |
| 62 | `expiration_date_rule` | `integer` | | int |
| 63 | `buyer_code` | `text` | | nvarchar(20) |
| 64 | `crv` | `decimal` | | decimal |
| 65 | `shelf_life_in_days` | `integer` | | int |
| 66 | `shelf_life` | `text` | | nvarchar(3) |
| 67 | `specials_list` | `smallint` | | tinyint |
| 68 | `sodexo_only` | `smallint` | | tinyint |
| 69 | `pack_size` | `text` | | nvarchar(10) |
| 70 | `item_class` | `text` | | nvarchar(20) |
| 71 | `active_since` | `timestamptz` | | datetime |
| 72 | `current_vendor_no_` | `text` | | nvarchar(20) |
| 73 | `commodity_dependency` | `integer` | | int |
| 74 | `commodity_fee_basis` | `integer` | | int |
| 75 | `fair_market_value` | `decimal` | | decimal |
| 76 | `cmdy_value_exception` | `smallint` | | tinyint |
| 77 | `df_lb_per_case` | `decimal` | | decimal |
| 78 | `commodity_additional_allowance` | `decimal` | | decimal |
| 79 | `onelink_order_guide` | `integer` | | int |
| 80 | `market_price_item` | `boolean` | | tinyint |
| 81 | `zero_price_allowed` | `boolean` | | tinyint |
| 82 | `zone` | `text` | | nvarchar(20) |
| 83 | `repack_item_no_` | `text` | | nvarchar(20) |
| 84 | `repack_qty` | `decimal` | | decimal |
| 85 | `lb_item_no_` | `text` | | nvarchar(20) |
| 86 | `master_item_no_` | `text` | | nvarchar(20) |
| 87 | `master_item` | `boolean` | | tinyint |
| 88 | `njpa` | `boolean` | | tinyint |
| 89 | `always_create_pick` | `boolean` | | tinyint |
| 90 | `status` | `text` | | nvarchar(20) |
| 91 | `rebate_vendor_no_` | `text` | | nvarchar(10) |
| 92 | `catch_weight` | `boolean` | | tinyint |
| 93 | `use_unit_of_measure_dimensions` | `boolean` | | tinyint |
| 94 | `producer_of_good_indicator` | `integer` | | int |
| 95 | `item_upc_ean_number` | `text` | | nvarchar(20) |
| 96 | `routing_no_` | `text` | | nvarchar(20) |
| 97 | `production_bom_no_` | `text` | | nvarchar(20) |
| 98 | `order_tracking_policy` | `integer` | | int |

| | | | | |
|---|---|---|---|---|
| 99 | `critical` | `boolean` | | tinyint |
| 100 | `suggested_weeks_on_hand` | `decimal` | | decimal |
| 101 | `city_state_zip_code_of_origin` | `text` | | nvarchar(50) |
| 102 | `category_class_code` | `text` | | nvarchar(20) |
| 103 | `gtin` | `text` | | nvarchar(14) |
| 104 | `mfg_name` | `text` | | nvarchar(30) |
| 105 | `non_domestic` | `boolean` | | tinyint |
| 106 | `food_item` | `boolean` | | tinyint |
| 107 | `last_direct_lb_cost` | `decimal` | | decimal |
| 108 | `exception_type` | `text` | | nvarchar(20) |

## item_application_entry

**Original NAV Table:** `Item Application Entry`

**Columns:** 16

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `entry_no_` | `integer` | ✓ | int |
| 4 | `item_ledger_entry_no_` | `integer` | | int |
| 5 | `inbound_item_entry_no_` | `integer` | | int |
| 6 | `outbound_item_entry_no_` | `integer` | | int |
| 7 | `quantity` | `decimal` | | decimal |
| 8 | `posting_date` | `timestamptz` | | datetime |
| 9 | `transferred_from_entry_no_` | `integer` | | int |
| 10 | `creation_date` | `timestamptz` | | datetime |
| 11 | `created_by_user` | `text` | | nvarchar(50) |
| 12 | `last_modified_date` | `timestamptz` | | datetime |
| 13 | `last_modified_by_user` | `text` | | nvarchar(50) |
| 14 | `cost_application` | `smallint` | | tinyint |
| 15 | `output_completely_invd_date` | `timestamptz` | | datetime |
| 16 | `outbound_entry_is_updated` | `boolean` | | tinyint |

## item_charge

**Original NAV Table:** `Item Charge`

**Columns:** 10

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `description` | `text` | | nvarchar(50) |
| 5 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 6 | `tax_group_code` | `text` | | nvarchar(20) |
| 7 | `vat_prod_posting_group` | `text` | | nvarchar(20) |
| 8 | `search_description` | `text` | | nvarchar(50) |
| 9 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 10 | `global_dimension_2_code` | `text` | | nvarchar(20) |

## item_date_range

**Original NAV Table:** `Item Date Range`

**Columns:** 9

**Primary Key:** `(source_db, item_no_, code, starting_date)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `code` | `text` | ✓ | nvarchar(20) |
| 5 | `starting_date` | `timestamptz` | ✓ | datetime |
| 6 | `ending_date` | `timestamptz` | | datetime |
| 7 | `quantity` | `decimal` | | decimal |
| 8 | `amount` | `decimal` | | decimal |
| 9 | `text` | `text` | | nvarchar(50) |

## item_grouping

**Original NAV Table:** `Item Grouping`

**Columns:** 7

**Primary Key:** `(source_db, type, code, item_type, item_code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(10) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `type` | `text` | ✓ | nvarchar(10) |
| 4 | `code` | `text` | ✓ | nvarchar(20) |
| 5 | `item_type` | `integer` | ✓ | int |
| 6 | `item_code` | `text` | ✓ | nvarchar(20) |
| 7 | `exclude` | `boolean` | | tinyint |

## item_history

**Original NAV Table:** `Item History`

**Columns:** 108

**Primary Key:** `(None)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `validfrom` | `timestamptz` | | datetime2 |
| 2 | `validto` | `timestamptz` | | datetime2 |
| 3 | `source_db` | `text` | | nvarchar(20) |
| 4 | `hash` | `text` | | nvarchar(66) |
| 5 | `no_` | `text` | | nvarchar(20) |
| 6 | `no_2` | `text` | | nvarchar(20) |
| 7 | `description` | `text` | | nvarchar(50) |
| 8 | `description_2` | `text` | | nvarchar(50) |
| 9 | `base_unit_of_measure` | `text` | | nvarchar(10) |
| 10 | `price_unit_conversion` | `integer` | | int |
| 11 | `type` | `integer` | | int |
| 12 | `inventory_posting_group` | `text` | | nvarchar(20) |
| 13 | `item_disc_group` | `text` | | nvarchar(20) |
| 14 | `allow_invoice_disc` | `boolean` | | tinyint |
| 15 | `unit_price` | `decimal` | | decimal |
| 16 | `price_profit_calculation` | `integer` | | int |
| 17 | `profit` | `decimal` | | decimal |
| 18 | `costing_method` | `integer` | | int |
| 19 | `unit_cost` | `decimal` | | decimal |
| 20 | `last_direct_cost` | `decimal` | | decimal |
| 21 | `cost_is_adjusted` | `boolean` | | tinyint |
| 22 | `allow_online_adjustment` | `boolean` | | tinyint |
| 23 | `vendor_no_` | `text` | | nvarchar(20) |
| 24 | `vendor_item_no_` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 25 | `lead_time_calculation` | `varchar(32)` | | varchar(32) |
| 26 | `reorder_point` | `decimal` | | decimal |
| 27 | `maximum_inventory` | `decimal` | | decimal |
| 28 | `reorder_quantity` | `decimal` | | decimal |
| 29 | `alternative_item_no_` | `text` | | nvarchar(20) |
| 30 | `unit_list_price` | `decimal` | | decimal |
| 31 | `gross_weight` | `decimal` | | decimal |
| 32 | `net_weight` | `decimal` | | decimal |
| 33 | `units_per_parcel` | `decimal` | | decimal |
| 34 | `unit_volume` | `decimal` | | decimal |
| 35 | `country_region_purchased_code` | `text` | | nvarchar(10) |
| 36 | `blocked` | `boolean` | | tinyint |
| 37 | `block_reason` | `text` | | nvarchar(250) |
| 38 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 39 | `country_region_of_origin_code` | `text` | | nvarchar(10) |
| 40 | `reserve` | `integer` | | int |
| 41 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 42 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 43 | `lot_size` | `decimal` | | decimal |
| 44 | `last_unit_cost_calc_date` | `timestamptz` | | datetime |
| 45 | `minimum_order_quantity` | `decimal` | | decimal |
| 46 | `safety_stock_quantity` | `decimal` | | decimal |
| 47 | `order_multiple` | `decimal` | | decimal |
| 48 | `safety_lead_time` | `varchar(32)` | | varchar(32) |
| 49 | `sales_unit_of_measure` | `text` | | nvarchar(10) |
| 50 | `purch_unit_of_measure` | `text` | | nvarchar(10) |
| 51 | `reordering_policy` | `integer` | | int |
| 52 | `include_inventory` | `boolean` | | tinyint |
| 53 | `manufacturer_code` | `text` | | nvarchar(10) |
| 54 | `item_category_code` | `text` | | nvarchar(20) |
| 55 | `product_group_code` | `text` | | nvarchar(10) |
| 56 | `phys_invt_counting_period_code` | `text` | | nvarchar(10) |
| 57 | `last_counting_period_update` | `timestamptz` | | datetime |
| 58 | `use_cross_docking` | `boolean` | | tinyint |
| 59 | `next_counting_start_date` | `timestamptz` | | datetime |
| 60 | `next_counting_end_date` | `timestamptz` | | datetime |
| 61 | `expiration_date_type` | `integer` | | int |
| 62 | `expiration_date_rule` | `integer` | | int |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 63 | `buyer_code` | `text` | | nvarchar(20) |
| 64 | `crv` | `decimal` | | decimal |
| 65 | `shelf_life_in_days` | `integer` | | int |
| 66 | `shelf_life` | `text` | | nvarchar(3) |
| 67 | `specials_list` | `smallint` | | tinyint |
| 68 | `sodexo_only` | `smallint` | | tinyint |
| 69 | `pack_size` | `text` | | nvarchar(10) |
| 70 | `item_class` | `text` | | nvarchar(20) |
| 71 | `active_since` | `timestamptz` | | datetime |
| 72 | `current_vendor_no_` | `text` | | nvarchar(20) |
| 73 | `commodity_dependency` | `integer` | | int |
| 74 | `commodity_fee_basis` | `integer` | | int |
| 75 | `fair_market_value` | `decimal` | | decimal |
| 76 | `cmdy_value_exception` | `smallint` | | tinyint |
| 77 | `df_lb_per_case` | `decimal` | | decimal |
| 78 | `commodity_additional_allowance` | `decimal` | | decimal |
| 79 | `onelink_order_guide` | `integer` | | int |
| 80 | `market_price_item` | `boolean` | | tinyint |
| 81 | `zero_price_allowed` | `boolean` | | tinyint |
| 82 | `zone` | `text` | | nvarchar(20) |
| 83 | `repack_item_no_` | `text` | | nvarchar(20) |
| 84 | `repack_qty` | `decimal` | | decimal |
| 85 | `lb_item_no_` | `text` | | nvarchar(20) |
| 86 | `master_item_no_` | `text` | | nvarchar(20) |
| 87 | `master_item` | `boolean` | | tinyint |
| 88 | `njpa` | `boolean` | | tinyint |
| 89 | `always_create_pick` | `boolean` | | tinyint |
| 90 | `status` | `text` | | nvarchar(20) |
| 91 | `rebate_vendor_no_` | `text` | | nvarchar(10) |
| 92 | `catch_weight` | `boolean` | | tinyint |
| 93 | `use_unit_of_measure_dimensions` | `boolean` | | tinyint |
| 94 | `producer_of_good_indicator` | `integer` | | int |
| 95 | `item_upc_ean_number` | `text` | | nvarchar(20) |
| 96 | `routing_no_` | `text` | | nvarchar(20) |
| 97 | `production_bom_no_` | `text` | | nvarchar(20) |
| 98 | `order_tracking_policy` | `integer` | | int |
| 99 | `critical` | `boolean` | | tinyint |
| 100 | `suggested_weeks_on_hand` | `decimal` | | decimal |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 101 | `city_state_zip_code_of_origin` | `text` | | nvarchar(50) |
| 102 | `category_class_code` | `text` | | nvarchar(20) |
| 103 | `gtin` | `text` | | nvarchar(14) |
| 104 | `mfg_name` | `text` | | nvarchar(30) |
| 105 | `non_domestic` | `boolean` | | tinyint |
| 106 | `food_item` | `boolean` | | tinyint |
| 107 | `last_direct_lb_cost` | `decimal` | | decimal |
| 108 | `exception_type` | `text` | | nvarchar(20) |

## item_ledger_entry

**Original NAV Table:** `Item Ledger Entry`

**Columns:** 47

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `entry_no_` | `integer` | ✓ | int |
| 4 | `item_no_` | `text` | | nvarchar(20) |
| 5 | `posting_date` | `timestamptz` | | datetime |
| 6 | `entry_type` | `integer` | | int |
| 7 | `source_no_` | `text` | | nvarchar(20) |
| 8 | `document_no_` | `text` | | nvarchar(20) |
| 9 | `description` | `text` | | nvarchar(50) |
| 10 | `location_code` | `text` | | nvarchar(10) |
| 11 | `quantity` | `decimal` | | decimal |
| 12 | `remaining_quantity` | `decimal` | | decimal |
| 13 | `invoiced_quantity` | `decimal` | | decimal |
| 14 | `applies_to_entry` | `integer` | | int |
| 15 | `open` | `boolean` | | tinyint |
| 16 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 17 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 18 | `positive` | `boolean` | | tinyint |
| 19 | `source_type` | `integer` | | int |
| 20 | `drop_shipment` | `boolean` | | tinyint |
| 21 | `country_region_code` | `text` | | nvarchar(10) |
| 22 | `document_date` | `timestamptz` | | datetime |
| 23 | `external_document_no_` | `text` | | nvarchar(35) |

| | | | | |
|---|---|---|---|---|
| 24 | `no_series` | `text` | | nvarchar(20) |
| 25 | `document_type` | `integer` | | int |
| 26 | `document_line_no_` | `integer` | | int |
| 27 | `order_type` | `integer` | | int |
| 28 | `order_no_` | `text` | | nvarchar(20) |
| 29 | `order_line_no_` | `integer` | | int |
| 30 | `dimension_set_id` | `integer` | | int |
| 31 | `assemble_to_order` | `boolean` | | tinyint |
| 32 | `variant_code` | `text` | | nvarchar(10) |
| 33 | `qty_per_unit_of_measure` | `decimal` | | decimal |
| 34 | `unit_of_measure_code` | `text` | | nvarchar(10) |
| 35 | `item_category_code` | `text` | | nvarchar(20) |
| 36 | `product_group_code` | `text` | | nvarchar(10) |
| 37 | `completely_invoiced` | `boolean` | | tinyint |
| 38 | `last_invoice_date` | `timestamptz` | | datetime |
| 39 | `correction` | `boolean` | | tinyint |
| 40 | `shipped_qty_not_returned` | `decimal` | | decimal |
| 41 | `lot_no_` | `text` | | nvarchar(20) |
| 42 | `expiration_date` | `timestamptz` | | datetime |
| 43 | `item_tracking` | `integer` | | int |
| 44 | `return_reason_code` | `text` | | nvarchar(10) |
| 45 | `bill_to_customer_no_` | `text` | | nvarchar(20) |
| 46 | `reason_code` | `text` | | nvarchar(10) |
| 47 | `true_posting_date_time` | `timestamptz` | | datetime |

## item_old

**Original NAV Table:** `Item OLD`

**Columns:** 103

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `no_2` | `text` | | nvarchar(20) |
| 5 | `description` | `text` | | nvarchar(50) |
| 6 | `description_2` | `text` | | nvarchar(50) |

| | | | | |
|---|---|---|---|---|
| 7 | `base_unit_of_measure` | `text` | | nvarchar(10) |
| 8 | `price_unit_conversion` | `integer` | | int |
| 9 | `type` | `integer` | | int |
| 10 | `inventory_posting_group` | `text` | | nvarchar(20) |
| 11 | `item_disc_group` | `text` | | nvarchar(20) |
| 12 | `allow_invoice_disc` | `boolean` | | tinyint |
| 13 | `unit_price` | `decimal` | | decimal |
| 14 | `price_profit_calculation` | `integer` | | int |
| 15 | `profit` | `decimal` | | decimal |
| 16 | `costing_method` | `integer` | | int |
| 17 | `unit_cost` | `decimal` | | decimal |
| 18 | `last_direct_cost` | `decimal` | | decimal |
| 19 | `cost_is_adjusted` | `boolean` | | tinyint |
| 20 | `allow_online_adjustment` | `boolean` | | tinyint |
| 21 | `vendor_no_` | `text` | | nvarchar(20) |
| 22 | `vendor_item_no_` | `text` | | nvarchar(20) |
| 23 | `lead_time_calculation` | `varchar(32)` | | varchar(32) |
| 24 | `reorder_point` | `decimal` | | decimal |
| 25 | `maximum_inventory` | `decimal` | | decimal |
| 26 | `reorder_quantity` | `decimal` | | decimal |
| 27 | `alternative_item_no_` | `text` | | nvarchar(20) |
| 28 | `unit_list_price` | `decimal` | | decimal |
| 29 | `gross_weight` | `decimal` | | decimal |
| 30 | `net_weight` | `decimal` | | decimal |
| 31 | `units_per_parcel` | `decimal` | | decimal |
| 32 | `unit_volume` | `decimal` | | decimal |
| 33 | `country_region_purchased_code` | `text` | | nvarchar(10) |
| 34 | `blocked` | `boolean` | | tinyint |
| 35 | `block_reason` | `text` | | nvarchar(250) |
| 36 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 37 | `country_region_of_origin_code` | `text` | | nvarchar(10) |
| 38 | `reserve` | `integer` | | int |
| 39 | `global_dimension_1_code` | `text` | | nvarchar(20) |
| 40 | `global_dimension_2_code` | `text` | | nvarchar(20) |
| 41 | `lot_size` | `decimal` | | decimal |
| 42 | `last_unit_cost_calc_date` | `timestamptz` | | datetime |
| 43 | `minimum_order_quantity` | `decimal` | | decimal |
| 44 | `safety_stock_quantity` | `decimal` | | decimal |

| | | | | |
|---|---|---|---|---|
| 45 | `order_multiple` | `decimal` | | decimal |
| 46 | `safety_lead_time` | `varchar(32)` | | varchar(32) |
| 47 | `sales_unit_of_measure` | `text` | | nvarchar(10) |
| 48 | `purch_unit_of_measure` | `text` | | nvarchar(10) |
| 49 | `reordering_policy` | `integer` | | int |
| 50 | `include_inventory` | `boolean` | | tinyint |
| 51 | `manufacturer_code` | `text` | | nvarchar(10) |
| 52 | `item_category_code` | `text` | | nvarchar(20) |
| 53 | `product_group_code` | `text` | | nvarchar(10) |
| 54 | `phys_invt_counting_period_code` | `text` | | nvarchar(10) |
| 55 | `last_counting_period_update` | `timestamptz` | | datetime |
| 56 | `use_cross_docking` | `boolean` | | tinyint |
| 57 | `next_counting_start_date` | `timestamptz` | | datetime |
| 58 | `next_counting_end_date` | `timestamptz` | | datetime |
| 59 | `expiration_date_type` | `integer` | | int |
| 60 | `expiration_date_rule` | `integer` | | int |
| 61 | `buyer_code` | `text` | | nvarchar(20) |
| 62 | `crv` | `decimal` | | decimal |
| 63 | `shelf_life_in_days` | `integer` | | int |
| 64 | `shelf_life` | `text` | | nvarchar(3) |
| 65 | `specials_list` | `smallint` | | tinyint |
| 66 | `sodexo_only` | `smallint` | | tinyint |
| 67 | `pack_size` | `text` | | nvarchar(10) |
| 68 | `item_class` | `text` | | nvarchar(20) |
| 69 | `active_since` | `timestamptz` | | datetime |
| 70 | `current_vendor_no_` | `text` | | nvarchar(20) |
| 71 | `commodity_dependency` | `integer` | | int |
| 72 | `commodity_fee_basis` | `integer` | | int |
| 73 | `fair_market_value` | `decimal` | | decimal |
| 74 | `cmdy_value_exception` | `smallint` | | tinyint |
| 75 | `df_lb_per_case` | `decimal` | | decimal |
| 76 | `commodity_additional_allowance` | `decimal` | | decimal |
| 77 | `onelink_order_guide` | `integer` | | int |
| 78 | `market_price_item` | `boolean` | | tinyint |
| 79 | `zero_price_allowed` | `boolean` | | tinyint |
| 80 | `zone` | `text` | | nvarchar(20) |
| 81 | `repack_item_no_` | `text` | | nvarchar(20) |
| 82 | `repack_qty` | `decimal` | | decimal |
| 83 | `lb_item_no_` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 84 | `master_item_no_` | `text` | | nvarchar(20) |
| 85 | `master_item` | `boolean` | | tinyint |
| 86 | `njpa` | `boolean` | | tinyint |
| 87 | `always_create_pick` | `boolean` | | tinyint |
| 88 | `status` | `text` | | nvarchar(20) |
| 89 | `rebate_vendor_no_` | `text` | | nvarchar(10) |
| 90 | `catch_weight` | `boolean` | | tinyint |
| 91 | `use_unit_of_measure_dimensions` | `boolean` | | tinyint |
| 92 | `producer_of_good_indicator` | `integer` | | int |
| 93 | `item_upc_ean_number` | `text` | | nvarchar(20) |
| 94 | `routing_no_` | `text` | | nvarchar(20) |
| 95 | `production_bom_no_` | `text` | | nvarchar(20) |
| 96 | `order_tracking_policy` | `integer` | | int |
| 97 | `critical` | `boolean` | | tinyint |
| 98 | `suggested_weeks_on_hand` | `decimal` | | decimal |
| 99 | `city_state_zip_code_of_origin` | `text` | | nvarchar(50) |
| 100 | `category_class_code` | `text` | | nvarchar(20) |
| 101 | `gtin` | `text` | | nvarchar(14) |
| 102 | `mfg_name` | `text` | | nvarchar(30) |
| 103 | `non_domestic` | `boolean` | | tinyint |

## item_spec

**Original NAV Table:** `Item Spec`

**Columns:** 66

**Primary Key:** `(source_db, item_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `jan` | `boolean` | | tinyint |
| 5 | `feb` | `boolean` | | tinyint |
| 6 | `mar` | `boolean` | | tinyint |
| 7 | `apr` | `boolean` | | tinyint |
| 8 | `may` | `boolean` | | tinyint |
| 9 | `jun` | `boolean` | | tinyint |
| 10 | `jul` | `boolean` | | tinyint |

| | | | | |
|---|---|---|---|---|
| 11 | `aug` | `boolean` | | tinyint |
| 12 | `sep` | `boolean` | | tinyint |
| 13 | `oct` | `boolean` | | tinyint |
| 14 | `nov` | `boolean` | | tinyint |
| 15 | `dec` | `boolean` | | tinyint |
| 16 | `sb12` | `smallint` | | tinyint |
| 17 | `sb965` | `smallint` | | tinyint |
| 18 | `sb80` | `smallint` | | tinyint |
| 19 | `smart_snack` | `boolean` | | tinyint |
| 20 | `hhka_non_compliant` | `smallint` | | tinyint |
| 21 | `alliance_healthgen` | `smallint` | | tinyint |
| 22 | `california_fresh_meal_program` | `smallint` | | tinyint |
| 23 | `egg` | `smallint` | | tinyint |
| 24 | `soy` | `smallint` | | tinyint |
| 25 | `milk` | `smallint` | | tinyint |
| 26 | `wheat` | `smallint` | | tinyint |
| 27 | `whey` | `smallint` | | tinyint |
| 28 | `peanut` | `smallint` | | tinyint |
| 29 | `kosher` | `boolean` | | tinyint |
| 30 | `51_whole_grain` | `smallint` | | tinyint |
| 31 | `highfructosecornsfree` | `smallint` | | tinyint |
| 32 | `reduced_sodium` | `smallint` | | tinyint |
| 33 | `gluten_free` | `smallint` | | tinyint |
| 34 | `organic` | `boolean` | | tinyint |
| 35 | `biodegradable` | `smallint` | | tinyint |
| 36 | `vegetarian` | `boolean` | | tinyint |
| 37 | `contains_peanut` | `smallint` | | tinyint |
| 38 | `recycled_materials` | `smallint` | | tinyint |
| 39 | `contains_lftp_pink_slime` | `smallint` | | tinyint |
| 40 | `cn_contributions_breads` | `decimal` | | decimal |
| 41 | `cn_contributions_meat` | `decimal` | | decimal |
| 42 | `cn_contributions_fruit` | `decimal` | | decimal |
| 43 | `cn_contributions_vegetable` | `decimal` | | decimal |
| 44 | `cn_contributions` | `text` | | nvarchar(50) |
| 45 | `component_risk` | `integer` | | int |
| 46 | `repack_item_no_` | `text` | | nvarchar(20) |
| 47 | `repack_qty` | `decimal` | | decimal |
| 48 | `lb_item_no_` | `text` | | nvarchar(20) |
| 49 | `master_item_no_` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 50 | `master_item` | `boolean` | | tinyint |
| 51 | `servings_per_case` | `text` | | nvarchar(20) |
| 52 | `peanut_free_facility` | `smallint` | | tinyint |
| 53 | `cn_labeled` | `smallint` | | tinyint |
| 54 | `vegan` | `boolean` | | tinyint |
| 55 | `serving_size` | `text` | | nvarchar(30) |
| 56 | `units_per_serving` | `text` | | nvarchar(30) |
| 57 | `pack_quantity` | `text` | | nvarchar(30) |
| 58 | `hardy_produce` | `smallint` | | tinyint |
| 59 | `processed_produce` | `smallint` | | tinyint |
| 60 | `local_food_for_schools_program` | `smallint` | | tinyint |
| 61 | `brominated_vegetable_oil` | `smallint` | | tinyint |
| 62 | `potassium_bromates` | `smallint` | | tinyint |
| 63 | `propylparaben` | `smallint` | | tinyint |
| 64 | `red_dye_3` | `smallint` | | tinyint |
| 65 | `sf_best_practices_program` | `smallint` | | tinyint |
| 66 | `sca_program` | `smallint` | | tinyint |

## item_unit_of_measure

**Original NAV Table:** `Item Unit of Measure`

**Columns:** 13

**Primary Key:** `(source_db, item_no_, code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `code` | `text` | ✓ | nvarchar(10) |
| 5 | `qty_per_unit_of_measure` | `decimal` | | decimal |
| 6 | `length` | `decimal` | | decimal |
| 7 | `width` | `decimal` | | decimal |
| 8 | `height` | `decimal` | | decimal |
| 9 | `cubage` | `decimal` | | decimal |
| 10 | `weight` | `decimal` | | decimal |
| 11 | `std_pack_upc_ean_number` | `text` | | nvarchar(20) |
| 12 | `max_adjust_qty` | `decimal` | | decimal |
| 13 | `sync_filter` | `text` | | nvarchar(20) |

## location

**Original NAV Table:** `Location`

**Columns:** 127

**Primary Key:** `(source_db, code)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `code` | `text` | ✓ | nvarchar(10) |
| 4 | `name` | `text` | | nvarchar(50) |
| 5 | `default_bin_code` | `text` | | nvarchar(20) |
| 6 | `name_2` | `text` | | nvarchar(50) |
| 7 | `address` | `text` | | nvarchar(50) |
| 8 | `address_2` | `text` | | nvarchar(50) |
| 9 | `city` | `text` | | nvarchar(30) |
| 10 | `post_code` | `text` | | nvarchar(20) |
| 11 | `county` | `text` | | nvarchar(30) |
| 12 | `use_as_in_transit` | `boolean` | | tinyint |
| 13 | `require_put_away` | `boolean` | | tinyint |
| 14 | `require_pick` | `boolean` | | tinyint |
| 15 | `cross_dock_due_date_calc` | `varchar(32)` | | varchar(32) |
| 16 | `use_cross_docking` | `boolean` | | tinyint |
| 17 | `require_receive` | `boolean` | | tinyint |
| 18 | `require_shipment` | `boolean` | | tinyint |
| 19 | `bin_mandatory` | `smallint` | | tinyint |
| 20 | `directed_put_away_and_pick` | `boolean` | | tinyint |
| 21 | `default_bin_selection` | `integer` | | int |
| 22 | `outbound_whse_handling_time` | `varchar(32)` | | varchar(32) |
| 23 | `inbound_whse_handling_time` | `varchar(32)` | | varchar(32) |
| 24 | `put_away_template_code` | `text` | | nvarchar(10) |
| 25 | `use_put_away_worksheet` | `boolean` | | tinyint |
| 26 | `pick_according_to_fefo` | `boolean` | | tinyint |
| 27 | `allow_breakbulk` | `boolean` | | tinyint |
| 28 | `bin_capacity_policy` | `integer` | | int |
| 29 | `open_shop_floor_bin_code` | `text` | | nvarchar(20) |
| 30 | `to_production_bin_code` | `text` | | nvarchar(20) |
| 31 | `from_production_bin_code` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 32 | `adjustment_bin_code` | `text` | | nvarchar(20) |
| 33 | `always_create_put_away_line` | `boolean` | | tinyint |
| 34 | `always_create_pick_line` | `boolean` | | tinyint |
| 35 | `receipt_bin_code` | `text` | | nvarchar(20) |
| 36 | `shipment_bin_code` | `text` | | nvarchar(20) |
| 37 | `cross_dock_bin_code` | `text` | | nvarchar(20) |
| 38 | `license_plate_lot_tracking` | `smallint` | | tinyint |
| 39 | `pick_from_total_available_qty` | `boolean` | | tinyint |
| 40 | `use_gsf_epiration_for_replen` | `boolean` | | tinyint |
| 41 | `purchase_label_code` | `text` | | nvarchar(20) |
| 42 | `argent_output_folder` | `text` | | nvarchar(200) |
| 43 | `print_pallet_counter` | `integer` | | int |
| 44 | `pallet_label_code` | `text` | | nvarchar(20) |
| 45 | `general_pk` | `text` | | nvarchar(10) |
| 46 | `bulk_pick` | `decimal` | | decimal |
| 47 | `position_cost` | `integer` | | int |
| 48 | `aisle_side_cost` | `integer` | | int |
| 49 | `height_cost` | `integer` | | int |
| 50 | `change_aisle_cost` | `integer` | | int |
| 51 | `no_of_aisles_to_search` | `integer` | | int |
| 52 | `xml_export_path` | `text` | | nvarchar(250) |
| 53 | `update_pick_logic` | `integer` | | int |
| 54 | `route_closing_action` | `integer` | | int |
| 55 | `asc_order_lock_enabled` | `boolean` | | tinyint |
| 56 | `pallet_replenishment` | `smallint` | | tinyint |
| 57 | `ignore_min_qty_in_replenish` | `smallint` | | tinyint |
| 58 | `print_auto_put_away` | `boolean` | | tinyint |
| 59 | `xml_printers` | `integer` | | int |
| 60 | `last_xml_printer_number` | `integer` | | int |
| 61 | `route_label_stylesheet` | `text` | | nvarchar(30) |
| 62 | `batch_label_stylesheet` | `text` | | nvarchar(30) |
| 63 | `batch_summary_label_stylesheet` | `text` | | nvarchar(30) |
| 64 | `aisle_warning_label_stylesheet` | `text` | | nvarchar(30) |
| 65 | `bulk_pick_label_stylesheet` | `text` | | nvarchar(30) |
| 66 | `bulk_pick_return_stylesheet` | `text` | | nvarchar(30) |
| 67 | `item_label_stylesheet` | `text` | | nvarchar(30) |
| 68 | `catch_weight_label_stylesheet` | `text` | | nvarchar(30) |
| 69 | `pallet_label_stylesheet` | `text` | | nvarchar(30) |

| | | | | |
|---|---|---|---|---|
| 70 | `unique_label_nos` | `text` | | nvarchar(10) |
| 71 | `pallet_layer_height` | `decimal` | | decimal |
| 72 | `wait_period_rec_worksh_mins` | `integer` | | int |
| 73 | `aisle_code_length` | `integer` | | int |
| 74 | `pass_counter` | `integer` | | int |
| 75 | `no_fixed_bin_setup_code` | `text` | | nvarchar(10) |
| 76 | `receive_label_format` | `text` | | nvarchar(30) |
| 77 | `receive_label_jobname` | `text` | | nvarchar(30) |
| 78 | `receive_label_printnumber` | `integer` | | int |
| 79 | `receive_label_quantity` | `integer` | | int |
| 80 | `po_label_format` | `text` | | nvarchar(30) |
| 81 | `po_label_jobname` | `text` | | nvarchar(30) |
| 82 | `po_label_printnumber` | `integer` | | int |
| 83 | `po_label_quantity` | `integer` | | int |
| 84 | `allow_empty_at_split_pallet` | `boolean` | | tinyint |
| 85 | `repack_item_jnl_template` | `text` | | nvarchar(20) |
| 86 | `repack_item_jnl_batch` | `text` | | nvarchar(20) |
| 87 | `show_replen_worksheet` | `boolean` | | tinyint |
| 88 | `show_preview_for_bread_report` | `boolean` | | tinyint |
| 89 | `show_nav_receipt_posting_error` | `boolean` | | tinyint |
| 90 | `do_not_print_purchase_labels` | `boolean` | | tinyint |
| 91 | `do_not_print_pick_labels` | `boolean` | | tinyint |
| 92 | `put_away_test_mode` | `boolean` | | tinyint |
| 93 | `whse_rcpt_per_pallet` | `smallint` | | tinyint |
| 94 | `use_assumed_receipt` | `boolean` | | tinyint |
| 95 | `replenishment_source_bin_type` | `text` | | nvarchar(10) |
| 96 | `bread_bin` | `text` | | nvarchar(20) |
| 97 | `qa_hold_code` | `text` | | nvarchar(20) |
| 98 | `no_pick_bin_code_picking` | `text` | | nvarchar(20) |
| 99 | `create_dummy_pick_bin_setup` | `boolean` | | tinyint |
| 100 | `delete_emplty_batch_labels` | `smallint` | | tinyint |
| 101 | `default_dimension` | `text` | | nvarchar(20) |
| 102 | `max_bin_nearby_check` | `integer` | | int |
| 103 | `physical_inventory_manager` | `text` | | nvarchar(50) |
| 104 | `max_labels_for_item` | `integer` | | int |
| 105 | `pick_from_reserve` | `integer` | | int |
| 106 | `invoice_printer` | `text` | | nvarchar(50) |
| 107 | `use_locking` | `boolean` | | tinyint |
| 108 | `registering_user` | `text` | | nvarchar(50) |

| | | | | |
|---|---|---|---|---|
| 109 | `invoicing_user` | `text` | | nvarchar(50) |
| 110 | `picking_user` | `text` | | nvarchar(50) |
| 111 | `po_close_email` | `text` | | nvarchar(50) |
| 112 | `allow_negative_bin_inventory` | `boolean` | | tinyint |
| 113 | `print_metric_data` | `boolean` | | tinyint |
| 114 | `bulk_label_qty` | `integer` | | int |
| 115 | `show_label_metric_data` | `boolean` | | tinyint |
| 116 | `residential_delivery` | `boolean` | | tinyint |
| 117 | `shipping_payment_type` | `integer` | | int |
| 118 | `initial_lp_qa_status` | `text` | | nvarchar(10) |
| 119 | `create_lp_pallets_at_receive` | `boolean` | | tinyint |
| 120 | `use_license_plating` | `boolean` | | tinyint |
| 121 | `pallet_adjustment_bin` | `text` | | nvarchar(20) |
| 122 | `require_pallet_qa_record` | `smallint` | | tinyint |
| 123 | `use_fifo_pick_takes_lp` | `boolean` | | tinyint |
| 124 | `use_fifo_replen_takes_lp` | `boolean` | | tinyint |
| 125 | `strict_pallet_bins` | `smallint` | | tinyint |
| 126 | `allow_picking_from_lp` | `boolean` | | tinyint |
| 127 | `enter_catch_weight` | `boolean` | | tinyint |

## lot_no_information

**Original NAV Table:** `Lot No_ Information`

**Columns:** 14

**Primary Key:** `(source_db, item_no_, variant_code, lot_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `variant_code` | `text` | ✓ | nvarchar(10) |
| 5 | `lot_no_` | `text` | ✓ | nvarchar(20) |
| 6 | `description` | `text` | | nvarchar(50) |
| 7 | `test_quality` | `integer` | | int |
| 8 | `certificate_number` | `text` | | nvarchar(20) |
| 9 | `blocked` | `boolean` | | tinyint |
| 10 | `initial_quantity` | `decimal` | | decimal |
| 11 | `posting_date` | `timestamptz` | | datetime |

| | | | | |
|---|---|---|---|---|
| 12 | `disposition_no_` | `text` | | nvarchar(20) |
| 13 | `skip_storage_fees` | `smallint` | | tinyint |
| 14 | `storage_begin_date` | `timestamptz` | | datetime |

## pallet_bin_content

**Original NAV Table:** `Pallet Bin Content`

**Columns:** 28

**Primary Key:** `(source_db, bin, location, pallet_no_, box_no_, item_no_, variant_no_, lot_no_, serial_no_, unit_of_measure)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `bin` | `text` | ✓ | nvarchar(20) |
| 4 | `location` | `text` | ✓ | nvarchar(10) |
| 5 | `pallet_no_` | `text` | ✓ | nvarchar(20) |
| 6 | `box_no_` | `text` | ✓ | nvarchar(20) |
| 7 | `item_no_` | `text` | ✓ | nvarchar(20) |
| 8 | `variant_no_` | `text` | ✓ | nvarchar(10) |
| 9 | `lot_no_` | `text` | ✓ | nvarchar(20) |
| 10 | `serial_no_` | `text` | ✓ | nvarchar(20) |
| 11 | `unit_of_measure` | `text` | ✓ | nvarchar(10) |
| 12 | `description` | `text` | | nvarchar(50) |
| 13 | `quantity_base` | `decimal` | | decimal |
| 14 | `quantity` | `decimal` | | decimal |
| 15 | `qty_per_uom` | `decimal` | | decimal |
| 16 | `expiry_date` | `timestamptz` | | datetime |
| 17 | `warranty_date` | `timestamptz` | | datetime |
| 18 | `last_handled_date` | `timestamptz` | | datetime |
| 19 | `last_handled_time` | `timestamptz` | | datetime |
| 20 | `creation_date` | `timestamptz` | | datetime |
| 21 | `creation_time` | `timestamptz` | | datetime |
| 22 | `qa_status` | `text` | | nvarchar(10) |
| 23 | `source_type` | `integer` | | int |
| 24 | `source_sub_type` | `integer` | | int |
| 25 | `source_id` | `text` | | nvarchar(20) |
| 26 | `source_reference_no_` | `integer` | | int |
| 27 | `pallet_height` | `decimal` | | decimal |

| | | | | |
|---|---|---|---|---|
| 28 | `counted` | `boolean` | | tinyint |

## pallet_movement

**Original NAV Table:** `Pallet Movement`

**Columns:** 24

**Primary Key:** `(source_db, entry_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(60) |
| 3 | `entry_no_` | `bigint` | ✓ | bigint |
| 4 | `from_bin_code` | `text` | | nvarchar(20) |
| 5 | `pallet_no_` | `text` | | nvarchar(20) |
| 6 | `line_no_` | `integer` | | int |
| 7 | `source_no_` | `text` | | nvarchar(20) |
| 8 | `transaction_no_` | `text` | | nvarchar(20) |
| 9 | `location_code` | `text` | | nvarchar(20) |
| 10 | `first_scan_date` | `timestamptz` | | datetime |
| 11 | `first_scan_time` | `timestamptz` | | datetime |
| 12 | `last_scan_date` | `timestamptz` | | datetime |
| 13 | `last_scan_time` | `timestamptz` | | datetime |
| 14 | `warehouse_employee_code` | `text` | | nvarchar(50) |
| 15 | `completed` | `boolean` | | tinyint |
| 16 | `door_no_` | `text` | | nvarchar(10) |
| 17 | `to_bin_code` | `text` | | nvarchar(20) |
| 18 | `quantity` | `decimal` | | decimal |
| 19 | `type` | `text` | | nvarchar(10) |
| 20 | `full_pallet` | `boolean` | | tinyint |
| 21 | `previous_bin_code` | `text` | | nvarchar(20) |
| 22 | `item_no_` | `text` | | nvarchar(20) |
| 23 | `cubage` | `decimal` | | decimal |
| 24 | `weight` | `decimal` | | decimal |

## purch_cr_memo_hdr

**Original NAV Table:** `Purch_ Cr_ Memo Hdr_`

**Columns:** 68

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `buy_from_vendor_no_` | `text` | | nvarchar(20) |
| 5 | `pay_to_vendor_no_` | `text` | | nvarchar(20) |
| 6 | `pay_to_name` | `text` | | nvarchar(50) |
| 7 | `pay_to_name_2` | `text` | | nvarchar(50) |
| 8 | `pay_to_address` | `text` | | nvarchar(50) |
| 9 | `pay_to_address_2` | `text` | | nvarchar(50) |
| 10 | `pay_to_city` | `text` | | nvarchar(30) |
| 11 | `pay_to_contact` | `text` | | nvarchar(50) |
| 12 | `ship_to_code` | `text` | | nvarchar(10) |
| 13 | `ship_to_name` | `text` | | nvarchar(50) |
| 14 | `ship_to_name_2` | `text` | | nvarchar(50) |
| 15 | `ship_to_address` | `text` | | nvarchar(50) |
| 16 | `ship_to_address_2` | `text` | | nvarchar(50) |
| 17 | `ship_to_city` | `text` | | nvarchar(30) |
| 18 | `ship_to_contact` | `text` | | nvarchar(50) |
| 19 | `posting_date` | `timestamptz` | | datetime |
| 20 | `expected_receipt_date` | `timestamptz` | | datetime |
| 21 | `posting_description` | `text` | | nvarchar(50) |
| 22 | `payment_terms_code` | `text` | | nvarchar(10) |
| 23 | `due_date` | `timestamptz` | | datetime |
| 24 | `shipment_method_code` | `text` | | nvarchar(10) |
| 25 | `location_code` | `text` | | nvarchar(10) |
| 26 | `shortcut_dimension_1_code` | `text` | | nvarchar(20) |
| 27 | `shortcut_dimension_2_code` | `text` | | nvarchar(20) |
| 28 | `vendor_posting_group` | `text` | | nvarchar(20) |
| 29 | `currency_code` | `text` | | nvarchar(10) |
| 30 | `currency_factor` | `decimal` | | decimal |
| 31 | `prices_including_vat` | `boolean` | | tinyint |
| 32 | `invoice_disc_code` | `text` | | nvarchar(20) |
| 33 | `purchaser_code` | `text` | | nvarchar(20) |
| 34 | `no_printed` | `integer` | | int |
| 35 | `on_hold` | `text` | | nvarchar(3) |
| 36 | `applies_to_doc_type` | `integer` | | int |

| | | | | |
|---|---|---|---|---|
| 37 | `applies_to_doc_no_` | `text` | | nvarchar(20) |
| 38 | `bal_account_no_` | `text` | | nvarchar(20) |
| 39 | `vendor_cr_memo_no_` | `text` | | nvarchar(35) |
| 40 | `sell_to_customer_no_` | `text` | | nvarchar(20) |
| 41 | `reason_code` | `text` | | nvarchar(10) |
| 42 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 43 | `transaction_type` | `text` | | nvarchar(10) |
| 44 | `transport_method` | `text` | | nvarchar(10) |
| 45 | `buy_from_vendor_name` | `text` | | nvarchar(50) |
| 46 | `buy_from_vendor_name_2` | `text` | | nvarchar(50) |
| 47 | `buy_from_address` | `text` | | nvarchar(50) |
| 48 | `buy_from_address_2` | `text` | | nvarchar(50) |
| 49 | `buy_from_city` | `text` | | nvarchar(30) |
| 50 | `buy_from_contact` | `text` | | nvarchar(50) |
| 51 | `pay_to_post_code` | `text` | | nvarchar(20) |
| 52 | `pay_to_county` | `text` | | nvarchar(30) |
| 53 | `pay_to_country_region_code` | `text` | | nvarchar(10) |
| 54 | `buy_from_post_code` | `text` | | nvarchar(20) |
| 55 | `buy_from_county` | `text` | | nvarchar(30) |
| 56 | `buy_from_country_region_code` | `text` | | nvarchar(10) |
| 57 | `ship_to_post_code` | `text` | | nvarchar(20) |
| 58 | `ship_to_county` | `text` | | nvarchar(30) |
| 59 | `ship_to_country_region_code` | `text` | | nvarchar(10) |
| 60 | `payment_method_code` | `text` | | nvarchar(10) |
| 61 | `source_code` | `text` | | nvarchar(10) |
| 62 | `dimension_set_id` | `integer` | | int |
| 63 | `vendor_ledger_entry_no_` | `integer` | | int |
| 64 | `rebate_type` | `integer` | | int |
| 65 | `rebate_start_date` | `timestamptz` | | datetime |
| 66 | `rebate_end_date` | `timestamptz` | | datetime |
| 67 | `rebate_doc_handling` | `integer` | | int |
| 68 | `co_op_code` | `text` | | nvarchar(10) |

## purch_cr_memo_line

**Original NAV Table:** `Purch_ Cr_ Memo Line`

**Columns:** 59

**Primary Key:** `(source_db, document_no_, line_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `document_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `line_no_` | `integer` | ✓ | int |
| 5 | `buy_from_vendor_no_` | `text` | | nvarchar(20) |
| 6 | `type` | `integer` | | int |
| 7 | `no_` | `text` | | nvarchar(20) |
| 8 | `location_code` | `text` | | nvarchar(10) |
| 9 | `posting_group` | `text` | | nvarchar(20) |
| 10 | `expected_receipt_date` | `timestamptz` | | datetime |
| 11 | `description` | `text` | | nvarchar(50) |
| 12 | `description_2` | `text` | | nvarchar(50) |
| 13 | `unit_of_measure` | `text` | | nvarchar(10) |
| 14 | `quantity` | `decimal` | | decimal |
| 15 | `direct_unit_cost` | `decimal` | | decimal |
| 16 | `unit_cost_lcy` | `decimal` | | decimal |
| 17 | `vat` | `decimal` | | decimal |
| 18 | `line_discount` | `decimal` | | decimal |
| 19 | `line_discount_amount` | `decimal` | | decimal |
| 20 | `amount` | `decimal` | | decimal |
| 21 | `amount_including_vat` | `decimal` | | decimal |
| 22 | `unit_price_lcy` | `decimal` | | decimal |
| 23 | `allow_invoice_disc` | `boolean` | | tinyint |
| 24 | `gross_weight` | `decimal` | | decimal |
| 25 | `net_weight` | `decimal` | | decimal |
| 26 | `units_per_parcel` | `decimal` | | decimal |
| 27 | `unit_volume` | `decimal` | | decimal |
| 28 | `appl_to_item_entry` | `integer` | | int |
| 29 | `shortcut_dimension_1_code` | `text` | | nvarchar(20) |
| 30 | `shortcut_dimension_2_code` | `text` | | nvarchar(20) |
| 31 | `pay_to_vendor_no_` | `text` | | nvarchar(20) |
| 32 | `inv_discount_amount` | `decimal` | | decimal |
| 33 | `vendor_item_no_` | `text` | | nvarchar(20) |
| 34 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 35 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 36 | `transaction_type` | `text` | | nvarchar(10) |
| 37 | `tax_area_code` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 38 | `tax_liable` | `boolean` | | tinyint |
| 39 | `tax_group_code` | `text` | | nvarchar(20) |
| 40 | `unit_cost` | `decimal` | | decimal |
| 41 | `line_amount` | `decimal` | | decimal |
| 42 | `posting_date` | `timestamptz` | | datetime |
| 43 | `dimension_set_id` | `integer` | | int |
| 44 | `variant_code` | `text` | | nvarchar(10) |
| 45 | `bin_code` | `text` | | nvarchar(20) |
| 46 | `qty_per_unit_of_measure` | `decimal` | | decimal |
| 47 | `unit_of_measure_code` | `text` | | nvarchar(10) |
| 48 | `quantity_base` | `decimal` | | decimal |
| 49 | `item_category_code` | `text` | | nvarchar(20) |
| 50 | `nonstock` | `boolean` | | tinyint |
| 51 | `purchasing_code` | `text` | | nvarchar(10) |
| 52 | `product_group_code` | `text` | | nvarchar(10) |
| 53 | `rebate_type` | `integer` | | int |
| 54 | `rebate_source_doc_type` | `integer` | | int |
| 55 | `rebate_source_doc_no_` | `text` | | nvarchar(20) |
| 56 | `rebate_source_doc_line_no_` | `integer` | | int |
| 57 | `cmdty_value_per_lb` | `decimal` | | decimal |
| 58 | `pounds` | `decimal` | | decimal |
| 59 | `cost_per_pound` | `decimal` | | decimal |

## purch_inv_header

**Original NAV Table:** `Purch_ Inv_ Header`

**Columns:** 93

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `buy_from_vendor_no_` | `text` | | nvarchar(20) |
| 5 | `pay_to_vendor_no_` | `text` | | nvarchar(20) |
| 6 | `pay_to_name` | `text` | | nvarchar(50) |
| 7 | `pay_to_address` | `text` | | nvarchar(50) |
| 8 | `pay_to_address_2` | `text` | | nvarchar(50) |
| 9 | `pay_to_city` | `text` | | nvarchar(30) |

| | | | | |
|---|---|---|---|---|
| 10 | `pay_to_contact` | `text` | | nvarchar(50) |
| 11 | `your_reference` | `text` | | nvarchar(35) |
| 12 | `ship_to_name` | `text` | | nvarchar(50) |
| 13 | `ship_to_address` | `text` | | nvarchar(50) |
| 14 | `ship_to_address_2` | `text` | | nvarchar(50) |
| 15 | `ship_to_city` | `text` | | nvarchar(30) |
| 16 | `ship_to_contact` | `text` | | nvarchar(50) |
| 17 | `order_date` | `timestamptz` | | datetime |
| 18 | `posting_date` | `timestamptz` | | datetime |
| 19 | `expected_receipt_date` | `timestamptz` | | datetime |
| 20 | `posting_description` | `text` | | nvarchar(50) |
| 21 | `payment_terms_code` | `text` | | nvarchar(10) |
| 22 | `due_date` | `timestamptz` | | datetime |
| 23 | `payment_discount` | `decimal` | | decimal |
| 24 | `pmt_discount_date` | `timestamptz` | | datetime |
| 25 | `shipment_method_code` | `text` | | nvarchar(10) |
| 26 | `location_code` | `text` | | nvarchar(10) |
| 27 | `shortcut_dimension_1_code` | `text` | | nvarchar(20) |
| 28 | `shortcut_dimension_2_code` | `text` | | nvarchar(20) |
| 29 | `vendor_posting_group` | `text` | | nvarchar(20) |
| 30 | `invoice_disc_code` | `text` | | nvarchar(20) |
| 31 | `language_code` | `text` | | nvarchar(10) |
| 32 | `purchaser_code` | `text` | | nvarchar(20) |
| 33 | `order_no_` | `text` | | nvarchar(20) |
| 34 | `no_printed` | `integer` | | int |
| 35 | `on_hold` | `text` | | nvarchar(3) |
| 36 | `applies_to_doc_type` | `integer` | | int |
| 37 | `applies_to_doc_no_` | `text` | | nvarchar(20) |
| 38 | `bal_account_no_` | `text` | | nvarchar(20) |
| 39 | `vendor_order_no_` | `text` | | nvarchar(35) |
| 40 | `vendor_invoice_no_` | `text` | | nvarchar(35) |
| 41 | `vat_registration_no_` | `text` | | nvarchar(20) |
| 42 | `sell_to_customer_no_` | `text` | | nvarchar(20) |
| 43 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 44 | `vat_country_region_code` | `text` | | nvarchar(10) |
| 45 | `buy_from_vendor_name` | `text` | | nvarchar(50) |
| 46 | `buy_from_address` | `text` | | nvarchar(50) |
| 47 | `buy_from_address_2` | `text` | | nvarchar(50) |

| | | | | |
|---|---|---|---|---|
| 48 | `buy_from_city` | `text` | | nvarchar(30) |
| 49 | `buy_from_contact` | `text` | | nvarchar(50) |
| 50 | `pay_to_post_code` | `text` | | nvarchar(20) |
| 51 | `pay_to_county` | `text` | | nvarchar(30) |
| 52 | `pay_to_country_region_code` | `text` | | nvarchar(10) |
| 53 | `buy_from_post_code` | `text` | | nvarchar(20) |
| 54 | `buy_from_county` | `text` | | nvarchar(30) |
| 55 | `buy_from_country_region_code` | `text` | | nvarchar(10) |
| 56 | `ship_to_post_code` | `text` | | nvarchar(20) |
| 57 | `ship_to_county` | `text` | | nvarchar(30) |
| 58 | `ship_to_country_region_code` | `text` | | nvarchar(10) |
| 59 | `order_address_code` | `text` | | nvarchar(10) |
| 60 | `document_date` | `timestamptz` | | datetime |
| 61 | `payment_method_code` | `text` | | nvarchar(10) |
| 62 | `pre_assigned_no_series` | `text` | | nvarchar(20) |
| 63 | `no_series` | `text` | | nvarchar(20) |
| 64 | `order_no_series` | `text` | | nvarchar(20) |
| 65 | `pre_assigned_no_` | `text` | | nvarchar(20) |
| 66 | `user_id` | `text` | | nvarchar(50) |
| 67 | `source_code` | `text` | | nvarchar(10) |
| 68 | `prepayment_no_series` | `text` | | nvarchar(20) |
| 69 | `prepayment_invoice` | `boolean` | | tinyint |
| 70 | `prepayment_order_no_` | `text` | | nvarchar(20) |
| 71 | `dimension_set_id` | `integer` | | int |
| 72 | `vendor_ledger_entry_no_` | `integer` | | int |
| 73 | `buy_from_contact_no_` | `text` | | nvarchar(20) |
| 74 | `pay_to_contact_no_` | `text` | | nvarchar(20) |
| 75 | `id` | `uuid` | | uniqueidentifier |
| 76 | `irs_1099_code` | `text` | | nvarchar(10) |
| 77 | `storage_customer` | `text` | | nvarchar(20) |
| 78 | `rebate_start_date` | `timestamptz` | | datetime |
| 79 | `rebate_end_date` | `timestamptz` | | datetime |
| 80 | `disposition_no_` | `text` | | nvarchar(20) |
| 81 | `offering_no_` | `text` | | nvarchar(20) |
| 82 | `co_op_code` | `text` | | nvarchar(10) |
| 83 | `drop_ship_so_no_` | `text` | | nvarchar(10) |
| 84 | `edi_order` | `boolean` | | tinyint |
| 85 | `edi_internal_doc_no_` | `text` | | nvarchar(10) |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 86 | `edi_po_generated` | `boolean` | | tinyint |
| 87 | `edi_po_gen_date` | `timestamptz` | | datetime |
| 88 | `edi_ship_adv_gen` | `boolean` | | tinyint |
| 89 | `edi_ship_adv_gen_date` | `timestamptz` | | datetime |
| 90 | `edi_trade_partner` | `text` | | nvarchar(20) |
| 91 | `edi_buy_from_code` | `text` | | nvarchar(20) |
| 92 | `e_mail_invoice_notice_handled` | `boolean` | | tinyint |
| 93 | `usda_po_no_` | `text` | | nvarchar(20) |

## purch_inv_line

**Original NAV Table:** `Purch_ Inv_ Line`

**Columns:** 59

**Primary Key:** `(source_db, document_no_, line_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `document_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `line_no_` | `integer` | ✓ | int |
| 5 | `buy_from_vendor_no_` | `text` | | nvarchar(20) |
| 6 | `type` | `integer` | | int |
| 7 | `no_` | `text` | | nvarchar(20) |
| 8 | `location_code` | `text` | | nvarchar(10) |
| 9 | `posting_group` | `text` | | nvarchar(20) |
| 10 | `expected_receipt_date` | `timestamptz` | | datetime |
| 11 | `description` | `text` | | nvarchar(50) |
| 12 | `description_2` | `text` | | nvarchar(50) |
| 13 | `unit_of_measure` | `text` | | nvarchar(10) |
| 14 | `quantity` | `decimal` | | decimal |
| 15 | `direct_unit_cost` | `decimal` | | decimal |
| 16 | `unit_cost_lcy` | `decimal` | | decimal |
| 17 | `amount` | `decimal` | | decimal |
| 18 | `amount_including_vat` | `decimal` | | decimal |
| 19 | `unit_price_lcy` | `decimal` | | decimal |
| 20 | `allow_invoice_disc` | `boolean` | | tinyint |
| 21 | `gross_weight` | `decimal` | | decimal |
| 22 | `net_weight` | `decimal` | | decimal |
| 23 | `units_per_parcel` | `decimal` | | decimal |

| | | | | |
|---|---|---|---|---|
| 24 | `unit_volume` | `decimal` | | decimal |
| 25 | `shortcut_dimension_1_code` | `text` | | nvarchar(20) |
| 26 | `shortcut_dimension_2_code` | `text` | | nvarchar(20) |
| 27 | `pay_to_vendor_no_` | `text` | | nvarchar(20) |
| 28 | `vendor_item_no_` | `text` | | nvarchar(20) |
| 29 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 30 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 31 | `vat_calculation_type` | `integer` | | int |
| 32 | `tax_group_code` | `text` | | nvarchar(20) |
| 33 | `vat_base_amount` | `decimal` | | decimal |
| 34 | `unit_cost` | `decimal` | | decimal |
| 35 | `line_amount` | `decimal` | | decimal |
| 36 | `ic_partner_code` | `text` | | nvarchar(20) |
| 37 | `posting_date` | `timestamptz` | | datetime |
| 38 | `dimension_set_id` | `integer` | | int |
| 39 | `variant_code` | `text` | | nvarchar(10) |
| 40 | `bin_code` | `text` | | nvarchar(20) |
| 41 | `qty_per_unit_of_measure` | `decimal` | | decimal |
| 42 | `unit_of_measure_code` | `text` | | nvarchar(10) |
| 43 | `quantity_base` | `decimal` | | decimal |
| 44 | `item_category_code` | `text` | | nvarchar(20) |
| 45 | `product_group_code` | `text` | | nvarchar(10) |
| 46 | `irs_1099_liable` | `smallint` | | tinyint |
| 47 | `cmdty_value_per_lb` | `decimal` | | decimal |
| 48 | `pounds` | `decimal` | | decimal |
| 49 | `cost_per_pound` | `decimal` | | decimal |
| 50 | `shipping_charge` | `boolean` | | tinyint |
| 51 | `over_receive` | `boolean` | | tinyint |
| 52 | `over_receive_verified` | `boolean` | | tinyint |
| 53 | `routing_no_` | `text` | | nvarchar(20) |
| 54 | `operation_no_` | `text` | | nvarchar(10) |
| 55 | `work_center_no_` | `text` | | nvarchar(20) |
| 56 | `prod_order_line_no_` | `integer` | | int |
| 57 | `overhead_rate` | `decimal` | | decimal |
| 58 | `routing_reference_no_` | `integer` | | int |
| 59 | `appl_to_order_no_` | `text` | | nvarchar(20) |

## purch_rcpt_header

**Original NAV Table:** `Purch_ Rcpt_ Header`

**Columns:** 72

**Primary Key:** `(source_db, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `no_` | `text` | ✓ | nvarchar(20) |
| 4 | `buy_from_vendor_no_` | `text` | | nvarchar(20) |
| 5 | `pay_to_vendor_no_` | `text` | | nvarchar(20) |
| 6 | `pay_to_name` | `text` | | nvarchar(50) |
| 7 | `pay_to_name_2` | `text` | | nvarchar(50) |
| 8 | `pay_to_address` | `text` | | nvarchar(50) |
| 9 | `pay_to_address_2` | `text` | | nvarchar(50) |
| 10 | `pay_to_city` | `text` | | nvarchar(30) |
| 11 | `pay_to_contact` | `text` | | nvarchar(50) |
| 12 | `your_reference` | `text` | | nvarchar(35) |
| 13 | `ship_to_code` | `text` | | nvarchar(10) |
| 14 | `ship_to_name` | `text` | | nvarchar(50) |
| 15 | `ship_to_name_2` | `text` | | nvarchar(50) |
| 16 | `ship_to_address` | `text` | | nvarchar(50) |
| 17 | `ship_to_address_2` | `text` | | nvarchar(50) |
| 18 | `ship_to_city` | `text` | | nvarchar(30) |
| 19 | `ship_to_contact` | `text` | | nvarchar(50) |
| 20 | `order_date` | `timestamptz` | | datetime |
| 21 | `posting_date` | `timestamptz` | | datetime |
| 22 | `expected_receipt_date` | `timestamptz` | | datetime |
| 23 | `posting_description` | `text` | | nvarchar(50) |
| 24 | `payment_terms_code` | `text` | | nvarchar(10) |
| 25 | `due_date` | `timestamptz` | | datetime |
| 26 | `payment_discount` | `decimal` | | decimal |
| 27 | `pmt_discount_date` | `timestamptz` | | datetime |
| 28 | `shipment_method_code` | `text` | | nvarchar(10) |
| 29 | `location_code` | `text` | | nvarchar(10) |
| 30 | `shortcut_dimension_1_code` | `text` | | nvarchar(20) |
| 31 | `shortcut_dimension_2_code` | `text` | | nvarchar(20) |
| 32 | `vendor_posting_group` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 33 | `invoice_disc_code` | `text` | | nvarchar(20) |
| 34 | `purchaser_code` | `text` | | nvarchar(20) |
| 35 | `order_no_` | `text` | | nvarchar(20) |
| 36 | `vendor_order_no_` | `text` | | nvarchar(35) |
| 37 | `vendor_shipment_no_` | `text` | | nvarchar(35) |
| 38 | `sell_to_customer_no_` | `text` | | nvarchar(20) |
| 39 | `reason_code` | `text` | | nvarchar(10) |
| 40 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 41 | `vat_country_region_code` | `text` | | nvarchar(10) |
| 42 | `buy_from_vendor_name` | `text` | | nvarchar(50) |
| 43 | `buy_from_vendor_name_2` | `text` | | nvarchar(50) |
| 44 | `buy_from_address` | `text` | | nvarchar(50) |
| 45 | `buy_from_address_2` | `text` | | nvarchar(50) |
| 46 | `buy_from_city` | `text` | | nvarchar(30) |
| 47 | `buy_from_contact` | `text` | | nvarchar(50) |
| 48 | `pay_to_post_code` | `text` | | nvarchar(20) |
| 49 | `pay_to_county` | `text` | | nvarchar(30) |
| 50 | `pay_to_country_region_code` | `text` | | nvarchar(10) |
| 51 | `buy_from_post_code` | `text` | | nvarchar(20) |
| 52 | `buy_from_county` | `text` | | nvarchar(30) |
| 53 | `buy_from_country_region_code` | `text` | | nvarchar(10) |
| 54 | `ship_to_post_code` | `text` | | nvarchar(20) |
| 55 | `ship_to_county` | `text` | | nvarchar(30) |
| 56 | `ship_to_country_region_code` | `text` | | nvarchar(10) |
| 57 | `correction` | `boolean` | | tinyint |
| 58 | `document_date` | `timestamptz` | | datetime |
| 59 | `payment_method_code` | `text` | | nvarchar(10) |
| 60 | `no_series` | `text` | | nvarchar(20) |
| 61 | `order_no_series` | `text` | | nvarchar(20) |
| 62 | `user_id` | `text` | | nvarchar(50) |
| 63 | `source_code` | `text` | | nvarchar(10) |
| 64 | `dimension_set_id` | `integer` | | int |
| 65 | `buy_from_contact_no_` | `text` | | nvarchar(20) |
| 66 | `pay_to_contact_no_` | `text` | | nvarchar(20) |
| 67 | `lead_time_calculation` | `varchar(32)` | | varchar(32) |
| 68 | `disposition_no_` | `text` | | nvarchar(20) |
| 69 | `offering_no_` | `text` | | nvarchar(20) |
| 70 | `co_op_code` | `text` | | nvarchar(10) |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 71 | `freight_vendor` | `text` | | nvarchar(20) |
| 72 | `freight_amount` | `decimal` | | decimal |

## purch_rcpt_line

**Original NAV Table:** `Purch_ Rcpt_ Line`

**Columns:** 74

**Primary Key:** `(source_db, document_no_, line_no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `document_no_` | `text` | ✓ | nvarchar(20) |
| 4 | `line_no_` | `integer` | ✓ | int |
| 5 | `buy_from_vendor_no_` | `text` | | nvarchar(20) |
| 6 | `type` | `integer` | | int |
| 7 | `no_` | `text` | | nvarchar(20) |
| 8 | `location_code` | `text` | | nvarchar(10) |
| 9 | `posting_group` | `text` | | nvarchar(20) |
| 10 | `expected_receipt_date` | `timestamptz` | | datetime |
| 11 | `description` | `text` | | nvarchar(50) |
| 12 | `description_2` | `text` | | nvarchar(50) |
| 13 | `unit_of_measure` | `text` | | nvarchar(10) |
| 14 | `quantity` | `decimal` | | decimal |
| 15 | `direct_unit_cost` | `decimal` | | decimal |
| 16 | `unit_cost_lcy` | `decimal` | | decimal |
| 17 | `line_discount` | `decimal` | | decimal |
| 18 | `unit_price_lcy` | `decimal` | | decimal |
| 19 | `allow_invoice_disc` | `boolean` | | tinyint |
| 20 | `gross_weight` | `decimal` | | decimal |
| 21 | `net_weight` | `decimal` | | decimal |
| 22 | `units_per_parcel` | `decimal` | | decimal |
| 23 | `unit_volume` | `decimal` | | decimal |
| 24 | `appl_to_item_entry` | `integer` | | int |
| 25 | `item_rcpt_entry_no_` | `integer` | | int |
| 26 | `shortcut_dimension_1_code` | `text` | | nvarchar(20) |
| 27 | `shortcut_dimension_2_code` | `text` | | nvarchar(20) |
| 28 | `indirect_cost` | `decimal` | | decimal |

| | | | | |
|---|---|---|---|---|
| 29 | `qty_rcd_not_invoiced` | `decimal` | | decimal |
| 30 | `quantity_invoiced` | `decimal` | | decimal |
| 31 | `order_no_` | `text` | | nvarchar(20) |
| 32 | `order_line_no_` | `integer` | | int |
| 33 | `pay_to_vendor_no_` | `text` | | nvarchar(20) |
| 34 | `vendor_item_no_` | `text` | | nvarchar(20) |
| 35 | `sales_order_no_` | `text` | | nvarchar(20) |
| 36 | `sales_order_line_no_` | `integer` | | int |
| 37 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 38 | `gen_prod_posting_group` | `text` | | nvarchar(20) |
| 39 | `vat_calculation_type` | `integer` | | int |
| 40 | `unit_cost` | `decimal` | | decimal |
| 41 | `posting_date` | `timestamptz` | | datetime |
| 42 | `dimension_set_id` | `integer` | | int |
| 43 | `prod_order_no_` | `text` | | nvarchar(20) |
| 44 | `variant_code` | `text` | | nvarchar(10) |
| 45 | `bin_code` | `text` | | nvarchar(20) |
| 46 | `qty_per_unit_of_measure` | `decimal` | | decimal |
| 47 | `unit_of_measure_code` | `text` | | nvarchar(10) |
| 48 | `quantity_base` | `decimal` | | decimal |
| 49 | `qty_invoiced_base` | `decimal` | | decimal |
| 50 | `item_category_code` | `text` | | nvarchar(20) |
| 51 | `nonstock` | `boolean` | | tinyint |
| 52 | `purchasing_code` | `text` | | nvarchar(10) |
| 53 | `product_group_code` | `text` | | nvarchar(10) |
| 54 | `special_order_sales_no_` | `text` | | nvarchar(20) |
| 55 | `special_order_sales_line_no_` | `integer` | | int |
| 56 | `requested_receipt_date` | `timestamptz` | | datetime |
| 57 | `promised_receipt_date` | `timestamptz` | | datetime |
| 58 | `lead_time_calculation` | `varchar(32)` | | varchar(32) |
| 59 | `inbound_whse_handling_time` | `varchar(32)` | | varchar(32) |
| 60 | `planned_receipt_date` | `timestamptz` | | datetime |
| 61 | `order_date` | `timestamptz` | | datetime |
| 62 | `item_charge_base_amount` | `decimal` | | decimal |
| 63 | `correction` | `boolean` | | tinyint |
| 64 | `return_reason_code` | `text` | | nvarchar(10) |
| 65 | `cmdty_value_per_lb` | `decimal` | | decimal |
| 66 | `pounds` | `decimal` | | decimal |
| 67 | `cost_per_pound` | `decimal` | | decimal |

| | | | | |
|---|---|---|---|---|
| 68 | `shipping_charge` | `boolean` | | tinyint |
| 69 | `over_receive` | `boolean` | | tinyint |
| 70 | `over_receive_verified` | `boolean` | | tinyint |
| 71 | `routing_no_` | `text` | | nvarchar(20) |
| 72 | `overhead_rate` | `decimal` | | decimal |
| 73 | `routing_reference_no_` | `integer` | | int |
| 74 | `city_state_zip_code_of_origin` | `text` | | nvarchar(50) |

## purchase_header

**Original NAV Table:** `Purchase Header`

**Columns:** 147

**Primary Key:** `(source_db, document_type, no_)`

| # | Column Name | PostgreSQL Type | PK | Original MS SQL |
|---|---|---|---|---|
| 1 | `source_db` | `text` | ✓ | nvarchar(20) |
| 2 | `hash` | `text` | | nvarchar(66) |
| 3 | `document_type` | `integer` | ✓ | int |
| 4 | `no_` | `text` | ✓ | nvarchar(20) |
| 5 | `buy_from_vendor_no_` | `text` | | nvarchar(20) |
| 6 | `pay_to_vendor_no_` | `text` | | nvarchar(20) |
| 7 | `pay_to_name` | `text` | | nvarchar(50) |
| 8 | `pay_to_address` | `text` | | nvarchar(50) |
| 9 | `pay_to_address_2` | `text` | | nvarchar(50) |
| 10 | `pay_to_city` | `text` | | nvarchar(30) |
| 11 | `pay_to_contact` | `text` | | nvarchar(50) |
| 12 | `your_reference` | `text` | | nvarchar(35) |
| 13 | `ship_to_name` | `text` | | nvarchar(50) |
| 14 | `ship_to_address` | `text` | | nvarchar(50) |
| 15 | `ship_to_address_2` | `text` | | nvarchar(50) |
| 16 | `ship_to_city` | `text` | | nvarchar(30) |
| 17 | `ship_to_contact` | `text` | | nvarchar(50) |
| 18 | `order_date` | `timestamptz` | | datetime |
| 19 | `posting_date` | `timestamptz` | | datetime |
| 20 | `expected_receipt_date` | `timestamptz` | | datetime |
| 21 | `posting_description` | `text` | | nvarchar(50) |
| 22 | `payment_terms_code` | `text` | | nvarchar(10) |
| 23 | `due_date` | `timestamptz` | | datetime |

| | | | | |
|---|---|---|---|---|
| 24 | `payment_discount` | `decimal` | | decimal |
| 25 | `pmt_discount_date` | `timestamptz` | | datetime |
| 26 | `shipment_method_code` | `text` | | nvarchar(10) |
| 27 | `location_code` | `text` | | nvarchar(10) |
| 28 | `shortcut_dimension_1_code` | `text` | | nvarchar(20) |
| 29 | `shortcut_dimension_2_code` | `text` | | nvarchar(20) |
| 30 | `vendor_posting_group` | `text` | | nvarchar(20) |
| 31 | `invoice_disc_code` | `text` | | nvarchar(20) |
| 32 | `language_code` | `text` | | nvarchar(10) |
| 33 | `purchaser_code` | `text` | | nvarchar(20) |
| 34 | `order_class` | `text` | | nvarchar(10) |
| 35 | `no_printed` | `integer` | | int |
| 36 | `on_hold` | `text` | | nvarchar(3) |
| 37 | `applies_to_doc_type` | `integer` | | int |
| 38 | `applies_to_doc_no_` | `text` | | nvarchar(20) |
| 39 | `bal_account_no_` | `text` | | nvarchar(20) |
| 40 | `receive` | `boolean` | | tinyint |
| 41 | `invoice` | `boolean` | | tinyint |
| 42 | `print_posted_documents` | `boolean` | | tinyint |
| 43 | `receiving_no_` | `text` | | nvarchar(20) |
| 44 | `posting_no_` | `text` | | nvarchar(20) |
| 45 | `last_receiving_no_` | `text` | | nvarchar(20) |
| 46 | `last_posting_no_` | `text` | | nvarchar(20) |
| 47 | `vendor_order_no_` | `text` | | nvarchar(35) |
| 48 | `vendor_shipment_no_` | `text` | | nvarchar(35) |
| 49 | `vendor_invoice_no_` | `text` | | nvarchar(35) |
| 50 | `vendor_cr_memo_no_` | `text` | | nvarchar(35) |
| 51 | `vat_registration_no_` | `text` | | nvarchar(20) |
| 52 | `sell_to_customer_no_` | `text` | | nvarchar(20) |
| 53 | `gen_bus_posting_group` | `text` | | nvarchar(20) |
| 54 | `vat_country_region_code` | `text` | | nvarchar(10) |
| 55 | `buy_from_vendor_name` | `text` | | nvarchar(50) |
| 56 | `buy_from_address` | `text` | | nvarchar(50) |
| 57 | `buy_from_address_2` | `text` | | nvarchar(50) |
| 58 | `buy_from_city` | `text` | | nvarchar(30) |
| 59 | `buy_from_contact` | `text` | | nvarchar(50) |
| 60 | `pay_to_post_code` | `text` | | nvarchar(20) |
| 61 | `pay_to_county` | `text` | | nvarchar(30) |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 62 | `pay_to_country_region_code` | `text` | | nvarchar(10) |
| 63 | `buy_from_post_code` | `text` | | nvarchar(20) |
| 64 | `buy_from_county` | `text` | | nvarchar(30) |
| 65 | `buy_from_country_region_code` | `text` | | nvarchar(10) |
| 66 | `ship_to_post_code` | `text` | | nvarchar(20) |
| 67 | `ship_to_county` | `text` | | nvarchar(30) |
| 68 | `ship_to_country_region_code` | `text` | | nvarchar(10) |
| 69 | `order_address_code` | `text` | | nvarchar(10) |
| 70 | `document_date` | `timestamptz` | | datetime |
| 71 | `payment_method_code` | `text` | | nvarchar(10) |
| 72 | `no_series` | `text` | | nvarchar(20) |
| 73 | `posting_no_series` | `text` | | nvarchar(20) |
| 74 | `receiving_no_series` | `text` | | nvarchar(20) |
| 75 | `status` | `integer` | | int |
| 76 | `invoice_discount_calculation` | `integer` | | int |
| 77 | `invoice_discount_value` | `decimal` | | decimal |
| 78 | `prepayment_no_` | `text` | | nvarchar(20) |
| 79 | `last_prepayment_no_` | `text` | | nvarchar(20) |
| 80 | `prepmt_cr_memo_no_` | `text` | | nvarchar(20) |
| 81 | `last_prepmt_cr_memo_no_` | `text` | | nvarchar(20) |
| 82 | `prepayment` | `decimal` | | decimal |
| 83 | `prepayment_no_series` | `text` | | nvarchar(20) |
| 84 | `compress_prepayment` | `boolean` | | tinyint |
| 85 | `prepayment_due_date` | `timestamptz` | | datetime |
| 86 | `prepmt_cr_memo_no_series` | `text` | | nvarchar(20) |
| 87 | `prepmt_posting_description` | `text` | | nvarchar(50) |
| 88 | `prepmt_pmt_discount_date` | `timestamptz` | | datetime |
| 89 | `prepmt_payment_terms_code` | `text` | | nvarchar(10) |
| 90 | `prepmt_payment_discount` | `decimal` | | decimal |
| 91 | `incoming_document_entry_no_` | `integer` | | int |
| 92 | `dimension_set_id` | `integer` | | int |
| 93 | `doc_no_occurrence` | `integer` | | int |
| 94 | `buy_from_contact_no_` | `text` | | nvarchar(20) |
| 95 | `pay_to_contact_no_` | `text` | | nvarchar(20) |
| 96 | `requested_receipt_date` | `timestamptz` | | datetime |
| 97 | `promised_receipt_date` | `timestamptz` | | datetime |
| 98 | `lead_time_calculation` | `varchar(32)` | | varchar(32) |
| 99 | `vendor_authorization_no_` | `text` | | nvarchar(35) |
| 100 | `return_shipment_no_series` | `text` | | nvarchar(20) |

| | | | | |
|---|---|---|---|---|
| 101 | `ship` | `boolean` | | tinyint |
| 102 | `last_return_shipment_no_` | `text` | | nvarchar(20) |
| 103 | `id` | `uuid` | | uniqueidentifier |
| 104 | `assigned_user_id` | `text` | | nvarchar(50) |
| 105 | `irs_1099_code` | `text` | | nvarchar(10) |
| 106 | `rebate_start_date` | `timestamptz` | | datetime |
| 107 | `rebate_end_date` | `timestamptz` | | datetime |
| 108 | `disposition_no_` | `text` | | nvarchar(20) |
| 109 | `offering_no_` | `text` | | nvarchar(20) |
| 110 | `rebate_doc_handling` | `integer` | | int |
| 111 | `pricing_confirm` | `text` | | nvarchar(30) |
| 112 | `labels_printed` | `boolean` | | tinyint |
| 113 | `order_closed` | `boolean` | | tinyint |
| 114 | `co_op_code` | `text` | | nvarchar(10) |
| 115 | `include_qty_for_pick` | `boolean` | | tinyint |
| 116 | `available_date` | `timestamptz` | | datetime |
| 117 | `manual_available_date` | `smallint` | | tinyint |
| 118 | `priority` | `smallint` | | tinyint |
| 119 | `drop_ship_so_no_` | `text` | | nvarchar(10) |
| 120 | `zone` | `text` | | nvarchar(20) |
| 121 | `geographic_code` | `text` | | nvarchar(20) |
| 122 | `allow_order_below_minimum` | `boolean` | | tinyint |
| 123 | `edi_order` | `boolean` | | tinyint |
| 124 | `edi_internal_doc_no_` | `text` | | nvarchar(10) |
| 125 | `edi_po_generated` | `boolean` | | tinyint |
| 126 | `edi_po_gen_date` | `timestamptz` | | datetime |
| 127 | `edi_released` | `boolean` | | tinyint |
| 128 | `edi_ship_adv_gen` | `boolean` | | tinyint |
| 129 | `edi_ship_adv_gen_date` | `timestamptz` | | datetime |
| 130 | `edi_update_int_doc_no_` | `text` | | nvarchar(10) |
| 131 | `edi_trade_partner` | `text` | | nvarchar(20) |
| 132 | `edi_buy_from_code` | `text` | | nvarchar(20) |
| 133 | `e_ship_agent_code` | `text` | | nvarchar(10) |
| 134 | `e_ship_agent_service` | `text` | | nvarchar(30) |
| 135 | `world_wide_service` | `boolean` | | tinyint |
| 136 | `residential_delivery` | `boolean` | | tinyint |
| 137 | `cod_payment` | `boolean` | | tinyint |
| 138 | `cod_cashiers_check` | `smallint` | | tinyint |
| | | | | |

| | | | | |
|---|---|---|---|---|
| 139 | `shipping_payment_type` | `integer` | | int |
| 140 | `third_party_ship_account_no_` | `text` | | nvarchar(20) |
| 141 | `shipping_insurance` | `integer` | | int |
| 142 | `e_mail_confirmation_handled` | `smallint` | | tinyint |
| 143 | `show_order` | `boolean` | | tinyint |
| 144 | `freight_vendor` | `text` | | nvarchar(20) |
| 145 | `freight_amount` | `decimal` | | decimal |
| 146 | `usda_quote_no_` | `text` | | nvarchar(10) |
| 147 | `usda_po_no_` | `text` | | nvarchar(20) |

## Indexes

### Standard Indexes (FK Columns)

All foreign key columns have B-tree indexes for join performance:

```
CREATE INDEX idx_tablename_column ON dw2_nav.tablename (column);
```

### GIN Indexes (Text Search)

Full-text search indexes on description/name columns:

```
CREATE INDEX idx_tablename_column_gin
ON dw2_nav.tablename
USING gin (to_tsvector('english', coalesce(column, '')));
```

Tables with GIN indexes:

- item (description)
- customer (name, search_name)
- contact (name, search_name)
- location (name)
- g_l_account (name, search_name)
- campaign (description)

## Migration Notes

### AWS DMS Considerations

1. **Source DB Column**: All tables include `source_db` as part of the composite primary key
2. **Hash Column**: Present for CDC (Change Data Capture) tracking
3. **No Foreign Keys**: FK constraints are documented but not enforced for ETL performance
4. **Timestamp Handling**: All datetime columns use `timestamptz` for timezone awareness

### Data Type Handling

1. **Boolean Conversion**: tinyint fields that represent flags are converted to boolean
2. **Decimal Precision**: No explicit precision allows PostgreSQL to handle arbitrary precision
3. **Text Storage**: All string fields use `text` (PostgreSQL optimizes internally)

### Index Strategy

1. Create indexes after initial data load for faster bulk import
2. Add custom indexes based on query patterns observed in production
3. Consider partial indexes for large tables with selective queries

## Files Included

| File | Description |
|---|---|
| `001_create_schema.sql` | Complete DDL for schema, tables, and indexes |
| `gsf_nav_dw2_erd.md` | Mermaid ERD diagram |
| `gsf_nav_dw2_documentation.md` | This documentation file |
| `gsf_nav_dw2_claude_code_spec.md` | Specification file for Claude Code |

**Author:** Bakhrom Botirov

**Date:** 12/08/2025

*GSF AI Transformation Project*