

Widget Configuration Guidelines

Common Properties (Applicable to All Widgets)

- **SaveField (Boolean):** If set to **true**, the data will be sent to the database; otherwise, it will only be reflected in the form PDF.
- **msLoop:** If the widget field belongs to a loop, the parent widget ID must be specified.

msAttachment

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.

msCamera

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.

msCombobox

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.
- **datasrctype:** Cache, Server, or Static.
- **datasrc:** Cache → [\$mService.dSource.cache.DATA_CACHE]; Server → customer_list; Static → [{"code":"CHN","description":"Chennai"}]. Ensure only 'code' (value) and 'description' (text) are used.

msDatebox

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.
- **format:** Used to define the date format.

msDropdownlist

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.
- **datasrctype:** Cache, Server, or Static.
- **datasrc:** Cache → [\$mService.dSource.cache.DATA_CACHE]; Server → customer_list; Static → [{"code":"CHN","description":"Chennai"}]. Ensure only 'code' (value) and 'description' (text) are used.

msFlipswitch

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.

msGeotag

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.

msImagepicker

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.
- **maxlimit:** Limits number of image captures.

msLoop

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.

msMobileNumber

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.
- **maxlen:** Limits input length.

msMultiselect

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.
- **datasrctype:** Cache, Server, or Static.
- **datasrc:** Cache → [\$mService.dSource.cache.DATA_CACHE]; Server → customer_list; Static → [{"code":"CHN","description":"Chennai"}]. Ensure only 'code' (value) and 'description' (text) are used.

msNumerictextbox

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.
- **min:** Minimum value.
- **max:** Maximum value.
- **format:** Controls decimal values.

msParentgroup

- **SaveField:** Type (true/false).
- **msLoop:** Specify parent widget ID if part of a loop.

msRadiogroup

- **SaveField:** Type (true/false).

- **msLoop**: Specify parent widget ID if part of a loop.
- **datasrctype**: Static.
- **datasrc**: Provide valid JSON as in combobox.

msSearchpopup

- **SaveField**: Type (true/false).
- **msLoop**: Specify parent widget ID if part of a loop.
- **datasrctype**: Cache, Server, or Static.
- **datasrc**: Cache → [\$mService.dSource.cache.DATA_CACHE]; Server → customer_list; Static → [{"code":"CHN","description":"Chennai"}]. Ensure only 'code' (value) and 'description' (text) are used.

msSignaturepad

- **SaveField**: Type (true/false).
- **msLoop**: Specify parent widget ID if part of a loop.

msSlider

- **SaveField**: Type (true/false).
- **msLoop**: Specify parent widget ID if part of a loop.
- **max**: Maximum value.

msTextarea

- **SaveField**: Type (true/false).
- **msLoop**: Specify parent widget ID if part of a loop.
- **maxlen**: Maximum length.

msTextbox

- **SaveField**: Type (true/false).
- **msLoop**: Specify parent widget ID if part of a loop.
- **maxlen**: Maximum length.

msTimebox

- **SaveField**: Type (true/false).
- **msLoop**: Specify parent widget ID if part of a loop.
- **interval**: Time interval.
- **format**: Time format.