

Document Version

Author	Date of Change	Description	Status
Ravi Kumar J , Alekya P	02 Feb, 2026	Initial Draft.	In Review.

1. Introduction

Configuration and applying (implementation) refer to the process of setting up, enabling, and enforcing security controls in alignment with PCI and PII compliance requirements. This includes defining access permissions, enabling encryption, configuring data masking, setting up monitoring and logging mechanisms, and establishing secure network and application settings. Once configured, these controls are actively implemented across systems, databases, and operational processes to ensure continuous protection of sensitive data, regulatory adherence, and ongoing compliance enforcement.

2. Database design

- Table Name : `stkdcompliancepolicies`

Column Name	Data Type	Description
<code>complianceId</code>	INT (PK)	Unique identifier for the system step.
<code>compliancename</code>	VARCHAR(255)	Internal/system step name (unique).
<code>displayname</code>	VARCHAR(255)	User-friendly name shown in UI.
<code>description</code>	VARCHAR(255)	Brief description of the step.

Actions	JSON	(block,encrypt,placeholder,mask)
confidence_threshold	INT	Execution threshold.
order_by	INT	Priority of the compliance
base_url	varchar(255)	Python endpoint
custom_Configuration	JSON	Execution configuration (API, email, retry, etc.).
display_settings	JSON	UI display behavior and rules.
is_active	TINYINT(1)	Whether the step is active.
is_deleted	TINYINT(1)	Soft-delete flag.
created_by	VARCHAR(50)	Created by user/system.
created_on	DATETIME	Creation timestamp.
last_updated_by	VARCHAR(50)	Last updated by user/system.
last_updated_on	DATETIME	Last update timestamp.
version_no	VARCHAR(10)	Version identifier of the step.

C/C++

Controler : App Controller

API : **compliance-policies**

polycynam e	description	Actions			

Table Name : stkxagentcompliancepolicies

Column Name	Data Type	Description
agentcomplianceId	INT (PK)	Unique identifier for the system step.
complianceId	INT NOT NULL	
agentId	INT NOT NULL	Internal/system step name (unique).
app_id	INT	Execution or display order.
actionType	INT	Execution configuration (API, email, retry, etc.).

custom_config	JSON	
is_active	TINYINT(1)	Whether the step is active.
is_deleted	TINYINT(1)	Soft-delete flag.
created_by	VARCHAR(50)	Created by user/system.
created_on	DATETIME	Creation timestamp.
last_updated_by	VARCHAR(50)	Last updated by user/system.
last_updated_on	DATETIME	Last update timestamp.
version_no	VARCHAR(10)	Version identifier of the step.

Controller : AIAgentController

C/C++

Controler : AIAgentController
API : {agentId}/compliance-policies
 {agentId}/compliance-policies/submit