Ex.No.: 1	CREATION OF BASE TABLE AND
Date:	DML OPERATIONS

AIM:

ALGORITHM:

STEP-1: Start.

STEP-2: Create a base Table

Syntax:
> CREATE TABLE <table name> (column1 type, column2 type, ...);

STEP-3: Describe the Table structure

Syntax:
> DESC <table name>

STEP-4: Add a new row to a Table using INSERT statement.

Syntax:
- INSERT INTO <table name> VALUES (value1, value2..);

- INSERT INTO <table name> (column1, column2..)
  VALUES (value1, value2..);

- INSERT INTO <table name>VALUES (&column1,'&column');

STEP-5: Modify the existing rows in the base Table with UPDATE statement.

Syntax:
> UPDATE <table name> SET column1=value, column2 = 'value'
> WHERE (condition);

STEP-6: Remove the existing rows from the Table using DELETE statement.

Syntax:
> DELETE FROM <table name> WHERE <condition>;

STEP-7: Perform a Query using SELECT statement.

Syntax:
> SELECT [DISTINCT] {*,<column1,...>} FROM <table name>
> WHERE <condition>;

NAME	NULL?	TYPE
ID	Not null	Number(4)
Last_name		Varchar(25)
First_name		Varchar(25)
Userid		Varchar(25)
Salary		Number(9,2)

CREATE Table MY.EMPLOYEE(ID number NOTNULL, Last_name varchar(25), first_name varchar(25), userid varchar (25), salary number (9,2));

2. Add the first and second rows data to MY_EMPLOYEE table from the following sample data.

ID	Last_name	First_name	Userid	salary
1	Patel	Ralph	rpatel	895
2	Dancs	Betty	bdancs	860
3	Biri	Ben	bbiri	1100
4	Newman	Chad	Cnewman	750
5	Ropebur	Audrey	aropebur	1550

INSERT INTO MY-EMPLOYEE VALUES (1, 'Patel', 'Ralph', 'rpatel', 895);
INSERT INTO MY-EMPLOYEE VALUES(2, 'Dancs', 'Betly', 'bdances', 860);

3. Display the table with values.

SELECT* FROM MY_EMPLOYEE;

4. Populate the next two rows of data from the sample data. Concatenate the first letter of the first_name with the first seven characters of the last_name to produce Userid.

INSERT INTO MY-EMPLOYEE VALUES ('3', 'BIRI', 'Ben', 'bbiri', 1100);
INSERT INTO MY-EMPLOYEE VALUES('4', 'Newman', 'chad', 'cnewman', 750);

5. Delete Betty dancs from MY _EMPLOYEE table.

DELETE FROM MY-EMPLOYEE WHERE ID=2;

6. Empty the fourth row of the emp table.

DELETE FROM MY-EMPLOYEE WHERE ID = 4;

7. Make the data additions permanent.

COMMIT;

8. Change the last name of employee 3 to Drexler.

UPDATE MY-EMPLOYEE SET Last-name = 'Drexler'
where ID = 3

9. Change the salary to 1000 for all the employees with a salary less than 900.

UPDATE MY-EMPLOYEE SET Salary = 1000 WHERE salary < 900;

Evaluation Procedure	Marks awarded
Query(5)	5
Execution (5)	5
Viva(5)	4
Total (15)	14
Faculty Signature	A