

## EXP 4: WEB FORM DEVELOPED USING SERVLET PROGRAM

### AIM:

To create a web form that accepts a user's name and age, processes the data using JavaScript, and displays the submitted details with a stylish UI and animations.

### ALGORITHM:

#### Step 1: Start

#### Step 2: Design the Web Form

- Create an HTML form with two input fields:

    ◦ Name (Text Input) ◦  
Age (Number Input)    Add  
a submit button.

#### Step 3: Apply CSS Styles

- Use **gradient background, smooth input effects, button hover effects, and animations.**
- Style the form, inputs, button, and result display area.

#### Step 4: Write JavaScript for Form Handling

- Attach an **event listener** to the form submit event.
- Get user input values (`name` and `age`).
- Validate input fields (ensure **name is not empty** and **age is valid**).
- If validation fails, **show an alert**.
- If valid, display the submitted details dynamically.

#### Step 5: Show Output Dynamically

- Use JavaScript to update the UI and **display the submitted data in a formatted box**.
  - ◻ Use **smooth animations** for better user experience.

#### Step 6: End

## PROGRAM:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>User Form</title>

  <style>

    /* Import Google Font */

    @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600&display=swap');

    /* Page Styling */

body {

  font-family: 'Poppins', sans-serif;

  background: linear-gradient(135deg, #ff9a9e, #fad0c4);

display: flex;      justify-content: center;      align-
items: center;      height: 100vh;      margin: 0;

  animation: fadeIn 1s ease-in-out;

}

    /* Form Container */

.container {

background: white;

padding: 25px;

border-radius: 12px;

  box-shadow: 0px 5px 15px rgba(0, 0, 0, 0.2);

width: 350px;

  text-align: center;      transition:

transform 0.3s ease-in-out;
```

```
}
```

```
.container:hover {  
transform: scale(1.05);  
}  
h2 {          color: #ff4d6d;          font-  
weight: 600;          margin-bottom: 15px;  
text-shadow: 1px 1px 2px rgba(0, 0, 0, 0.2);  
}
```

```
/* Input Fields */  
label {          font-weight:  
600;          color: #444;  
display: block;  
margin: 10px 0 5px;  
}  
input {          width:  
100%;          padding: 10px;  
border: 2px solid #ff4d6d;  
border-radius: 8px;          font-  
size: 16px;          outline: none;  
  
transition: all 0.3s ease-in-out;  
}
```

```
input:focus {  
border-color: #ff165d;  
box-shadow: 0px 0px 10px rgba(255, 22, 93, 0.4);  
}
```

```
/* Submit Button */  
  
button {  
    background: #ff4d6d;  
    color: white;  
    border: none;  
    padding: 12px;  
    cursor: pointer;  
    width: 100%;  
    font-size: 18px;  
    font-weight: 600;  
    border-radius: 8px;  
    margin-top: 15px;  
    transition: background 0.3s ease-in-out, transform 0.2s;  
}
```

```
    button:hover {  
        background: #ff165d;  
        transform: scale(1.05);  
    }
```

```
    button:active {  
        transform: scale(0.95);  
    }
```

```
/* Output Box */  
  
.output {  
    display: none;  
    margin-top: 20px;  
    padding: 15px;  
    border-radius: 8px;  
    background: #e0f7fa;  
    color: #00796b;  
    font-
```

```

size: 16px;      text-
align: left;

    box-shadow: 0px 4px 10px rgba(0, 0, 0, 0.1);
animation: slideIn 0.5s ease-in-out;
    }

/* Animations */
@keyframes fadeIn {
    from { opacity: 0; transform: translateY(-10px); }
to { opacity: 1; transform: translateY(0); }
    }

@keyframes slideIn {
    from { opacity: 0; transform: translateY(20px); }
to { opacity: 1; transform: translateY(0); }
    }
</style>
</head>
<body>
    <div class="container">
        <h2>Enter Your Details</h2>
        <form id="userForm">
            <label for="name">Name:</label>
            <input type="text" id="name" name="name" required placeholder="Enter your
name...">

            <label for="age">Age:</label>
            <input type="number" id="age" name="age" required placeholder="Enter your
age...">

            <button type="submit">Submit</button>

```

```
</form>

<div class="output" id="output"></div>
</div>


<script>
    document.getElementById("userForm").addEventListener("submit", function(event) {
        event.preventDefault(); // Prevent form submission

        let name = document.getElementById("name").value.trim();
        let age = document.getElementById("age").value.trim();

        if (name === "" || age === "" || age <= 0) {
            alert("⚠ Please enter a valid name and age.");
            return;
        }

        // Display the submitted data with an animation
        let outputBox = document.getElementById("output");
        outputBox.innerHTML =
            `<h3>✔ Submitted Details</h3>
            <p><b>Name:</b> ${name}</p>
            <p><b>Age:</b> ${age}</p>`;
        outputBox.style.display = "block";
    });
</script>
</body>
</html>
```

**OUTPUT:**



The screenshot displays a web form with a light gray background. At the top, the title "Enter Your Details" is centered in a bold, black font. Below the title, there are two input fields: the first is a light blue box containing the text "Karthik", and the second is a white box containing the text "19". A green "Submit" button is positioned below these fields. At the bottom, a light gray box contains the confirmation text "Name: Karthik" and "Age: 19" in a bold, black font.

**RESULT:** The creation of web form using servlet program was executed successfully.