PRELIMINARY

ECO	STATUS
	CONCEPT

NOTES: UNLESS OTHERWISE SPECIFIED:

1. APPLICABLE STANDARDS/SPECIFICATIONS:
ASME Y14.5-2009, DIMENSIONING AND TOLERANCING.
ASME Y14.38-1999, ABBREVIATIONS AND ACRONYMS.
ANSI/AWS A2.4, STANDARD SYMBOLS FOR WELDING, BRAZING, AND NONDESTRUCTIVE EXAMINATION.
WELD IN ACCORDANCE WITH APPLIED MATERIALS 0250-52749.
WELD PER AWS D1.1 STRUCTURAL CODE - STEEL.
INSPECT WELDS BEFORE COATING OR PAINT.
ALL WELDS TO COMPLETE JOINT PENETRATION (CJP) UNLESS OTHERWISE SPECIFIED.
APPLIED MATERIALS 0251-05096: INCH/MILLIMETER CONVERSION PROCEDURE.

2. SHALL COMPLY WITH PRODUCT EHS REQUIREMENTS PER APPLIED MATERIALS 0250-27105.

3. SEE PQC APPENDIX FOR PART QUALIFICATION AND QUALITY CONTROL REQUIREMENTS PER IQMS 04.4-01-11.

4. MINIMUM BEND RADIUS AND BEND RELIEF, NO STRESS CRACKING, AND MAXIMUM BEND RADIUS NOT TO EXCEED 1X MATERIAL THICKNESS.

5. MANUFACTURE PER APPLIED MATERIALS 0250-63737.

6. ALTERNATE MATERIALS ALLOWED PER APPLIED MATERIALS 0250-46767.

7. ALL WELDS TO BE CONTINUOUS AND GROUND TO MATCH BEND RADIUS UNLESS SPECIFIED, FILL BEND RELIEFS AND BLEND TO CONTOUR.

△8 INSTALL PER MANUFACTURER'S INSTRUCTIONS.

△9 SEE ASSEMBLY MODEL FOR POSITION AND ORIENTATION.

10. THREADS: MUST MEET CLASS AND LOCATION REQUIREMENTS, INTERNAL OR EXTERNAL, MINIMUM 3 FULL THREADS. PROCESS NOT SPECIFIED, (I.E. CUTTING TAP, ROLL FORM, PUNCH EXTRUDE, FORM DRILL, WELD STUD OR OTHER).

11. ALL TAPPED HOLES TO BE FREE OF RUST AND PAINT.

△12 CONDUCTIVE GROUND AREA: MASK INDICATED AREA BEFORE FINISH PAINTING. ZINC PLATE INDICATED AREA PER 0250-01021,SECTION 3.3.8.3 ALLOW AREAS <12 SQUARE INCHES FOR ZINC BRUSH PLATE PER 0250-01021,SECTION 3.3.8.3 (MIL-STD-865, 4.2.2.4). TREAT THREADED FEATURES PER 0250-01021,SECTION 3.3.5.3. COSMETIC PER 0250-01019, APPENDIX D, CODE III-C ON THESE AREAS ONLY.

△13 NO PAINT AREA: MASK INDICATED AREAS FROM FINAL FINISH PER 0250-01021 SECTION 3.3.5.

14. PAINT PER APPLIED MATERIALS 0250-01021, FS41-2085,SMOOTH, CLASS B SURFACE. (SKY WHITE).

15. ALL DIMENSIONS APPLY AFTER PAINTING.

△16 CRITICAL WELD. FULL SIZE MOCKUP REQUIRED OF THESE WELD JOINTS FOR WPS DOCUMENTATION AND WELDER QUALIFICATION. MOCKUP TO BE REVIEWED AND APPROVED BY WELDING ENGINEERING PRIOR TO FABRICATION.

17. COSMETIC PER APPLIED MATERIALS 0250-01019, APPENDIX D, CODE III-C. EXCEPT FOR AREAS DEFINED IN NOTE 11.

△18 IDENTIFY PER APPLIED MATERIALS 0250-01033, METHOD 3. LOCATE APPROXIMATELY WHERE SHOWN AND IN THE SAME ORIENTATION OF THE PART MARKING SYMBOL.

19. PACKAGE PER APPLIED MATERIALS 0250-00098.

CRITICAL ITEM

ITEM	QTY	PART NO.	DESCRIPTION	TcENG NO.
30	14	3810-01034	STUDSELF CLINCH 10-32 X 5/8L SST FLUSH HD	(TC1-0062787)
29	3	3810-00155	STUD SELF CLINCH 10-32 X 3/8I STL FLUSH HD SST	(TC2-0692922)
28	4	3810-00641	SELF-CLINCHING THREADED STUDS, 5/16-18 THREAD, .75 LONG	(TC3-3139316)
27	36	3640-00333	RIVET, BLIND, OPEN END, CSK HD, 3/16, .251-.375, GRIP, STL BODY ZNC PLT, STL MANDREL	(TC3-5561249)
26	36	3640-00294	RIVET, BLIND, OPEN END, DOME HD, 3/16 DIA, .251-.375 GRIP, STL BODY ZNC PLT, STL MANDREL	(TC3-4530448)
25	4	3500-02001	NUT CLINCH 8-32 STEEL ZINC-CLEAR MIN SHT THK .090	(TC2-2110969)
24	72	3500-01792	NUT CLINCH 10-32 STEEL ZINC-CLEAR MIN SHT THK .090	(TC2-1679289)
23	18	3500-00902	NUT CLINCH 1/4-20 STEEL ZINC-CLEAR MIN SHT THK .125	(TC2-0925822)
22	80	3500-00615	NUT CLINCH 3/8-16 STEEL ZINC-CLEAR MIN SHT THK .125	(TC1-0391990)
21	2		SHEET, MATERIAL: HRS .135 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6760470)
20	2		SHEET, MATERIAL: HRS .135 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6760468)
19	1		SHEET, MATERIAL: HRS .135 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753988)
18	1		SHEET, MATERIAL: HRS .135 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753987)
17	1		SHEET, MATERIAL: HRS .135 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753959)
16	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753961)
15	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753960)
14	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6754759)
13	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6754758)
12	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753945)
11	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753944)
10	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753896)
9	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753895)
8	2		SHEET, MATERIAL: HRS .250 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6758557)
7	2		SHEET, MATERIAL: HRS .250 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-7267820)
6	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6756806)
5	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6758380)
4	2		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6756803)
3	2		PL HRS A569/A36 .75IN OR CR 1018 BAR	(TC3-6756034)
2	2		PL HRS A569/A36 .75IN OR CR 1018 BAR	(TC3-6756036)
1	1		SHEET, MATERIAL: HRS .179 INCH THK PER ASTM A1011-CS-TYPE B, P&O	(TC3-6753718)

APPROVALS		DATE
DESIGNED BY	ABHISHEK KS	30-Mar-2026
DRAWN BY	ABHISHEK KS	30-Mar-2026
REVISED BY	Abhishek K S	24-Jun-2026
MFG ENGR		
CHECKED BY		

TOLERANCES: DECIMALS .XX ± .03, .XXX ± .015; ANGLES ±1°; SURFACES 125

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES. REMOVE BURRS AND SHARP EDGES.

MATERIAL: SEE BOM

FINISH: SEE NOTES

THIRD ANGLE PROJECTION

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.

APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054


TITLE: UPPER FRAME


SIZE D | PART NO. 0043-23659 | REV 02

WEIGHT 200.86LB REF | SHEET 1 OF 11

TcENG NO. TC3-6832167

0250-31854 REV 10





APPLIED MATERIALS®

3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE

UPPER FRAME


SIZE D | PART NO. 0043-23659 | REV 02


WEIGHT 200.86LB REF | SHEET 2 OF 11


TCENG NO. TC3-6832167


APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF **APPLIED MATERIALS INC.**

COMPONENTS HIDDEN FOR CLARITY.











APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054


TITLE
UPPER FRAME


APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF **APPLIED MATERIALS INC.**

SIZE	PART NO.	REV
D	0043-23659	02
WEIGHT	200.86LB REF	SHEET 3 OF 11
TcENG NO.	TC3-6832167	











SECTION B - B



SECTION C - C



SECTION A - A

APPLIED MATERIALS®

3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE


UPPER FRAME


SIZE D | PART NO. 0043-23659 | REV 02


WEIGHT 200.86LB REF | SHEET 4 OF 11


TcENG NO. TC3-6832167

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF **APPLIED MATERIALS INC.**










SECTION E-E
SH 4




SECTION D-D
SH 4

APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE
UPPER FRAME

SIZE D | PART NO. 0043-23659 | REV 02
WEIGHT 200.86LB REF | SHEET 5 OF 11
TcENG NO. TC3-6832167

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF **APPLIED MATERIALS INC.**



APPLIED MATERIALS®

3050 BOWERS AVE., SANTA CLARA, CA 95054


TITLE: UPPER FRAME


SIZE D | PART NO. 0043-23659 | REV 02


WEIGHT 200.86LB REF | SHEET 6 OF 11


TCENG NO. TC3-6832167


APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.






















VIEW J-J




DETAIL K



ITEM 21



ITEM 17



APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.


APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE: UPPER FRAME


SIZE	PART NO.	REV
D	0043-23659	02
WEIGHT 200.86LB REF		SHEET 7 OF 11


TcENG NO. TC3-6832167


0250-31854 REV 10




ITEM 13













ITEM 14













ITEM 15







ITEM 16




APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.


APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE
UPPER FRAME

SIZE	PART NO.	REV
D	0043-23659	02
WEIGHT		SHEET
200.86LB REF		8 OF 11

TCENG NO. TC3-6832167







TITLE	UPPER FRAME
SIZE	D
PART NO.	0043-23659
REV	02
WEIGHT	200.86LB REF
SHEET	9 OF 11
TCENG NO.	TC3-6832167

APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF **APPLIED MATERIALS INC.**





APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054


TITLE: UPPER FRAME


SIZE D | PART NO. 0043-23659 | REV 02

WEIGHT 200.86LB REF | SHEET 10 OF 11


TcENG NO. TC3-6832167

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF **APPLIED MATERIALS INC.**







ITEM 6




DETAIL N

ITEM 4






ITEM 5




SECTION R-R


ITEM 3




ITEM 2



SECTION P-P



ITEM 8



ITEM 7

APPLIED MATERIALS®

3050 BOWERS AVE., SANTA CLARA, CA 95054

TITLE: UPPER FRAME

SIZE D | PART NO. 0043-23659 | REV 02

WEIGHT 200.86LB REF | SHEET 11 OF 11

TCENG NO. TC3-6832167

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.

PART QUALIFICATION & QUALITY CONTROLS (PQC) TABLE

PART NUMBER: 0043-23659 **REV:** 02 **CLASSIFICATION:** CRITICAL

PART DESCRIPTION: UPPER FRAME

QUALIFICATION REQUIREMENTS	REQ.
FAI: FIRST ARTICLE INSPECTION	YES
PPI: PART TO PRINT METROLOGY INSP.	YES
CRAMS: COMPONENT RELIABILITY, AVAILABILITY, MAINTAINABILITY AND SAFETY TESTING	NO
PQP-D: PART QUALIFICATION PROCESS (DOCUMENTATION)	NO

QUALITY CONTROL REQUIREMENTS	REQ.
SL: SUPPLIER LOCK	YES
PQP-V: PART QUALIFICATION PROCESS (VALIDATION)	NO
COC: CERTIFICATE OF COMPLIANCE	YES
PQR: PRODUCT QUALITY REPORT	YES
SPC: STATISTICAL PROCESS CONTROL	YES
SNT: SERIAL NUMBER TRACKING	YES
FRD: FUNCTIONAL REQUIREMENT DOCUMENT	NO
VSC: VIRUS SCAN CERTIFICATE	NO

REFERENCE APPLIED MATERIALS SPECIFICATION 04.4-01-11
FOR PROCEDURES RELATED TO INDICATED REQUIREMENTS

UNLESS SPECIFIED BY AN APPLIED MATERIALS REPRESENTATIVE, ALL PQC CONTROLS SPECIFIED AS 'YES' REQUIRE COMPLETION ONLY WHILE AT EVAL, NSR_CES, OR PRODUCTION STATUS

REQUIREMENTS LEGEND:

YES - REQUIRED

NO - NOT REQUIRED

APPLIED MATERIALS®
3050 BOWERS AVE., SANTA CLARA, CA 95054

PQC APPENDIX

APPLIED MATERIALS CONFIDENTIAL: THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, AND CANNOT BE COPIED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF APPLIED MATERIALS INC.