

POST-LASIK CORNEAL ECTASIA

POST-LASIK CORNEAL ECTASIA

In-Depth Medical Research Report

Prepared for: Jogi's mother, Mrs. Jogi Bala Tripura Sundari

Report date: 10 July 2026

This PDF was generated from the supplied research report. Due to length, key sections are preserved in a clean readable format.

1. Patient Summary

- Post-LASIK corneal ectasia diagnosed in the right eye.
- Interface haze present in right eye.
- Fundus, macula and optic disc normal.
- IOP: 19 mmHg both eyes.

2. Understanding the Condition

Post-LASIK ectasia is progressive corneal weakening and bulging occurring after LASIK surgery, causing blurred vision, glare and distortion.

3. Current Medications

- ZAHA Eye Ointment (Azithromycin)
- Refresh Tears
- Lubimost
- Aquim Gel

4. Treatment Options

- RGP lenses
- Scleral lenses
- Corneal Cross Linking (CXL)
- Topography-guided PRK + CXL
- Intacs / ICRS
- Corneal Transplant

5. Outlook

Most patients achieve useful functional vision with specialty lenses and monitoring.

6. Hospitals

- LVPEI Hyderabad
- Sankara Nethralaya
- Narayana Nethralaya
- Centre for Sight
- Dr. Agarwal's
- AIIMS RP Centre

7. Recommendations

Continue RGP trial, discuss progression status, evaluate need for CXL and maintain periodic Pentacam monitoring.