

# Winning Space Race with Data Science

Karthik M K 21-Nov-2022



### **Outline**

- Executive Summary
- Introduction
- Methodology
- Results
- Conclusion
- Appendix

# **Executive Summary**

- Summary of methodologies
  - Data collection through web scraping and API
  - Exploratory Data Analysis with SQL and data visualization
  - Maps with folium
  - Dashboards with Plotly Dash
  - Machine Learning Prediction
- Summary of all results
  - EDA results
  - Interactive maps and dashboards
  - Prediction results

### Introduction

### Objective:

- The object of this research is to forecast whether the Falcon 9 first stage will successfully land.
- The launch of the Falcon 9 rocket, according to SpaceX, cost 62 million dollars.
- The price of a launch can be calculated by assessing if the stage will land.
- If another business plans to compete with SpaceX for a rocket launch, this information may be useful.

### Desirables

- What are the features required for predicting successful or failed landings?
- Which are the best places to achieve successful landing rate?




# Methodology

- Data collection via public sources
  - SpaceX API (<a href="https://api.spacexdata.com/v4/rockets/">https://api.spacexdata.com/v4/rockets/</a>)
  - Web Scraping (https://en.wikipedia.org/wiki/List of Falcon/ 9/ and Falcon Heavy launches)
- Perform data wrangling
  - Determined training labels
- Perform EDA with SQL and visualization
- Perform visual analytics using folium and Plotly
- Perform predictive analysis using classification models
  - Train test split
  - Model building and finding accuracy of each using different parameters

### **Data Collection with API**

This API was used according to the flowchart.



• <u>Source : SpaceY/Data Collection API.ipynb at master · KarthikMK21/SpaceY (github.com)</u>

### **Data Collection with**

 The data can also be collected through web scraping from Wikipedia as shown in the below chart

Request the Falcon9 Launch Wiki page

Extract all column names from the HTML table header

Create a data frame by parsing the launch HTML tables

Source: SpaceY/Data Collection with Web Scraping.ipynb at master · KarthikMK21/SpaceY (github.com)

# **Data Wrangling**

- EDA for finding some patterns in the data
- Determining what would be the label for training supervised models was the main objective of this process.
- The summaries launches per site, occurrences of each orbit and occurrences of mission outcome per orbit type were calculated.
- Finally, the landing outcome label was created from Outcome column.

 Source : <u>SpaceY/EDA.ipynb at master · KarthikMK21/SpaceY</u> (github.com)

### **EDA** with Data Visualization

- Scatter plots, Bar Graphs and Line graph were used to perform EDA for following characteristics
- Scatter Plot
  - Flight Number vs. Payload Mass
  - Flight Number vs. Launch Site
  - Payload vs. Launch Site
  - Orbit vs. Flight Number
  - Payload vs. Orbit Type

- Bar Graph
  - Success Rate vs Orbit Type

- Line Chart
  - Success Rate vs Year

Source: SpaceY/EDA Using Visualization.ipynb at master · KarthikMK21/SpaceY (github.com)

### **EDA** with SQL

Following SQL queries were performed on the data

- Displaying the names of the unique launch sites in the space mission.
- Display 5 records where launch sites begin with the string 'CCA'
- Display the total payload mass carried by boosters launched by NASA (CRS).
- Display average payload mass carried by booster version F9 v1.1.
- List the date when the first successful landing outcome in ground pad was achieved.
- List the names of the boosters which have success in drone ship and have payload mass greater than 4000 but less than 6000.
- List the total number of successful and failure mission outcomes.
- List the names of the booster versions which have carried the maximum payload mass.
- List the records which will display the month names, failure landing outcomes in drone ship, booster versions, launch site for the months in year 2015.
- Rank the count of successful landing outcomes between the date 04-06-2010 and 20-03-2017 in descending order

Source: SpaceY/EDA with SQL.ipynb at master · KarthikMK21/SpaceY (github.com)

# Build an Interactive Map with Folium

Markers, circles, lines and marker clusters were used with Folium Maps

- Markers indicate points like launch sites
- Circles indicate highlighted areas around specific coordinates, like NASA Johnson Space Center
- Marker clusters indicates groups of events in each coordinate, like launches in a launch site
- Lines are used to indicate distances between two coordinates.

Source: <u>Dashoboard with folium - Jupyter Notebook</u>

# Build a Dashboard with Plotly Dash

- The following graphs and plots were used to visualize data
  - Percentage of launches by site
  - Payload range
- This combination allows to quickly analyze the relation between payloads and launch sites, helping to identify which is the best place to launch according to payloads.

Source: SpaceY/spacex dash app.py at master · KarthikMK21/SpaceY (github.com)

# Predictive Analysis (Classification)

- Four classification models were built to test the model
  - 1. Logistic Regression
  - 2. Support Vector Machine
  - 3. Decision Tree
  - 4. K Nearest Neighbors

By processing through data standardization, testing through various hyperparameters and comparing the results


Source: SpaceY/Machine Learning Prediction.ipynb at master · KarthikMK21/SpaceY (github.com)

### Results

- Exploratory data analysis results
- Interactive analytics demo in screenshots
- Predictive analysis results




# Flight Number vs. Launch Site




We see that different launch sites have different success rates. CCAFS LC-40 has a success rate of 60% while KSC LC-39A and VAFB SLC 4E has a success rate of 77%.

# Payload vs. Launch Site




• Now if you observe Payload Vs. Launch Site scatter point chart you will find for the VAFB-SLC launch site there are no rockets launched for heavy payload mass(greater than 10000).

# Success Rate vs. Orbit Type




• ES-L1, GEO, HEO, SSO have the best success rate.

# Flight Number vs. Orbit Type




 You should see that in the LEO orbit the Success appears related to the number of flights; on the other hand, there seems to be no relationship between flight number when in GTO orbit.

# Payload vs. Orbit Type



• With heavy payloads the successful landing or positive landing rate are more for Polar, LEO and ISS.

# Launch Success Yearly Trend



• We can observe that the success rate since 2013 kept increasing till 2020

### All Launch Site Names

Names of the unique launch sites in the space mission.

#### launch\_site

CCAFS LC-40

CCAFS SLC-40

KSC LC-39A

VAFB SLC-4E

# Launch Site Names Begin with 'CCA'

DATE	time_utc_	booster_version	launch_site	payload	payload_masskg_	orbit	customer	mission_outcome	landing_outcome
2010-06- 04	18:45:00	F9 v1.0 B0003	CCAFS LC- 40	Dragon Spacecraft Qualification Unit	0	LEO	SpaceX	Success	Failure (parachute)
2010-12- 08	15:43:00	F9 v1.0 B0004	CCAFS LC- 40	Dragon demo flight C1, two CubeSats, barrel of Brouere cheese	0	LEO (ISS)	NASA (COTS) NRO	Success	Failure (parachute)
2012-05- 22	07:44:00	F9 v1.0 B0005	CCAFS LC- 40	Dragon demo flight C2	525	LEO (ISS)	NASA (COTS)	Success	No attempt
2012-10- 08	00:35:00	F9 v1.0 B0006	CCAFS LC- 40	SpaceX CRS-1	500	LEO (ISS)	NASA (CRS)	Success	No attempt
2013-03- 01	15:10:00	F9 v1.0 B0007	CCAFS LC- 40	SpaceX CRS-2	677	LEO (ISS)	NASA (CRS)	Success	No attempt

# **Total Payload Mass**

 The total payload mass carried by boosters launched by NASA (CRS) is 111,268

# Average Payload Mass by F9 v1.1

Average payload mass carried by booster version F9
 v1.1 is 2,928 kg

# First Successful Ground Landing Date

 The date when the first successful landing outcome in ground pad was achieved on 22-12-2015

#### Successful Drone Ship Landing with Payload between 4000 and 6000

#### booster\_version

F9 FT B1022

F9 FT B1026

F9 FT B1021.2

F9 FT B1031.2

### Total Number of Successful and Failure Mission Outcomes

mission_outcome	no_of_outcome
Failure (in flight)	1
Success	99
Success (payload status unclear)	1

# **Boosters Carried Maximum Payload**

#### booster\_version

F9 B5 B1048.4

F9 B5 B1048.5

F9 B5 B1049.4

F9 B5 B1049.5

F9 B5 B1049.7

F9 B5 B1051.3

F9 B5 B1051.4

F9 B5 B1051.6

F9 B5 B1056.4

F9 B5 B1058.3

F9 B5 B1060.2

F9 B5 B1060.3

### 2015 Launch Records

booster_version	launch_site	
F9 v1.1 B1012	CCAFS LC-40	
F9 v1.1 B1015	CCAFS LC-40	


### Rank Landing Outcomes Between 2010-06-04 and 2017-03-20

landing_outcome	rank_of_outcomes
No attempt	10
Failure (drone ship)	5
Success (drone ship)	5
Controlled (ocean)	3
Success (ground pad)	3
Failure (parachute)	2
Uncontrolled (ocean)	2
Precluded (drone ship)	1




### **Ground Stations**

• The Launch Sites are located at coastal regions



# **Launch Outcomes**



KSC LC-39A launch site outcomes where green markers indicate successful and red markers indicate failed outcomes

# Logistics


• We can observe that CCAFS SLC-40 launch site has good logistical aspects as it is near to the coastline






# Successful Launches by site

• KSC:C-39A has best successful launch rates



### Total successful launches for KSC :C-39A

• We can observe that KSC: C-39A has 76.9% successful launch rate




# Payload Mass vs Outcome

Low weighted payloads have best success than high weighted payloads






# **Classification Accuracy**



For the test data accuracy among all models gave the same results. We can get accurate results using different test size but as per given condition decision tree model has better accuracy compared to rest.

	Models	Accuracy Train	Accuracy Test
0	Logreg	0.846429	0.833333
1	Svm	0.848214	0.833333
2	Tree	0.875000	0.833333
3	Knn	0.848214	0.833333

### **Confusion Matrix**



As the test accuracy of all models are same, the confusion matrix of all 4 models are identical. The model accuracy is less due to the prediction of false positives which is 3 in this case.

### **Conclusions**

- The success of this mission can be explained by various factors such as the launch site, the orbit and the number of previous launches.
- GEO, HEO, SSO, ES-L1 are the orbits with best successful launch rates.
- Depending on the orbits, the payload mass can be a criteria for the success of this mission. But the low weighted payloads perform better than the heavy weighted payloads.
- We chose the Decision Tree Algorithm as the best model even if the test accuracy between all the models are identical. We chose Decision Tree Algorithm because it has a better train accuracy.

# **Appendix**

• Hyperlink may not work at all the source codes, copy paste the links on website to find the sources.

