

PRODUCT SALE ANALYSIS

DATA ANALYTICS WITH

COGNOS:GROUP2 PHASE:3

This phase involves in designing of the steps that defining in each phase of the previous documentation this involves importing necessary functions, data processing and so on in this phase we have to begin our project by loading and preprocessing the dataset.

The IBM suggests using the jupyter notebook for loading and preprocess the dataset:

Here for this project title we need to define the loading the libraries, understand the data and visualize the missing values.

For this certain inputs are defined for this project.in this phase each of the input lines of the project is given as follows:

MUDHULVAN

```
import pandas as pd
import numpy as np
```

```
df = pd.read_csv('statsfinal.csv')
```

```
df.head
```

```
<bound method NDFrame.head of Unnamed: 0 Date Q-P1 Q-P2 Q-P3 Q-P4 S-P1 S-P2 \
```

```
0 0 13-06-2010 5422 3725 576 907 17187.74 23616.50
```

```
1 1 14-06-2010 7047 779 3578 1574 22338.99 4938.86
```

```
2 2 15-06-2010 1572 2082 595 1145 4983.24 13199.88
```

```
3 3 16-06-2010 5657 2399 3140 1672 17932.69 15209.66
```

```
4 4 17-06-2010 3668 3207 2184 708 11627.56 20332.38
```

```
... ..
```

```
4595 4595 30-01-2023 2476 3419 525 1359 7848.92 21676.46
```

```
4596 4596 31-01-2023 7446 841 4825 1311 23603.82 5331.94
```

```
4597 4597 01-02-2023 6289 3143 3588 474 19936.13 19926.62
```

```
4598 4598 02-02-2023 3122 1188 5899 517 9896.74 7531.92
```

```
4599 4599 03-02-2023 1234 3854 2321 406 3911.78 24434.36
```

```
S-P3 S-P4
```

```
0 3121.92 6466.91
1 19392.76 11222.62
2 3224.90 8163.85
3 17018.80 11921.36
4 11837.28 5048.04
... ..
4595 2845.50 9689.67
4596 26151.50 9347.43
4597 19446.96 3379.62
4598 31972.58 3686.21
4599 12579.82 2894.78
```

```
[4600 rows x 10 columns]>
```

```
df.shape
```

```
(4600, 10)
```

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 4600 entries, 0 to 4599
```

```
Data columns (total 10 columns):
```

```
# Column Non-Null Count Dtype
```

```
-----
```

```
0 Unnamed: 0 4600 non-null int64
```

```
1 Date 4600 non-null object
```

```
2 Q-P1 4600 non-null int64
```

```
3 Q-P2 4600 non-null int64
```

```
4 Q-P3 4600 non-null int64
```

```
5 Q-P4 4600 non-null int64
```

```
6 S-P1 4600 non-null float64
```

```
7 S-P2 4600 non-null float64
```

```
8 S-P3 4600 non-null float64
```

```
9 S-P4 4600 non-null float64
```

```
dtypes: float64(4), int64(5), object(1)
```

```
memory usage: 359.5+ KB
```

```
df.columns.values
```

```
array(['Unnamed: 0', 'Date', 'Q-P1', 'Q-P2', 'Q-P3', 'Q-P4', 'S-P1', 'S-P2', 'S-P3', 'S-P4'],  
      dtype=object)
```

```
df.dtypes
```

```
Unnamed: 0 int64
```

```
Date object
```

```
Q-P1 int64
```

```
Q-P2 int64
```

```
Q-P3 int64
```

```
Q-P4 int64
```

```
S-P1 float64
```

```
S-P2 float64
```

```
S-P3 float64
S-P4 float64
dtype: object
```

```
df = df.drop(['Q-P4'], axis = 1)
df.head()
```

```
Unnamed: 0  Date  Q-P1  Q-P2  Q-P3  S-P1  S-P2  S-P3 \
0 0 13-06-2010 5422 3725 576 17187.74 23616.50 3121.92
1 1 14-06-2010 7047 779 3578 22338.99 4938.86 19392.76
2 2 15-06-2010 1572 2082 595 4983.24 13199.88 3224.90
3 3 16-06-2010 5657 2399 3140 17932.69 15209.66
17018.80
4 4 17-06-2010 3668 3207 2184 11627.56 20332.38 11837.28
```

```
S-P4
0 6466.91
1 11222.62
2 8163.85
3 11921.36
4 5048.04
```

```
df[np.isnan(df["Q-P3"])]
```

```
Empty DataFrame
```

```
Columns: [Unnamed: 0, Date, Q-P1, Q-P2, Q-P3, S-P1, S-P2, S-P3, S-P4] Index: []
```

```
df[df['Date'] == 0].index
```

```
Int64Index([], dtype='int64')
```

```
df.isnull().sum()
```

```
Unnamed: 0 0
Date 0
Q-P1 0
Q-P2 0
Q-P3 0
S-P1 0
S-P2 0
S-P3 0
S-P4 0
dtype: int64
```

```
df.drop(labels=df[df['S-P1'] == 0].index, axis=0, inplace=True) df[df['S-P1'] == 0].index
```

```
Int64Index([], dtype='int64')
```

```
df.fillna(df["S-P3"].mean())
```

```
Unnamed: 0  Date  Q-P1  Q-P2  Q-P3  S-P1  S-P2  S-P3 \
0 0 13-06-2010 5422 3725 576 17187.74 23616.50 3121.92
1 1 14-06-2010 7047 779 3578 22338.99 4938.86 19392.76
```

```

2 2 15-06-2010 1572 2082 595 4983.24 13199.88 3224.90
3 3 16-06-2010 5657 2399 3140 17932.69 15209.66 17018.80
4 4 17-06-2010 3668 3207 2184 11627.56 20332.38
11837.28
... ..
4595 4595 30-01-2023 2476 3419 525 7848.92 21676.46 2845.50
4596 4596 31-01-2023 7446 841 4825 23603.82 5331.94 26151.50
4597 4597 01-02-2023 6289 3143 3588 19936.13 19926.62 19446.96
4598 4598 02-02-2023 3122 1188 5899 9896.74 7531.92 31972.58
4599 4599 03-02-2023 1234 3854 2321 3911.78 24434.36 12579.82

```

```

S-P4
0 6466.91
1 11222.62
2 8163.85
3 11921.36
4 5048.04
... ..
4595 9689.67
4596 9347.43
4597 3379.62
4598 3686.21
4599 2894.78

```

```
[4600 rows x 9 columns]
```

```
df.fillna(df["S-P4"].mean())
```

```

Unnamed: 0 Date Q-P1 Q-P2 Q-P3 S-P1 S-P2 S-P3 \
0 0 13-06-2010 5422 3725 576 17187.74 23616.50 3121.92
1 1 14-06-2010 7047 779 3578 22338.99 4938.86 19392.76
2 2 15-06-2010 1572 2082 595 4983.24 13199.88 3224.90
3 3 16-06-2010 5657 2399 3140 17932.69 15209.66 17018.80
4 4 17-06-2010 3668 3207 2184 11627.56 20332.38 11837.28
... ..
4595 4595 30-01-2023 2476 3419 525 7848.92 21676.46 2845.50
4596 4596 31-01-2023 7446 841 4825 23603.82 5331.94 26151.50
4597 4597 01-02-2023 6289 3143 3588 19936.13 19926.62
19446.96
4598 4598 02-02-2023 3122 1188 5899 9896.74 7531.92 31972.58
4599 4599 03-02-2023 1234 3854 2321 3911.78 24434.36 12579.82

```

```

S-P4
0 6466.91
1 11222.62
2 8163.85
3 11921.36
4 5048.04
... ..
4595 9689.67
4596 9347.43

```

```
4597 3379.62
4598 3686.21
4599 2894.78
```

```
[4600 rows x 9 columns]
```

```
df.fillna(df["S-P2"].mean())
```

```
Unnamed: 0 Date Q-P1 Q-P2 Q-P3 S-P1 S-P2 S-P3 \
0 0 13-06-2010 5422 3725 576 17187.74 23616.50 3121.92
1 1 14-06-2010 7047 779 3578 22338.99 4938.86 19392.76
2 2 15-06-2010 1572 2082 595 4983.24 13199.88 3224.90
3 3 16-06-2010 5657 2399 3140 17932.69 15209.66 17018.80
4 4 17-06-2010 3668 3207 2184 11627.56 20332.38 11837.28
... ..
4595 4595 30-01-2023 2476 3419 525 7848.92 21676.46 2845.50
4596 4596 31-01-2023 7446 841 4825 23603.82 5331.94 26151.50
4597 4597 01-02-2023 6289 3143 3588 19936.13 19926.62 19446.96
4598 4598 02-02-2023 3122 1188 5899 9896.74 7531.92 31972.58
4599 4599 03-02-2023 1234 3854 2321 3911.78 24434.36 12579.82
```

```
S-P4
```

```
0 6466.91
```

```
1 11222.62
2 8163.85
3 11921.36
4 5048.04
... ..
4595 9689.67
4596 9347.43
4597 3379.62
4598 3686.21
4599 2894.78
```

```
[4600 rows x 9 columns]
```

```
df.isnull().sum()
```

```
Unnamed: 0 0
```

```
Date 0
```

```
Q-P1 0
```

```
Q-P2 0
```

```
Q-P3 0
```

```
S-P1 0
```

```
S-P2 0
```

```
S-P3 0
```

```
S-P4 0
```

```
dtype: int64
```