## Assignment

## Karthikeya hanu prakash kanithi (EE22BTECH11026)

Question: Let  $\phi(.)$  denote the cumulative distribution function of a standard normal random variable. If the random variable X has the cumulative distribution function

$$F(x) = \begin{cases} \phi(x), & x < -1\\ \phi(x+1), & x \ge -1 \end{cases}$$
 (1)

then which one of the following statements is true?

A) 
$$P(X \le -1) = \frac{1}{2}$$

B) 
$$P(X = -1) = \frac{1}{2}$$

C) 
$$P(X < -1) = \frac{1}{2}$$

D) 
$$P(X \le 0) = \frac{1}{2}$$

## **Solution: Gaussian**

Q function is defined

$$Q(x) = \frac{1}{\sqrt{2\pi}} \int_{x}^{\infty} e^{-\frac{u^{2}}{2}} du$$
 (2)

Thus,

$$\phi(x) = \begin{cases} 1 - Q(x), & x > 0 \\ Q(-x), & x < 0 \end{cases}$$
 (3)

From (1) and (3);

A)

$$\Pr(X \le -1) = F(-1) = \phi(0) \tag{4}$$

$$=1-Q(0) \tag{5}$$

$$= 0.5$$
 (6)

So Option A i.e.,  $P(X < -1) = \frac{1}{2}$  is correct

B) The pdf of X can be defined in terms of cdf as

$$\Pr(X = b) = F(b) - \lim_{x \to b^{-}} F(x)$$
 (7)

From (7);

$$\Pr(X = -1) = F(-1) - \lim_{x \to -1^{-}} F(x)$$
 (8)

$$= \phi(0) - \phi(-1) \tag{9}$$

$$= 1 - Q(0) - Q(-(-1)) = 0.341$$
 (10)

So Option B i.e.,  $P(X = -1) = \frac{1}{2}$  is incorrect

C)

D)

$$\Pr(X < -1) = \lim_{x \to -1^{-}} F(x) \tag{11}$$

$$= F(-1) = Q(-(-1))$$
 (12)

$$= 0.159$$
 (13)

So Option C i.e.,  $P(X < -1) = \frac{1}{2}$  is incorrect

D (W 0) T(0) (44)

$$\Pr(X \le 0) = F(0) = \phi(1) \tag{14}$$

$$= 1 - Q(1) \tag{15}$$

$$= 0.8413$$
 (16)

So Option D i.e.,  $P(X \le 0) = \frac{1}{2}$  is incorrect

Guassian CDF plot of X is given in fig1




Fig. 1.