# **Machine learning-Iris classification**

### **Load Dataset**

```
In [18]:
```

```
from sklearn import datasets
iris=datasets.load_iris()
```

#### Train X And Y

```
In [9]:
```

```
x=iris.data
y=iris.target
```

```
In [10]:
```

```
Х
       [7.9, 3.8, 6.4, 2.],
       [6.4, 2.8, 5.6, 2.2],
       [6.3, 2.8, 5.1, 1.5],
       [6.1, 2.6, 5.6, 1.4],
       [7.7, 3., 6.1, 2.3],
       [6.3, 3.4, 5.6, 2.4],
       [6.4, 3.1, 5.5, 1.8],
       [6., 3., 4.8, 1.8],
       [6.9, 3.1, 5.4, 2.1],
       [6.7, 3.1, 5.6, 2.4],
       [6.9, 3.1, 5.1, 2.3],
       [5.8, 2.7, 5.1, 1.9],
       [6.8, 3.2, 5.9, 2.3],
       [6.7, 3.3, 5.7, 2.5],
       [6.7, 3., 5.2, 2.3],
       [6.3, 2.5, 5., 1.9],
       [6.5, 3., 5.2, 2.],
       [6.2, 3.4, 5.4, 2.3],
       [5.9, 3., 5.1, 1.8]]
```

#### In [11]:

```
у
```

#### Out[11]:

## Splitting the dataset:

```
In [12]:
```

```
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=.5)
```

## **Build the model**

```
In [13]:
```

```
from sklearn import tree
classifier=tree.DecisionTreeClassifier()
```

## **Train the Model**

```
In [14]:
```

```
classifier.fit(x_train,y_train)
```

```
Out[14]:
```

```
DecisionTreeClassifier(class_weight=None, criterion='gini', max_depth=None, max_features=None, max_leaf_nodes=None, min_impurity_decrease=0.0, min_impurity_split=None, min_samples_leaf=1, min_samples_split=2, min_weight_fraction_leaf=0.0, presort=False, random_state=None, splitter='best')
```

# Make predictions:

```
In [15]:
```

```
predictions=classifier.predict(x_test)
```

```
In [16]:
```

```
from sklearn.metrics import accuracy_score
print(accuracy_score(y_test,predictions))
```

0.96


# Plotting decision tree

```
In [20]:
```

```
import matplotlib.pyplot as plt
```

#### In [21]:

```
fig, ax = plt.subplots(figsize=(10, 10))
tree.plot_tree(classifier, fontsize=10)
plt.show()
```



# So the Accuracy is 96%