

PHASE - 4

CREATE THE CHATBOT USING PYTHON

DEVEL	OPMENT	PART	(2)
-------	--------	-------------	-----

Building the chatbot by integrating it into a web app using Flask. What is Flask tool used for

Flask is used for developing web applications using python, implemented on Werkzeug and Jinja2. Advantages of using Flask framework are: There is a built-in development server and a fast debugger provided.

Why use Flask for Python?

It offers a straightforward and adaptable method for developing Python-based web applications and APIs (Application Programming Interfaces). Flask is renowned for its straightforward design, which gives developers the freedom to select the elements they desire and customise their apps to meet their needs.

code:

{1]: import numpy as np # linear algebra import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv) # Input data files are available in the read-only "../input/" directory # For example, running this (by clicking run or pressing Shift+Enter) will list _ → all files under the input directory import os for dirname, _, filenames in os.walk('dialogs.txt'): for filename in filenames: print(os.path.join(dirname, filename))

[2]: import numpy as np
import random
import string
import nltk
from sklearn.feature_extraction.text import TfidfVectorizer
from sklearn.metrics.pairwise import cosine_similarity
[3]: f = open("dialogs.txt","r",errors = 'ignore')
raw_doc = f.read()
raw_doc = raw_doc.lower()
[4]: nltk.download('punkt')

```
nltk.download('wordnet')
[nltk_data] Downloading package punkt to
[nltk_data] C:\Users\rohig\AppData\Roaming\nltk_data...
[nltk_data] Package punkt is already up-to-date!
[nltk data] Downloading package wordnet to
[nltk_data] C:\Users\rohig\AppData\Roaming\nltk_data...
[nltk_data] Package wordnet is already up-to-date!
[4]: True
[5]: sent_token = nltk.sent_tokenize(raw_doc)
word_token = nltk.word_tokenize(raw_doc)
print(f"Number of sentence : {len(sent_token)}")
print(f"Number of Words in : {len(word_token)}")
Number of sentence: 8272
Number of Words in: 60702
[6]: lemmer = nltk.stem.WordNetLemmatizer()
remove_punct_dict = {ord(punct):None for punct in string.punctuation}
def lem_token(tokens):
return [lemmer.lemmatize(token) for token in tokens]
def lem normalize(text):
return lem_token(nltk.word_tokenize(text.lower().
→translate(remove_punct_dict)))
[7]: GREET_INPUT = ("hello,hi,sup")
GREET_RESPONSE = ['Hi',"Hello","I am glad you are talking to me!"]
def greet(sentence):
for word in sentence.split():
if word.lower() in GREET_INPUT:
return random.choice(GREET_RESPONSE)
[8]: def response(user_response):
sent_token.append(user_response)
tfidfvec = TfidfVectorizer(tokenizer = lem_normalize,stop_words = 'english')
tfidf = tfidfvec.fit_transform(sent_token)
vals = cosine_similarity(tfidf[-1],tfidf)
idx = vals.argsort()[0][-2]
flat = vals.flatten()
flat.sort()
req_tfidf = flat[-2]
sent_token.remove(user_response)
if (req_tfidf == 0):
return "I am Sorry! I dont understand you"
else:
return str(sent_token[idx])
```

```
print("BOT: My Name is BOThi, Let's Have Conversation! If you want to exit any __

→time, just type Bye! ")

print("\n")
while (flag==True):
user response = input("You:")
if (user_response != "bye"):
if (user response == 'thanks'):
flag = False
print("BOT : You are welcome..")
else:
if (greet(user response) != None):
print("BOT :" +"\t"+greet(user_response))
else:
print("BOT L",end = "")
print(response(user_response))
print("\n")
else:
flag = False
print("BOT : Goodbye! Take Care")
BOT: My Name is BOThi, Let's Have Conversation! If you want to exit any time,
just type Bye!
You: hello
BOT: I am glad you are talking to me!
You: what is python
BOTL
D:\Anaconda\Lib\site-packages\sklearn\feature_extraction\text.py:525:
UserWarning: The parameter 'token pattern' will not be used since 'tokenizer' is
not None'
warnings.warn(
D:\Anaconda\Lib\site-packages\sklearn\feature extraction\text.py:408:
UserWarning: Your stop_words may be inconsistent with your preprocessing.
Tokenizing the stop words generated tokens ['ha', 'le', 'u', 'wa'] not in
stop_words.
warnings.warn(
I am Sorry! I dont understand you
You: what happend to you
BOT L I am Sorry! I dont understand you
You: what
BOT L I am Sorry! I dont understand you
You: why
BOT L I am Sorry! I dont understand you
You: have a lunch
```



BOT Land then i made lunch.

You : are you feel good

BOT Lgood!

You : then thank you

BOT Lthank you very much.

You : hi BOT : Hello

You : bye

BOT : Goodbye! Take Care