TASK:8

Implementation of **N-queen problem using backtracking algorithm** using prolog In the 4 Queens problem the object is to place 4 queens on a chessboard in such a way that no queens can capture a piece.

Aim: To Implement N-Queen's problem by using backtracking algorithm using python

```
Algorithm:
Step 1: k=queen and I is column number in which queen k is placed
Step 2: where x[] is a global array whose first k-1 values have been set
Step 3: Queen-place (k, i) returns true if a queen can be placed in the kth row and ith column
otherwise return false
Step 4:ABS (r) returns the absolute value of r.
Step 5: for j<-1 to k-1 do if x[j]=1 or ABS(x[j]-1)=ABS(j-k) then return false
Step 6: for i<-1 to n do if Queen-place (k,i) then x[k] <-i if k=n
then write (x[i--n]) else N-Queen (k+1,n).
Program:
# Python3 program to solve N Queen
# Problem using backtracking
global N
N = 4
def printSolution(board):
       for i in range(N):
              for j in range(N):
                      if board[i][j] == 1:
                              print("Q",end=" ")
                      else:
                              print(".",end=" ")
              print()
```

def isSafe(board, row, col):

```
# Check this row on left side
        for i in range(col):
               if board[row][i] == 1:
                       return False
       # Check upper diagonal on left side
        for i, j in zip(range(row, -1, -1),
                                       range(col, -1, -1)):
               if board[i][j] == 1:
                       return False
       # Check lower diagonal on left side
       for i, j in zip(range(row, N, 1),
                                       range(col, -1, -1)):
               if board[i][j] == 1:
                       return False
       return True
def solveNQUtil(board, col):
        # Base case: If all queens are placed
        # then return true
       if col >= N:
               return True
        # Consider this column and try placing
       # this queen in all rows one by one
        for i in range(N):
               if isSafe(board, i, col):
```

```
# Place this queen in board[i][col]
                       board[i][col] = 1
                       if solveNQUtil(board, col + 1) == True:
                               return True
                       board[i][col] = 0
       return False
def solveNQ():
       board = [[0, 0, 0, 0],
                       [0, 0, 0, 0],
                       [0, 0, 0, 0],
                       [0, 0, 0, 0]
       if solveNQUtil(board, 0) == False:
               print("Solution does not exist")
               return False
       printSolution(board)
       return True
# Driver Code
if <u>__name__</u> == '__main___':
       solveNQ()
Output:
```

Result:

. Q . .

Thus the Implementation of N-queen problem using backtracking algorithm using Python was successfully executed and output was verified.