Rajalakshmi Engineering College

Name: Karthik Sah E

Email: 241501080@rajalakshmi.edu.in

Roll no: 241501080 Phone: 8610689556

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Bob is tasked with developing a company's employee record management system. The system needs to maintain a list of employee records using a doubly linked list. Each employee is represented by a unique integer ID.

Help Bob to complete a program that adds employee records at the front, traverses the list, and prints the same for each addition of employees to the list.

Input Format

The first line of input consists of an integer N, representing the number of employees.

The second line consists of N space-separated integers, representing the employee IDs.

Output Format

For each employee ID, the program prints "Node Inserted" followed by the current state of the doubly linked list in the next line, with the data values of each node separated by spaces.

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 4
   101 102 103 104
   Output: Node Inserted
   101
Node Inserted
   102 101
   Node Inserted
   103 102 101
   Node Inserted
   104 103 102 101
   Answer
   #include <iostream>
   using namespace std;
   struct node {
    int info:
      struct node* prev, * next;
   };
   struct node* start = NULL:
   // You are using GCC
   void traverse() {
      //type your code here
      struct node*p;
      p=start;
      printf("Node Inserted\n");
      while (p!=NULL)
        printf("%d ",p->info);
```

```
24,150,1080
                                                     247501080
p=p->next;
}
printf("\n");
}
    void insertAtFront(int data) {
       //type your code here
       struct node *newnode;
       newnode=(struct node*)malloc(sizeof(struct node));
       if (newnode!=NULL)
         newnode->info=data;
         newnode->prev=NULL;
                                                                                24,150,1080
        newnode->next=start;
         if (start!=NULL)
           start=start->prev;
         start=newnode;
      }
    }
    int main() {
       int n, data;
       cin >> n;
       for (int i = 0; i < n; ++i) {
         cin >> data;
         insertAtFront(data);
                                                     241501080
         traverse();
return 0;
```

Status: Correct Marks: 10/10

241501080

241501080

247501080

247507080