Experiment 2: Internal CSS

Aim: To make an attractive page using Internal Css.

Tags Used:

<style>

.   -> is used for id

->is used for class

Background-color

Padding

Margin-left

Implementation:

Output:

Code:

```
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">

    <script src="https://use.fontawesome.com/fdc4c76d34.js"></script>


  <title>Home Page</title>

  <style type="text/css">

   . body

{

background-color:white;

}

#header-nav{

        background-color:black;

        width:100%;

        height:100px;

}

.dropdown-menu{
```

```css
        background-color: darkgray;
}
.navbar-nav
{
        padding-left: 100px;
}


.button {
 background-color: #4CAF50; /* Green */
 border: none;
 border-radius: 20px;
 color: white;
 padding: 15px 32px;
 text-align: center;
 text-decoration: none;
 display: inline-block;
 font-size: 16px;
 }


.footer-top{
        background: #111;
        color: white;
        padding: 40px 20px;
        text-decoration: none;
    margin-top:20px;


}
```

```css
.segment-one
{
        font-family: Courgette;

        color:#fff;

        letter-spacing: 3px;

        margin: 10px 0;

        font-size: 10px;

        text-transform: uppercase;
}
.segment-one h6:before
{
        content: '|';

        color:#c65039;

        padding-right: 10px;
}
.segment-one ul
{
        margin: 0;

        padding:0;

        list-style: none;
}
.segment-one ul li{
        border-bottom: 1px solid rgba(255,255,255,0.5);

        line-height: 40px;
}
.segment-one ul li a{
        color: #999;

        text-decoration: none;


}
```

```css
.segment-two
{
        font-family: Courgette;
        color:#fff;
        letter-spacing: 3px;
        margin: 10px 0;
        font-size: 10px;
        text-transform: uppercase;
}
.segment-two h6:before
{
        content: '|';
        color:#c65039;
        padding-right: 10px;
}
.segment-two ul
{
        margin: 0;
        padding:0;
        list-style: none;
}
.segment-two ul li{
        border-bottom: 1px solid rgba(255,255,255,0.5);
        line-height: 40px;
}
.segment-two ul li a{
        color: #999;
```

```css
        text-decoration: none;

}


.segment-three
{
        font-family: Courgette;
        color:#fff;
        letter-spacing: 3px;
        margin: 10px 0;
        font-size: 10px;
        text-transform: uppercase;
}
.segment-three h6:before
{
        content: '|';
        color:#c65039;
        padding-right: 10px;
}
.segment-three ul
{
        margin: 0;
        padding:0;
        list-style: none;
}
.segment-three ul li{
        border-bottom: 1px solid rgba(255,255,255,0.5);
        line-height: 40px;
}
```

```css
.segment-three ul li a{

        color: #999;

        text-decoration: none;


}




.segment-four

{

        font-family: Courgette;

        color:#fff;

        letter-spacing: 3px;

        margin: 10px 0;

        font-size: 10px;

        text-transform: uppercase;

}

.segment-four h6:before

{

        content: '|';

        color:#c65039;

        padding-right: 10px;

}

.segment-four ul

{

        margin: 0;

        padding:0;

        list-style: none;

}

.segment-four ul li{

        border-bottom: 1px solid rgba(255,255,255,0.5);
```

```css
        line-height: 40px;
}
.segment-four ul li a{
        color: #999;
        text-decoration: none;

}



.segment-five
{
        font-family: Courgette;
        color:#fff;
        letter-spacing: 3px;
        margin: 10px 0;
        font-size: 10px;
        text-transform: uppercase;
}
.segment-five h6:before
{
        content: '|';
        color:#c65039;
        padding-right: 10px;
}
.segment-five ul
{
        margin: 0;
        padding:0;
        list-style: none;
}
```

```css
.segment-five ul li{

        border-bottom: 1px solid rgba(255,255,255,0.5);

        line-height: 40px;

}

.segment-five ul li a{

        color: #999;

        text-decoration: none;


}




.segment-six a

{

        background: #494848;

        width: 30px;

        height:30px;

        display: inline-block;

        border-radius: 50%;

        font-size: 15px;

        text-decoration: none;

        color: #999;

}


.segment-six a i

{

        font-size: 15px;

        color: #fff;

        padding: 7px 7px;

}
```

```css
.segment-six form input[type=submit]

{

background: #c65039;

border-bottom: none;

padding: 3px 5px;

color: #fff;

text-transform: uppercase;

}



.footer-bottom-text a,p

{

        text-decoration: none;

        color: #999;

}



@media only screen and (min-width: 768px) and (max-width: 991px)

{

        .md-mb-30

        {

                margin-bottom: 30px;

        }

}


@media only screen and (max-width: 766px){

        .sm-mb-30

        {

                margin-bottom: 30px;
```

```
}
.footer-top
{
        padding: 50px 0;


}
}style></head>
```

Result: The experiment was successfully completed.