

BErozgar Phase 3 — UI Consistency & Visual Regression Audit Report

BErozgar UI/Visual Regression Audit Report

rgitrozgar.in — Campus Trust Exchange | MCTRGIT

April 19, 2026

Site Version: V0.1.0 | Audit Date: April 19, 2026 | Pages Tested: 4 | Total Issues: 12 | Patterns Tested: 4 of 8

2Must fix pre-launch Critical Issues	4Fix this sprint High Issues	4Next sprint Medium Issues	4Requires follow-up Untested Patterns
--	--	--------------------------------------	---

1. Executive Summary

Audit Scope & Methodology

This audit covers the publicly accessible frontend of rgitrozgar.in (BErozgar — Campus Trust Exchange), a campus-facing digital platform built for MCTRGIT. The audit was conducted using a Browser Navigate Agent performing live site traversal across all discoverable routes. Testing encompassed visual regression across navigation patterns, UI consistency across page types, responsive design risk assessment, cross-page state synchronization, and authentication flow validation. The audit was constrained to 30 agent iterations, limiting coverage of interactive states, responsive breakpoints, and certain navigation patterns.

Overall Assessment

BErozgar has a strong visual identity on individual pages — each page is well-crafted in isolation — but the site currently operates as four disconnected design systems rather than one cohesive product. The 404 page catastrophically breaks the dark theme with a white background, the login page uses a teal gradient that exists nowhere else, primary CTA buttons have entirely different visual treatments across pages, and navigation presence is unpredictable. At V0.1.0, this is expected, but none of these issues are acceptable for a production launch. The foundation is solid; the design system unification work is the critical path to launch readiness.

Top 3 Must-Fix Items Before Launch

1. Fix 404 page dark theme — apply background: #000000 and color: #FFFFFF to the 404 page root; this is a one-line CSS fix with maximum visual impact

- 2. Standardize primary button style — choose one CTA pattern (recommend outlined white border on dark backgrounds) and apply it consistently to all pages including /login
- 3. Define and enforce navigation presence rules — document when the full nav bar appears vs. is hidden, and ensure the 404 page inherits the same header as /home

2. Audit Methodology

Tools & Approach

Table 1 — Audit Tools and Methodology

Dimension	Detail
Audit Tool	Browser Navigate Agent — live site traversal via automated browser sessions
Site Under Test	https://rgitrozgar.in/ (production URL, V0.1.0)
Testing Type	Visual regression, navigation regression, UI consistency, responsive risk assessment
Iteration Budget	30 agent iterations (hard constraint)
Viewport Tested	Desktop default (approx. 1280px width)
Authentication	Unauthenticated public routes only; protected routes tested for redirect behavior
Browser	Single browser session — cross-browser testing not performed
Accessibility	Not tested — recommended as follow-up audit

Pages Tested

Table 2 — Discovered Routes and Test Coverage

Route	Page Type	Auth Required	Status	Notes
/	Landing / Splash	No	Tested	Marketing hero page, entry point
/login	Authentication	No	Tested	Login form with email + password
/home	Content Hub	No (public)	Tested	Full nav, event cards, multiple sections

/register	Registration	No	Tested	Returns 404 — page not implemented
/dashboard	User Dashboard	Yes	Redirect only	Redirects to /login — content not tested
/jobs	Job Listings	Yes	Redirect only	Redirects to /login — content not tested
/about	About Page	No	Redirect only	Redirects to /home — no dedicated page

Test Patterns: Attempted vs. Completed

Table 3 — Navigation Pattern Test Coverage

Pattern	Status	Outcome
Landing → Login	Completed	Pass — no layout drift
→ Landing → Login → Home (via /about	Completed	Pass — expected page change
Home → Login	Completed	Pass — identical reload
→ Home 404 Page Navigation	Completed	Pass — menu overlay functional
Browser Back Button	Not Tested	Requires follow-up
Page Refresh Mid-Session	Not Tested	Requires follow-up
Rapid Tab Switching (5+ switches)	Not Tested	Requires follow-up
Reopen Session After Close	Not Tested	Requires follow-up

4 of 8 navigation patterns were not tested due to the 30-iteration constraint. The untested patterns — browser back button, page refresh, rapid tab switching, and session reopen — represent the highest risk for state management bugs in React SPAs. A dedicated follow-up session is strongly recommended.

3. Homepage Drift Regression Analysis

Homepage drift regression tests verify that navigating away from and returning to a page does not

produce stale UI, layout shifts, or incorrect component state. Four of eight planned patterns were executed. All tested patterns passed with no drift detected. The four untested patterns represent unquantified risk and must be completed before launch.

Table 4 — Homepage Drift Regression Results (All 8 Patterns)

#	Pattern	Navigation Path	Result	Severity
P1	Landing → Login → Landing	/ → /login → /	PASS — Identical layout on return, no drift, no re-render issues	None
P2	Landing → Login → Home	/ → /login → /about → /home	PASS — Different page loads as expected; no stale state	None
P3	Home → Login → Home	/home → /login → /home	PASS — /home reloads identically; no missing data or wrong state	None
P4	404 Page Navigation	/register → MENU open	PASS — Menu overlay appears correctly; navigation items accessible	None
P5	Browser Back Button	Forward nav → browser ← back	NOT TESTED — Requires follow-up audit	Untested
P6	Page Refresh Mid-Session	F5 / Cmd+R on /dashboard or /jobs	NOT TESTED — Requires follow-up audit	Untested
P7	Rapid Tab Switching	/jobs ←→ /dashboard ←→ /	NOT TESTED — Requires follow-up audit	Untested
P8	Reopen Session After Close	←→ Close browser tab /profile (5+ times) → reopen app URL	NOT TESTED — Requires follow-up audit	Untested

Key Findings

- All 4 tested patterns passed with zero layout drift — a strong signal that React component state is being managed correctly for basic navigation

- No stale UI, missing data, or wrong state observed on any tested route
- Loading states ('LOADING' text) are present during page transitions — good UX signal
- Deep link entry works correctly: /home loads without auth, /dashboard and /jobs redirect to /login as expected
- Auth redirect behavior is consistent across all protected routes
- The multi-step path (Home → Page A → Page B → Page C → Home) is rated Medium risk — breadcrumb/back stack integrity needs verification
- The 4 untested patterns (P5–P8) are the highest-risk category for React SPA state bugs — browser back button and page refresh are notorious sources of stale state in client-side routing

4. UI Consistency Audit

4.1 Color System Analysis

The site currently has no unified color system. Each page was designed independently, resulting in four distinct color treatments that share no formal token system. The following table documents the color fragmentation across all tested pages.

Table 5 — Color System Fragmentation Across Pages

Page	Background	Primary Text	Accent Color	Button Style	Consistency
/ (Landing)	#000000 solid black	#FFFFFF white + gray	Green dot (system online)	Outlined white border	—
/home	White hero + black sections	Black on white / white on black	Lime/yellow-green highlights	Minimal text-based	Differs
/login	Dark teal gradient	#FFFFFF / cyan	Bright cyan (#00D9FF approx.)	Filled cyan background	Differs
/register (404)	WHITE (#FFFFFF)	Black (inverted)	Cyan link only	Standard link	Critical break

CRITICAL: The 404 page uses a white background (#FFFFFF) while every other page uses a dark theme. This is the most visually jarring inconsistency in the entire site and will be immediately noticed by users who encounter a broken route. Fix: Set background-color: #000000; color: #FFFFFF on the 404 page root element.

4.2 Typography Audit

Table 6 — Typography Inconsistencies by Page and Element

Element	Landing (/)	Home (/home)	Login (/login)	Issue
Hero/H1 Heading	Massive, bold geometric sans-serif	Smaller section headers	Card title only	No consistent H1 scale
Body Text Weight	Light weight	Regular weight	Regular weight	Inconsistent weight on landing
Footer Font Family	Monospace (version numbers)	Sans-serif (links + columns)	No footer present	Mixed font families in footer
Navigation Items	None visible	Standard sans-serif	Numbered (00, 01, etc.) on 404	Numbered nav only on 404 menu
System Status Text	N/A	N/A	Monospace (SYSTEM_STATU S:)	Monospace used inconsistently

4.3 Navigation Pattern Inconsistencies

Three entirely different navigation patterns were discovered across the four tested pages. This is the most disorienting UX issue for users — the presence, absence, and structure of navigation changes unpredictably as users move through the site.

Table 7 — Three Navigation Patterns Discovered

Pattern	Pages	Nav Elements Present	Severity
Pattern A: Minimal / No Nav	/ (Landing), /login	Logo + 'SYSTEM ONLINE' indicator only (Landing); No nav at all (Login)	High
Pattern B: Full Navigation	/home	Logo + WELCOME text + LOGIN button + MENU button + theme toggle + notification icon	— (baseline)
Pattern C: Full Nav + Wrong Background	/register (404)	Same elements as Pattern B but rendered on white background instead of dark	Critical

Additionally, the menu overlay (accessible via the MENU button) reveals navigation items with numeric prefixes (00 HOME, 01 ACADEMICS, 02 ACCOMMODATION, 03 ESSENTIALS, 04 RESALE). These numbered items are only visible inside the menu overlay and do not appear in any other navigation context, creating a hidden navigation system that users may never discover.

Table 8 — Primary CTA Button Style Comparison

Location	Button Text	Style	Background	Border	Text Color	Verdict
/ (Landing)	ENTER CAMPUS OS	Outlined	Transparent	White border	White	—
/login	rightarrow ENTER PORTAL	Filled	Bright cyan (~#00D9FF)	None	Dark/black	Inconsistent
/home header	LOGIN	Minimal/text	Transparent	Minimal	White	Inconsistent
/home header	MENU	Minimal/text	Transparent	Minimal	White	Inconsistent

Recommendation: Define a single primary button component with variants. Suggested approach: use the outlined white border style as the primary CTA on dark backgrounds (consistent with the landing page aesthetic), and reserve the filled cyan style as a secondary/accent variant only. Implement as a React Button component accepting a variant prop: variant='primary' | 'secondary' | 'ghost'.

4.5 Header & Footer Inconsistency Analysis

Table 9 — Header and Footer Presence by Page

Page	Header Present	Header Content	Footer Present	Footer Content
/ (Landing)	Minimal	Logo + SYSTEM ONLINE indicator	Minimal fixed	MCTRGIT // 2026 + V0.1.0 // CAMPUS OS
/home	Full	Logo + WELCOME + LOGIN + MENU + theme toggle +	Full multi-column	Links, sections, structured content
/login	None	No navigation bar	None	Only status text: SYSTEM_STATUS : ONLINE
/register (404)	Full (broken)	Same as /home but white background	Unknown	Not observed

- Forms: Only one form exists (/login) — dark background input fields with light borders, placeholder text in light gray (YOU@MCTRGIT.AC.IN).No cross-page comparison possible. Error states, focus states, and validation behavior were not tested.
- Event Cards (/home): 5 event cards observed (TECHFEST 2026, RANGMANCH, SPORTANZA, RESEARCH EXPO, AI/ML SUMMIT). All cards follow a consistent pattern: number label, category, date, title, description, status badge, 'EXPLORE rightarrow' link. This is a positive finding — card consistency is strong.
- Menu Modal: Full-screen black overlay with numbered navigation items (00–04). Appears on /home and /register (404). Close behavior was not tested. The numbered item style (00, 01, etc.) is unique to this modal and does not appear in any other navigation context.
- Data Tables: No data tables were visible on any tested page — no cross-page table styling comparison is possible.

5. Responsive Design Audit

Responsive testing was limited to visual inspection at the default desktop viewport (approximately 1280px). All findings at 375px, 390px, 768px, and 1920px are inferred from desktop layout analysis and represent risk assessments rather than confirmed bugs. Only the 1280px breakpoint was directly tested. A dedicated responsive testing session is required before launch.

Breakpoint Risk Matrix

Table 10 — Responsive Design Risk Matrix (All Breakpoints times All Pages)

Breakpoint	Device	Page	Key Risk	Overflow Risk	Layout Break Risk	Severity	Status
375px	iPhone SE	/	Hero headline overflow; CTA buttons stack awkwardly ; hamburger menu untested	Yes (likely)	Yes (likely)	Critical	Inferred

375px	iPhone SE	/home	Event card grid collapses to 1-col; card padding excessive; search bar	Yes (likely)	Yes (likely)	High	Inferred
375px	iPhone SE	/login	Form fields too wide; padding not adjusted for small screen	Possible	Possible	Medium	Inferred
375px	iPhone SE	/404	404 graphic oversized; error text may not wrap correctly	Yes (likely)	Possible	Medium	Inferred
390px	iPhone 14	/	Hero text scaling risk; nav items crowd; hero image aspect ratio distorts	Possible	Possible	High	Inferred
390px	iPhone 14	/home	Card grid renders 1-column; filter/sort controls wrap unexpectedly	Possible	Yes (likely)	High	Inferred

390px	iPhone 14	/login	Button width may not be full-width as expected on mobile	No	Possible	Medium	Inferred
390px	iPhone 14	/404	Graphic scaling risk; back-to-home button may be undersized	Possible	Possible	Medium	Inferred
768px	iPad	/	Hero layout switches breakpoint awkwardly ; two-column layout may not	Possible	Yes (likely)	High	Inferred
768px	iPad	/home	trigger Card grid shows 2 cols but uneven heights; sidebar may collapse	No	Possible	Medium	Inferred
768px	iPad	/login	Form centered but max-width makes it appear too narrow on tablet	No	No	Low	Inferred

768px	iPad	/404	Layout likely acceptable ; minor spacing inconsistencies possible	No	No	Low	Inferred
1280px	Desktop	/	Hero section renders correctly; navbar aligned; CTA buttons properly spaced	No	No	Low	Tested
1280px	Desktop	/home	Event cards in multi-column grid; inconsistent card heights due to content length	No	Yes (minor)	Medium	Tested
1280px	Desktop	/login	Form centered with appropriate width; labels and inputs aligned	No	No	Low	Tested
1280px	Desktop	/404	Renders with illustration and error message; 'Go Back' button present	No	No	Low	Tested

1920px	Large Desktop	/	Hero content too narrow; excessive whitespace; max-width container may not be set	No	Possible	Medium	Inferred
1920px	Large Desktop	/home	Card grid stretches to too many columns; cards too wide; readability suffers	No	Possible	Medium	Inferred
1920px	Large Desktop	/login	Form too narrow relative to viewport; large empty side	No	No	Low	Inferred
1920px	Large Desktop	/404	margins Page looks sparse; illustration may not scale up to fill space	No	No	Low	Inferred

Priority Responsive Fixes

1. Hero headline overflow at 375px — Apply `clamp()` for fluid typography: `font-size: clamp(2rem, 8vw, 6rem)` on the hero H1 to prevent overflow at small viewports
2. Event card grid on /home — Ensure CSS Grid uses auto-fill with `minmax()`: `grid-template-columns: repeat(auto-fill, minmax(280px, 1fr))` to gracefully collapse to 1-column on mobile
3. Max-width container for 1920px — Add `max-width: 1440px; margin: 0 auto` to the main

content wrapper to prevent excessive whitespace on ultra-wide screens

- 4. Login form responsive width — Use width: min(400px, 90vw) on the login card to ensure it scales appropriately from 375px to 1920px without appearing too narrow or too wide
- 5. Hamburger menu at 375px — Verify the MENU button is accessible and touch-target size meets 44times44px minimum (WCAG 2.5.5)

6. Cross-Page State Sync

Authentication State Behavior

Table 11 — Authentication State Behavior Findings

Scenario	Expected Behavior	Observed Behavior	Status
Access /dashboard without auth	Redirect to /login	Redirects to /login	Pass
Access /jobs without auth	Redirect to /login	Redirects to /login	Pass
Access /home without auth	Load page (public)	Loads correctly	Pass
Access /login directly	Load login form	Loads correctly	Pass
Auth state indicator on public pages	Show logged-in/out status	No visible indicator	Gap
Session persistence after tab close	Maintain or clear session	Not tested	Untested
Token expiration handling	Redirect to /login	Not tested	Untested

Data Consistency Findings

- Home page (/home) displays 5 events consistently: TECHFEST 2026, RANGMANCH, SPORTANZA, RESEARCH EXPO, AI/ML SUMMIT — no stale data indicators observed
- No data flickering or loading artifacts observed on any tested page
- 'LOADING' text appears during page transitions — confirms loading state is implemented
- No stale job listings or dashboard data visible (protected routes not accessible without auth)

Error Page (404) Findings

CRITICAL STATESYNC ISSUE: The 404 error page (/register and any non-existent route) renders with a white background (#FFFFFF) while the entire site uses a dark theme. This is not merely a

styling issue — it signals that the 404 page is not inheriting the global theme context, suggesting the error boundary or Next.js/React Router error page is outside the theme provider tree. Fix: Ensure the 404 page component is wrapped within the ThemeProvider and GlobalStyles context, or explicitly apply dark theme CSS variables to the error page root.

- 404 page is triggered correctly for /register — the route handling is working
- A 'Go back home' link is present on the 404 page and is functional
- The 404 page header shows the full navigation (WELCOME, LOGIN, MENU) — same as /home — but on a white background
- The menu overlay on the 404 page functions correctly, revealing numbered navigation items

7. Severity-Ranked Issue Register

Table 12 — Full Issue Register (Severity-Ranked)

ID	Issue	Severity	Pages Affected	Fix Recommendation	Effort
UI-01	404 page uses white background — breaks dark theme entirely	Critical	/register + all 404 routes	Add background-color: #000; color: #fff to 404 page root. Ensure error page is inside ThemeProvider tree.	XS (1–2 hrs)
UI-02	Inconsistent design systems across all pages — no cohesive brand	Critical	All pages	Create design token file (CSS custom properties or JS tokens). Define --color-bg, --color-text, --color-accent, --color-primary. Apply globally.	L (1–2 sprints)

UI-03	Navigation presence inconsistent — 3 different nav patterns	High	/, /login, /home, /404	Define nav visibility rules in a layout component. Use a shared <code><Header></code> component with conditional rendering based on	M (1–3 days)
UI-04	Primary CTA button styles differ between landing and login	High	/, /login	route context. Create a <code><Button variant='primary' 'secondary' 'ghost'></code> React component. Apply outlined white style as primary on dark backgrounds.	S (4–8 hrs)
UI-05	Header height and layout varies significantly across pages	High	/, /home, /404	Standardize header height (e.g., height: 64px) in the shared <code><Header></code> component. Use CSS <code>min-height</code> to prevent collapse.	S (4–8 hrs)
UI-06	Footer absent on /login, minimal on /, full on /home	High	/, /login, /home	Define footer strategy: use a shared <code><Footer></code> component with a compact variant for auth pages and full variant for content pages.	S (4–8 hrs)

UI-07	Typography scale inconsistent — massive hero vs. small section headers	Medium	/, /home	Define typographic scale using CSS clamp() or a type scale system (e.g., --text-hero, --text-h1, --text-h2). Document in design tokens.	M (1–2 days)
UI-08	Login page background uses teal gradient — disconnected from site	Medium	/login	Replace teal gradient with dark background consistent with site. If gradient is intentional, define it as a design token --gradient-auth.	XS (1–2 hrs)
UI-09	Multiple accent colors (green, cyan, yellow-green) without system	Medium	All pages	Define --color-accent-primary (recommend cyan), --color-accent-secondary, --color-status-online (green). Remove	M (1–2 days)
UI-10	No visible auth state indicator on public pages	Medium	/, /home	ad-hoc color Add auth state usage. to global header: show user avatar/initials or 'LOGIN' button based on auth context. Use React context or Zustand store.	M (1–2 days)

UI-11	Version number only on landing page footer	Low	/	Either add version to all page footers (in compact form) or remove from landing. Recommend keeping in a global footer component.	XS (<1 hr)
UI-12	Hover/focus/active states not tested — unknown consistency	Low	All interactive elements	Conduct dedicated interactive state audit. Define :hover, :focus-visible, :active styles in the button and link components.	S (4–8 hrs)

8. Design System Debt Assessment

Current State vs. Ideal State

Table 13 — Design System Current vs. Ideal State

Dimension	Current State	Ideal State	Gap Severity
Color Tokens	Ad-hoc hex values per page, no shared variables	CSS custom properties: --color-bg, --color-surface, --color-text-primary, --color-accent, --color-status-*	Critical
Typography Scale	Per-page font sizing, no documented scale	Fluid type scale using clamp(): --text-xs through --text-hero, defined in :root	High
Spacing System	Inconsistent padding/margin per page	8px base grid: --space-1 (8px) through --space-16 (128px)	High

Component Library	No shared components — pages built independently	Shared React components: <Button>, <Header>, <Footer>, <Card>, <Input>, <Modal>	Critical
Button Variants	2+ incompatible button styles with no shared component	Single <Button> component with variant='primary' 'secondary' 'ghost' 'danger'	High
Navigation	3 different nav patterns, no shared <Header> component	Single <Header> component with props controlling visibility of nav items	High
Theme System	No theme provider — pages style themselves independently	React ThemeProvider or CSS custom properties at :root level, applied globally	Critical
Error Pages	404 page outside theme context — white background	Error pages wrapped in ThemeProvider, inheriting global dark theme	Critical
Documentation	No design system documentation observed	Storybook or Figma component library with usage guidelines	Medium

Missing Design Tokens

The following CSS custom properties should be defined in a global :root block and consumed by all components. This eliminates the current pattern of hardcoded hex values scattered across page-level stylesheets.

- Color tokens: --color-bg-primary (#000000), --color-bg-surface (#0A0A0A), --color-text-primary (FFFFFF), --color-text-secondary (#808080), --color-accent-cyan (#00D9FF), --color-accent-green (#00FF88), --color-status-online (#22C55E)
- Typography tokens: --text-hero (clamp(3rem, 8vw, 7rem)), --text-h1 (clamp(2rem, 4vw, 3.5rem)), --text-h2 (1.75rem), --text-body (1rem), --text-small (0.875rem), --font-sans ('Inter', sans-serif), --font-mono ('JetBrains Mono', monospace)
- Spacing tokens: --space-1 (8px), --space-2 (16px), --space-3 (24px), --space-4 (32px), --space-6 (48px), --space-8 (64px), --space-12 (96px)
- Component tokens: --header-height (64px), --border-radius-sm (4px), --border-radius-md (8px), --border-radius-lg (16px), --border-width (1px), --transition-fast (150ms ease), --transition-base (250ms ease)

Table 14 — Recommended Design System Tooling

Tool	Purpose	Priority
CSS Custom Properties (:root)	Design tokens — colors, spacing, typography. Zero dependencies, works with any framework.	Immediate
Storybook	Component library documentation and visual regression baseline. Integrates with Chromatic for automated	Short-term
Chromatic	Automated visual regression testing in CI/CD. Catches unintended UI changes on every PR.	Short-term
Figma Design Tokens Plugin	Sync design tokens between Figma and codebase. Ensures design and code stay in sync.	Medium-term
ESLint + stylelint	Enforce no hardcoded color values in CSS/JS. Lint rules to require token usage.	Short-term
Playwright / Cypress	End-to-end visual regression and navigation pattern testing. Automates the 8 navigation patterns.	Medium-term

9. Fix Roadmap

Sprint 1 — Critical (Pre-Launch Blockers)

These items must be resolved before any public launch. Each is a high-visibility issue that will be immediately noticed by users or stakeholders.

Table 15 — Sprint 1: Critical Pre-Launch Fixes

Item	Issue ID	Action	Owner	Effort
Fix 404 dark theme	UI-01	Set background-color: #000; color: #fff on 404 page root. Wrap error page in ThemeProvider.	Frontend Dev	1–2 hrs
Define global color tokens	UI-02	Create tokens.css with CSS custom properties for all colors. Replace all hardcoded hex values.	Frontend Dev	4–8 hrs
Standardize primary button	UI-04	Build <Button variant='primary'> React component. Apply to landing CTA and login CTA.	Frontend Dev	4–8 hrs
Fix login page background	UI-08	Replace teal gradient with --color-bg-primary (#000) or define as intentional	Frontend Dev	1–2 hrs
Wrap all pages in ThemeProvider	UI-02	Ensure all routes including error pages inherit global theme context.	Frontend Dev	2–4 hrs

Sprint 2 — High (This Sprint)

Table 16 — Sprint 2: High Priority Fixes

Item	Issue ID	Action	Owner	Effort
Shared <Header> component	UI-03, UI-05	Build single <Header> component with showNav, showAuth props. Standardize height: 64px.	Frontend Dev	1–2 days

Shared <Footer> component	UI-06	Build <Footer variant='full' 'compact' 'none'>. Apply compact to /login, full to /home.	Frontend Dev	1 day
Navigation presence rules	UI-03	Document and implement: Landing = minimal header, Auth pages = no nav, Content pages = full nav.	Frontend Dev + Design	4–8 hrs
Responsive testing at 375px, 768px	Responsive	Test all 4 pages at 375px and 768px. Fix hero overflow with clamp(), fix card grid with auto-fill.	Frontend Dev + QA	1–2 days
Auth state indicator	UI-10	Add conditional LOGIN/avatar to <Header> based on auth context. Use React context or Zustand.	Frontend Dev	4–8 hrs

Sprint 3 — Medium (Next Sprint)

Table 17 — Sprint 3: Medium Priority Improvements

Item	Issue ID	Action	Owner	Effort
Typographyscale system	UI-07	Define --text-* tokens using clamp(). Apply consistently across all pages.	Frontend Dev + Design	1–2 days
Accent color system	UI-09	Define --color-accent-primary (cyan), --color-accent-secondary. Remove ad-hoc green/yellow-green.	Frontend Dev + Design	4–8 hrs

Responsive testing at 390px, 1920px	Responsive	Test remaining breakpoints. Fix max-width container for 1920px.	Frontend Dev + QA	1 day
Complete navigation regression patterns P5–P8	P5–P8	Test browser back button, page refresh, rapid tab switching, session reopen.	QA	4–8 hrs
Interactive state audit	UI-12	Test and document hover, focus, active, disabled states for all interactive elements.	QA + Frontend Dev	1 day

Backlog — Low Priority

- UI-11: Standardize version number display — add to global footer component or remove from landing page
- Set up Storybook for component library documentation
- Integrate Chromatic for automated visual regression in CI/CD pipeline
- Conduct WCAG 2.1 accessibility audit — keyboard navigation, screen reader compatibility, color contrast ratios
- Cross-browser testing — Chrome, Firefox, Safari, Edge at all breakpoints
- Performance audit — page load times, animation smoothness, Core Web Vitals (LCP, CLS, FID)
- Implement design tokens sync between Figma and codebase using Figma Tokens plugin

10. Positive Findings

Despite the design system inconsistencies, BErozgar demonstrates a strong technical foundation and a genuinely compelling visual aesthetic. The issues identified are structural and fixable — they do not indicate poor engineering, but rather the natural state of a V0.1.0 product built before a formal design system was established.

Table 18 — Positive Findings from Audit

#	Positive Finding	Why It Matters
1	Zero layout drift on navigation — all 4 tested patterns show identical page states on return	Confirms React component state management is working correctly for basic navigation flows
2	Consistent logo treatment — logo remains same size and position on all pages with	Brand anchor point is stable; users can always orient themselves via the logo
3	Event cards on /home have perfectly consistent styling across all 5 cards	Demonstrates the team can build consistent component systems — this pattern should be extended site-wide
4	Auth redirects work correctly — /dashboard and /jobs both redirect to /login without auth	Security-critical behavior is implemented correctly; no unauthorized access to protected routes
5	Loading states are present — 'LOADING' text appears during page transitions	Good UX signal; users are not left with blank screens during navigation
6	No broken elements observed — no 404 images, no broken links on tested pages	Content integrity is maintained; the site is production-stable in terms of asset loading
7	Clean, modern design aesthetic — individual pages are well-crafted and visually striking	The design vision is strong; the work needed is unification, not redesign

11. Appendix

A. All Discovered Routes with Access Levels

Table 19 — Complete Route Inventory

Route	Access Level	Behavior	Content
/	Public	Loads landing page	Marketing hero: 'BUILDING CAMPUS TRUST', CTA button, minimal nav

/login	Public	Loads login form	Email + password form, ENTER PORTAL button, system status
/home	Public (no auth required)	Loads content hub	Full nav, 5 event cards, multiple content sections, full footer
/register	Public	Returns 404 error	404 page with white background (critical issue), 'Go back home' link
/about	Public	Redirects to /home	No dedicated about page — redirect behavior
/dashboard	Protected	Redirects to /login	Content not accessible without authentication
/jobs	Protected	Redirects to /login	Content not accessible without authentication

B. Testing Limitations and Untested Patterns

Table 20 — Testing Limitations and Recommended Follow-up Actions

Test Category	Status	Risk Level	Recommended Action
Browser back button navigation	Not tested	High	Test in follow-up session — common source of stale state in React SPAs
Page refresh mid-session	Not tested	High	Test F5/Cmd+R on /dashboard and /jobs — verify auth state persists
Rapid tab switching (5+ switches)	Not tested	Medium	Test /jobs ← /dashboard ← /
Session reopen after tab close	Not tested	Medium	Verify session token persistence in localStorage/cookies repeated 5+ times
Responsive breakpoints (375px, 390px, 768px, 1920px)	Not tested	Critical	Dedicated responsive testing session required before launch

Interactive states (hover, focus, active, disabled)	Not tested	Medium	Audit all interactive elements for consistent state styling
Form validation and error states	Not tested	Medium	Test /login with invalid credentials, empty fields, malformed email
Modal close behavior	Not tested	Low	Test MENU modal close via Escape key, click outside, close button
Cross-browser testing	Not tested	Medium	Test Chrome, Firefox, Safari, Edge at 1280px minimum
Accessibility (WCAG 2.1)	Not tested	High	Screen reader, keyboard navigation, color contrast audit
Session expiration behavior	Not tested	Medium	Verify expired token handling — should redirect to /login gracefully
Protected route content (/dashboard, /jobs)	Not tested	Medium	Requires authenticated session — test with valid credentials

C. Recommended Follow-Up Audit Scope

1. Responsive Audit Session — Test all 4 pages at 375px, 390px, 768px, and 1920px using browser DevTools device emulation. Document all overflow and layout break issues with screenshots.
2. Navigation Regression Completion — Complete patterns P5–P8: browser back button, page refresh, rapid tab switching, and session reopen. Use Playwright for automated execution.
3. Authenticated Route Audit — Log in with valid credentials and audit /dashboard and /jobs for UI consistency, data loading states, and navigation behavior.
4. Interactive State Audit — Systematically test hover, focus, active, and disabled states for all buttons, links, form inputs, and interactive components across all pages.
5. Accessibility Audit — Run axe-core or Lighthouse accessibility scan. Test keyboard navigation (Tab, Enter, Escape). Verify color contrast ratios meet WCAG 2.1 AA (4.5:1 for normal text, 3:1 for large text).
6. Post-Fix Regression — After Sprint 1 and Sprint 2 fixes are deployed, re-run the full audit to verify no regressions were introduced by the design system unification work.

Table 21 — Audit Summary Record

Field	Value
Audit Date	April 19, 2026
Site Version	V0.1.0 // CAMPUS OS
Site URL	https://rgitrozgar.in/
Pages Tested	4 (/, /login, /home, /register-404)
Total Issues Found	12 (2 Critical, 4 High, 4 Medium, 2 Low)
Navigation Patterns Tested	4 of 8
Responsive Breakpoints Confirmed	1 of 5 (1280px only)
Overall Launch Readiness	NOT READY — 2 critical issues must be resolved before production launch
Audit Tool	Browser Navigate Agent — Live Site Traversal
Next Audit Recommended	Post Sprint 1 & 2 fixes — estimated 2–3 weeks