

PHISHGUARD : THE NEW ERA PHISHING DETECTION SYSTEM

*A
Synopsis
on
Phishing Detection System*

**in
C.S.E. (Cyber Security)**

by

KARTIK SRIVASTAVA (2401331720064)

**KAUSHLENDRA SHUKLA
(2401331720065)**

**ASHKAND KUMAR MISHRA
(2401331720042)**

**Under the Supervision of
Mr. Abdul Mateen Siddiqui
Designation, Department of CSE (Cyber Security)**



Department of Cyber Security

**School of Computer Science in
Emerging Technologies**

**NOIDA INSTITUTE OF ENGINEERING AND TECHNOLOGY,
GREATER NOIDA**

(An Autonomous Institute) Affiliated

to

**DR. A.P.J. ABDUL KALAM TECHNICAL UNIVERSITY, LUCKNOW
February, 2026**

INDEX :

S. no.	Title	Page no.
1	Abstract	3
2	Introduction	4
3	Problem Statement	5
4	Objective	6
5	Feasibility Study	7
5.1	- Technical	7
5.2	- Economic	7
6	Requirements	8
6.1	- Functional	8
6.2	- Non Functional	8
7	Description of Modules	9
7.1	- User Interface Module	9
7.2	- Feature Extraction Module	9
7.3	- Preprocessing Module	9
7.4	- Prediction and Alert Module	9
8	Future Scope	10
9	References	11

ABSTRACT :

Phishing attacks have become one of the most serious and widespread cyber security threats in the modern digital landscape. Attackers use deceptive techniques such as fake websites, fraudulent emails, and misleading messages to impersonate trusted organizations and trick users into sharing sensitive information, including usernames, passwords, financial details, and personal data. As online services continue to grow rapidly, phishing attacks are becoming more frequent and increasingly sophisticated. Traditional phishing detection methods, which mainly depend on static rules, predefined patterns, and blacklist-based approaches, often fail to identify newly created or modified phishing websites, making them less effective against evolving threats.

To overcome these challenges, this project proposes the design and development of a Machine Learning-based Phishing Detection Tool that provides intelligent and adaptive detection of malicious links. The system works by analyzing a variety of URL-based and website-related features such as domain structure, length of the URL, presence of suspicious characters, and other behavioral indicators. Using supervised machine learning techniques, the model is trained on labeled datasets containing both legitimate and phishing URLs, enabling it to learn meaningful patterns and distinguish between safe and malicious websites with higher accuracy.

Several machine learning algorithms, including Logistic Regression, Decision Tree, Random Forest, and Support Vector Machine (SVM), are implemented and evaluated in this project. These algorithms are compared based on performance metrics such as accuracy, precision, recall, and detection speed to identify the most effective model for real-time phishing detection. The use of multiple algorithms allows the system to achieve better reliability and robustness against different phishing strategies.

INTRODUCTION :

The rapid growth of digital communication and online services has made daily life more convenient, but it has also increased the risk of cyber threats. Among these threats, phishing attacks have become one of the most common and harmful forms of cybercrime. In phishing attacks, users are misled into sharing sensitive information such as login credentials or financial details by fake emails, websites, or messages that appear legitimate.

Although several security measures exist, phishing techniques continue to evolve and often succeed in bypassing traditional, rule-based detection systems. Many users also find it difficult to identify fraudulent websites on their own. This situation highlights the need for smarter and more adaptive security solutions.

This project focuses on the design and development of a Phishing Detection Tool using Machine Learning techniques. The tool analyzes URL features and website characteristics to determine whether a link is legitimate or phishing, helping users make safer decisions in real time.

PROBLEM STATEMENT :

Phishing attacks cause serious problems such as financial loss, identity theft, and unauthorized access to personal and organizational data. As attackers continuously modify their strategies, it becomes increasingly difficult for users to manually recognize phishing websites.

Most existing detection systems rely on static rules or blacklists, which are often ineffective against newly created phishing links. Therefore, there is a strong need for a dynamic and intelligent phishing detection system that can learn from data, adapt to new attack patterns, and provide reliable protection to users.

OBJECTIVE :

- To study and understand common phishing techniques and attack patterns.
- To identify and extract important features from URLs and website attributes.
- To design and implement a machine learning–based classification model.
- To accurately classify websites as phishing or legitimate.
- To develop a simple and user-friendly interface for real-time detection.
- To increase user awareness and improve online security.

FEASIBILITY STUDY :

A feasibility study is conducted to evaluate the practicality and viability of the proposed Machine Learning–based Phishing Detection Tool. The study analyzes the project from technical and economic perspectives to ensure that the system can be developed, deployed, and maintained effectively within available resources.

Technical Feasibility

The proposed project is technically feasible as it is built using well-established and widely supported technologies. The core machine learning models are developed using Python libraries such as Scikit-learn, NumPy, and Pandas, which provide efficient tools for data preprocessing, feature extraction, model training, and evaluation. These libraries are extensively used in both academic research and industry applications, ensuring reliability and ease of implementation.

Economic Feasibility

From an economic standpoint, the project is highly cost-effective. It relies entirely on open-source software tools and libraries, eliminating the need for expensive licensed software or proprietary platforms. Python, Scikit-learn, Flask, and other supporting tools are freely available, which significantly reduces development and deployment costs.

Moreover, the system does not require specialized or high-performance hardware, as the machine learning models can operate efficiently on existing computing resources. Maintenance costs are minimal due to the simplicity of the system architecture and the use of widely supported technologies. As a result, the overall development and operational expenses remain low, making the project economically viable for educational, research, and small-scale real-world applications.

REQUIREMENTS :

Functional Requirements

- The system shall accept a URL as input from the user.
- The system shall extract relevant URL and domain features.
- The system shall preprocess and normalize the extracted data.
- The system shall classify URLs as phishing or legitimate.
- The system shall display prediction results to the user.

Non-Functional Requirements

- High accuracy and reliability.
- Fast response time for real-time detection.
- Scalability to handle large numbers of URLs.
- Security of user input data.
- Compatibility with different platforms and browsers.

DESCRIPTION OF MODULES :

User Interface Module

Provides a simple and interactive interface for users to enter URLs.
Displays the classification result indicating whether the link is legitimate or phishing.

Feature Extraction Module

Extracts key URL and website features such as URL length, special characters, domain age, and HTTPS usage.
These features help the system identify patterns commonly associated with phishing websites.

Preprocessing Module

Cleans and prepares the data by handling missing values and removing inconsistencies.
Performs encoding, scaling, and normalization to improve model accuracy and performance.

Prediction and Alert Module

Uses trained machine learning models to classify URLs in real time.
Alerts users immediately when a phishing link is detected to prevent potential cyber threats.

FUTURE SCOPE :

- Implementation of deep learning models for improved accuracy.
- Development of a browser extension for real-time detection.
- Integration of email phishing detection.
- Cloud-based deployment with API support.
- Continuous model training using live data.

REFERENCES :

1. Bishop, C. M., *Pattern Recognition and Machine Learning*, Springer, 2006.
2. Mitchell, T. M., *Machine Learning*, McGraw-Hill, 1997.
3. Goodfellow, I., Bengio, Y., and Courville, A., *Deep Learning*, MIT Press, 2016.
4. Sommer, R., and Paxson, V., "Outside the Closed World: On Using Machine Learning for Network Intrusion Detection," IEEE Symposium on Security and Privacy, 2010.
5. Garera, S., Provos, N., Chew, M., and Rubin, A. D., "A Framework for Detection and Measurement of Phishing Attacks," ACM Workshop on Rapid Malcode, 2007.
6. Jain, A. K., Mao, J., and Mohiuddin, K. M., "Artificial Neural Networks: A Tutorial," IEEE Computer, 1996.
7. Aburrous, M., Hossain, M. A., Dahal, K., and Thabtah, F., "Intelligent Phishing Detection System," IEEE International Conference on e-Business Engineering, 2009.
8. Mohammad, R. M., Thabtah, F., and McCluskey, L., "Predicting Phishing Websites Based on Self-Structuring Neural Network," Neural Computing and Applications, 2014.
9. Ma, J., Saul, L. K., Savage, S., and Voelker, G. M., "Beyond Blacklists: Learning to Detect Malicious Web Sites from Suspicious URLs," ACM SIGKDD, 2009.
10. Chandrasekaran, M., Narayanan, K., and Upadhyaya, S., "Phishing Detection Using Machine Learning Techniques,".
11. Sahoo, D., Liu, C., and Hoi, S. C. H., "Malicious URL Detection Using Machine Learning," ACM Computing Surveys, 2017.