

General Notes

BUILDER TO VIEW THE SITE DURING THE TENDER PERIOD TO SATISFY THEMSELVES OF THE LATENT SITE CONDITIONS AND FULL EXTENT OF WORK AS REQUIRED TO ALLOW FOR THE COMPLETION OF ALL WORKS AS DETAILED IN ALL DOCUMENTATION.

ALL DOCUMENTS ARE TO BE REVIEWED IN CONJUNCTION WITH RELEVANT CONSULTANTS DRAWINGS AND SPECIFICATIONS.

CONTRACTOR TO USE 92MM METAL STUD FRAMING UNLESS NOTED OTHERWISE. REFER TO ACUSTIC REPORT AND FIRE/SMOKE COMPARTMENT PLANS FOR WALLS THAT EXTEND TO UNDERSIDE OF SLAB AND ROOF SHEETING.

ALLOW FOR WALL STRENGTHENING BEHIND WALL MOUNTED FIXTURES AND FITTINGS INCLUDING BUT NOT LIMITED TO GRABRAILS, HANDRAILS, EQUIPMENT HOOKS, DRUG SAFES.

ALL FIRE, SMOKE, ACUSTIC WALLS, CORRIDOR WALLS TO BEDROOMS AND APARTMENTS ARE FULL HEIGHT TO UNDERSIDE OF SLAB OR SHEET METAL ROOF

IMPACT RESISTANT PLASTERBOARD TO BE INSTAED FROM 0 AFFL TO 1200 AFFL (TYPICALLY TO ALL STORES AND CORRIDORS)

ONLY CORRIDORS WITHOUT DADO PANELS REQUIRE IMPACT RESISTANT PLASTERBOARD

ALLOW FOR FURRING CHANNELS AND LINING TO ALL CONCRETE COLUMNS. LINING TO MATCH WITH LINING OF ASSOCIATED ROOM.

Legend - General

	WALL TYPE - REFER TO WALL SET-OUT PLANS & WALL TYPES SHEET FOR DETAILS
	RELATIVE LEVEL
	PROPOSED FINISH LEVEL

ABBREVIATIONS

EG1	EAVES GUTTER - TYPE 1
FLA	FLASHING
RF1	ROOF SHEET - TYPE 1

Legend
Description Quantity
Door 1

ALLOW FOR ROOF SAFETY SYSTEM TO BE DESIGNED BY A SEPERATE QUALIFIED CONSULTANT
ALLOW TO FIX THROUGH ROOF TO STRUCTURAL POINTS BELOW FOR ANCHOR POINTS AND OTHER SAFETY MECHANISMS AS REQUIRED

DASHED LINE DENOTE INDICATIVE LOCATION OF SOLAR PANELS - SYSTEM TO ACHIEVE MIN. 60KW
REFER SERVICES CONSULTANT

DASHED LINE DENOTES BUILDING BELOW

CONCRETE PLANT PLATFORM WITH FALLS TO WASTES (TBO)
REFER ALSO TO:
• STRUCTURAL ENGINEER
• SERVICES CONSULTANTS FOR LAYOUTS
• ACUSTIC REPORT FOR NOISE ATTENUATION MEASURES
NOTE:
WATERPROOFING TO THE CONCRETE SLAB

6 ROOF PLAN
Scale 1:100

Revision/Issue	Date
P3 ISSUE FOR CONTRACT	2025.10.10
C1 ISSUE FOR CONSTRUCTION	2025.12.19
C2 ISSUE FOR CONSTRUCTION - DOOR SCHEDULE	2026.03.16
C3 ISSUE FOR CONSTRUCTION	2026.03.24

Clarke
Hopkins
Clarke

ClarkeHopkinsClarke
Melbourne | Wurundjeri
L9, Melbourne Connect
700 Swanston Street
Carlton VIC 3063
Telephone (03) 9419 4340
Email studio@chc.com.au
www.chc.com.au

Sydney | Gadigal Country
Suite 3, Ground Floor
91 Campbell Street
Surry Hills NSW 2010
Telephone (02) 9221 9200
Email studio@chc.com.au
www.chc.com.au

Scale	1:100 @ A1
Date	01/03/2024
Drawn	TM
Architect	EL



Project
Summerset Oakleigh
52 Golf Road, Oakleigh South, VIC

Drawing
Roof Plan - Roof

Drawing No.
230185/A1210
C3

FOR CONSTRUCTION