




INTERNAL STUD(DRY) 30-49




WALL TYPE	IS30
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	DRY / DRY




WALL TYPE	IS31
FIRE RATING	
ACOUSTIC RATING	Rw45
THERMAL RATING	
SYSTEM NUMBER	CSR 1030(g)
NOTES	DRY / DRY




WALL TYPE	IS32
FIRE RATING	
ACOUSTIC RATING	Rw45
THERMAL RATING	
SYSTEM NUMBER	BASED ON CSR 3017(g)
NOTES	DRY / DRY




WALL TYPE	IS33
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS34
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	R2.7
SYSTEM NUMBER	
NOTES	



WALL TYPE	IS35
FIRE RATING	
ACOUSTIC RATING	Rw+Ctr≥50
THERMAL RATING	R2.7
SYSTEM NUMBER	
NOTES	DRY / DRY




WALL TYPE	IS36
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS37
FIRE RATING	
ACOUSTIC RATING	Rw60
THERMAL RATING	
SYSTEM NUMBER	
NOTES	DRY / DRY


INTERNAL STUD(WET) 50-59



WALL TYPE	IS38
FIRE RATING	
ACOUSTIC RATING	RW50
THERMAL RATING	
SYSTEM NUMBER	
NOTES	DRY/DRY




WALL TYPE	IS41
FIRE RATING	
ACOUSTIC RATING	Rw+Ctr ≥ 40
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS42
FIRE RATING	
ACOUSTIC RATING	Rw60
THERMAL RATING	
SYSTEM NUMBER	
NOTES	DRY / DRY


INTERNAL STUD(WET/DRY) 60-69




WALL TYPE	IS60
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	DRY / WET



WALL TYPE	IS61
FIRE RATING	
ACOUSTIC RATING	Rw45
THERMAL RATING	
SYSTEM NUMBER	CSR1027
NOTES	DRY / WET




WALL TYPE	IS62
FIRE RATING	
ACOUSTIC RATING	Rw45
THERMAL RATING	
SYSTEM NUMBER	
NOTES	DRY / WET




WALL TYPE	IS63
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	WET / DRY


INTERNAL STUD (FIRE RATED) 70-81




WALL TYPE	IS50
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	CSR 1002
NOTES	WET / WET




WALL TYPE	IS51
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS52
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS53
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS54
FIRE RATING	
ACOUSTIC RATING	Rw45
THERMAL RATING	
SYSTEM NUMBER	CSR 1002(c)
NOTES	WET / WET




WALL TYPE	IS55
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	CSR 1002
NOTES	WET / WET




WALL TYPE	IS70
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw50
THERMAL RATING	
SYSTEM NUMBER	CSR 1133(c)
NOTES	DRY / DRY




WALL TYPE	IS71
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	R2.7
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS72
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw50
THERMAL RATING	R2.7
SYSTEM NUMBER	CSR 1135(c)
NOTES	WET / DRY




WALL TYPE	IS73
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw+Ctr≥50
THERMAL RATING	R2.7
SYSTEM NUMBER	CSR 1340
NOTES	DRY / DRY




WALL TYPE	IS74
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw+Ctr≥50
THERMAL RATING	R2.7
SYSTEM NUMBER	
NOTES	DRY / DRY




WALL TYPE	IS75
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw+Ctr≥50
THERMAL RATING	R2.7
SYSTEM NUMBER	CSR1342
NOTES	WET/WET




WALL TYPE	IS76
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw+Ctr≥50
THERMAL RATING	R2.7
SYSTEM NUMBER	CSR1342
NOTES	WET/WET




WALL TYPE	IS77
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw+Ctr≥50
THERMAL RATING	R2.7
SYSTEM NUMBER	CSR1342
NOTES	WET/WET




WALL TYPE	IS78
FIRE RATING	60/60/60
ACOUSTIC RATING	Rw+Ctr≥50
THERMAL RATING	R2.7
SYSTEM NUMBER	
NOTES	WET/WET



WALL TYPE	IS79
FIRE RATING	120/120/120
ACOUSTIC RATING	Rw+Ctr ≥ 46
THERMAL RATING	R2.7
SYSTEM NUMBER	SIMILAR TO CSR 1085(g)
NOTES	DRY / DRY



WALL TYPE	IS80
FIRE RATING	60/60/60
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	BASED ON CSR7450
NOTES	



WALL TYPE	IS81
FIRE RATING	120/120/120
ACOUSTIC RATING	Rw50
THERMAL RATING	
SYSTEM NUMBER	CSR 1085(c)
NOTES	DRY / DRY




WALL TYPE	IS83
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	



WALL TYPE	IS86
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS87
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	IS89
FIRE RATING	
ACOUSTIC RATING	
THERMAL RATING	
SYSTEM NUMBER	
NOTES	


FIRE AND RISERS




WALL TYPE	F30
FIRE RATING	-J120/120
ACOUSTIC RATING	Rw40
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	F31
FIRE RATING	-J120/120
ACOUSTIC RATING	Rw40 (TBC)
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	F32
FIRE RATING	-J120/120
ACOUSTIC RATING	Rw40 (TBC)
THERMAL RATING	
SYSTEM NUMBER	
NOTES	




WALL TYPE	F33
FIRE RATING	120/120/120
ACOUSTIC RATING	Rw50 (TBC)
THERMAL RATING	
SYSTEM NUMBER	
NOTES	



WALL TYPE	F34
FIRE RATING	-J120/120
ACOUSTIC RATING	Rw40 (TBC)
THERMAL RATING	
SYSTEM NUMBER	
NOTES	



WALL TYPE	F35
FIRE RATING	-J120/120
ACOUSTIC RATING	Rw40 (TBC)
THERMAL RATING	
SYSTEM NUMBER	
NOTES	



WALL TYPE	F36
FIRE RATING	-J120/120
ACOUSTIC RATING	Rw40 (TBC)
THERMAL RATING	
SYSTEM NUMBER	
NOTES	

Wall Types Notes

ALL INTERNAL PARTY WALLS BETWEEN APARTMENTS TO ACHIEVE MINIMUM FRL -/60/60 AND Rw+Ctr 50.

ALL INTERNAL PARTY WALLS BETWEEN APARTMENTS & CORRIDORS/COMMON AREAS TO ACHIEVE MINIMUM FRL -/60/60 AND Rw 50.

ALL CARPARK EXHAUST & WASTE CHUTE SHAFT WALLS ARE TO BE MIN. 78mm SPEEDPANEL OR 150mm CONCRETE PANEL, TO ACHIEVE MINIMUM FRL -/120/120.

ALL INTERNAL PARTY WALLS & SHAFT WALLS TO BE SEALED TO UNDERSIDE OF CONCRETE SLAB OR ROOF SHEET OVER. ALL PENETRATIONS TO BE FIRE SEALED IN ACCORDANCE WITH AS1530.4, & ACOUSTICALLY TREATED IN ACCORDANCE WITH MANUFACTURER'S TESTED SYSTEMS.

TO WALLS TO WET AREAS, UPGRADE LINING TO MR VARIETY OF SPECIFIED PLASTERBOARD.

INTERNAL WALL NOTE:

- DIMENSION OF WALL FRAMING AS INDICATED IS MINIMUM AND FOR ARCHITECTURAL / ACOUSTIC PURPOSE ONLY.
- ACTUAL CONSTRUCTION OF WALL FRAMING ALSO REFER TO STRUCTURAL DOCUMENTATION
- ENSURE INTERNAL WALL LINING FINISHES ALIGN
- FIRE & SMOKE WALLS ARE TO BE CARRIED TO & SEALED AGAINST THE UNDERSIDE OF SLAB ABOVE OR ROOF COVERING
- NOOING REQUIRED FOR ALL FIXTURES / FITTINGS / HANDRAILS AND THE LIKE
- ON SITE MARK-UP SPRAY LOCATIONS FOR ALL SMOKE, FIRE, & ACOUSTIC WALL TYPES TO UNDERSIDE OF SLAB FOR CONFIRMATION PRIOR TO SHEETING.
- MOISTURE RESISTANT PLASTERBOARD TO BE USED FOR ALL WET AREAS AS REQUIRED
- INTERNAL WALLS TO MEET R2.7 BETWEEN CONDITIONED AND UNCONDITIONED SPACES - REFER TO SMP
- IMPACT RESISTANT PLASTERBOARD, GYPROCK EC08 IMPACTCHECK OF SIMILAR, TO 1200 AFLL TO ALL AREAS

Revision/Issue	Date
P1 RACF & ILA WIP Client & Consultant Coordination & Review	2025.07.04
P2 Tender Peak Issue	2025.09.05
P3 ISSUE FOR CONTRACT	2025.10.10
C1 ISSUE FOR CONSTRUCTION	2025.12.19

Clarke
Hopkins
exh150

ClarkeHopkinsClarke
Melbourne | Wurundjeri
L3, Melbourne Connect
700 Swanston Street
Carlton VIC 3063
Telephone (03) 9419 4340
Email studio@chc.com.au
www.chc.com.au

Sydney | Gadigal Country