Door Schedule_SSG OKS

C1 ILA NUMBERING UPDATE

Revision	Building	Level	Door Number	Type Mark	To Room	To Room: Number	From Room	Leaf Type	Panel 1 Height	Panel 1 Width	Panel 2 Width	Fire Rating	Acoustic Rating	Undercut Height	Frame Type	Architrave	Door Closer	Seals	Elec Strike/Mag Lock	Hold Open	Card Reader/Key Pad	Push to Exit	Locks	Keying Cylinder	Front Door Protection	Front DP Height	Rear Door Protection	Rear DP Height	Auto Door	Comments
C1	ILA	ILA Ground	A.G52.3	DS01	CORRIDOR	A.G52	CORRIDOR	A8	2040	920	520	SM		0	ST3	2 SIDE	DC	SS		HOM					Protection. : Nil	0	Protection. : Nil	0		SMOKE DOOR. PULL HANDLE TO PULL SIDE ONLY. PUSH PLATE TO PUSH SIDE.
P3	ILA	ILA Ground	A.G52.4	D15	CORRIDOR	A.G52	HYD	A2	2040	920	920			20	ST1	1 SIDE							KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Ground	A.G52.5	DF15	FOYER	A.G53	ELEC	F5	2040	720	720	1HR		0	ST3	1 SIDE		FS					KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Ground	A.G52.6	DF15	FOYER	A.G53	ELEC	F5	2040	720	720	1HR		0	ST3	1 SIDE		FS					KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Ground	A.G52.7	DF14	CORRIDOR	A.G52	COMMS	F5	2040	820	820	1HR		0	ST3	1 SIDE		FS					KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Ground	A.G52.8	DF08	CORRIDOR	A.G52	CHUTE	F7	2040	720	720	2HR		0	ST3	1 SIDE	DC	FS							Protection. : Nil	0	Protection : DPR1	1200		
C1	ILA	ILA Ground	A.G52.9	D55	CORRIDOR	A.G52		S-D2	2080	1760				20	AL2	-					KP	PEX							AUTO SLIDE	AUTOMATIC GLAZED SLIDING DOOR. CONTRAST STRIP TO AS.1288
P3	ILA	ILA Ground	A.G53.1	DF15	FOYER	A.G53	EWS	F5	2040	720	720	1HR		0	ST3	1 SIDE		FS					KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Ground	A.G54.1	DF13	STAIR 04	A.G54	CORRIDOR	F10	2040	920		1HR		0	ST3	1 SIDE	DC	FS	ES		CR				Protection. : Nil	0	Protection. : Nil	0		VISION PANEL
P3	ILA	ILA Ground	A.G54.2	DF12			STAIR 04	F10	2040	920		1HR		0	ST3	-	DC	FS	ES		CR				Protection. : Nil	0	Protection. : Nil	0		VISION PANEL, ENSURE EXTERNAL GRADE
P3	ILA	ILA Ground	A.G56.1	DF13	STAIR 05	A.G56	CORRIDOR	F10	2040	920		1HR		0	ST3	1 SIDE	DC	FS	ES		CR				Protection. : Nil	0	Protection. : Nil	0		VISION PANEL
C1	ILA	ILA Ground	A.G56.2	DF01			STAIR 05	F7	2040	920		2HR		0	ST3	-	DC	FS	ES		CR				Protection. : Nil	0	Protection. : Nil	0		ENSURE EXTERNAL GRADE
C1	ILA	ILA Level 1	A.101.1	DF09	TYPE 2	A.110	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.101.2	D04	TYPE 2	A.110	TYPE 2	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.101.3	D06	TYPE 2	A.110	TYPE 2	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.101.4	D05	TYPE 2	A.110	TYPE 2	A2	2040	820				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.101.5	D06	TYPE 2	A.110	TYPE 2	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.101.6	D29	TYPE 2	A.110	TYPE 2	A2	2040	820				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.102.1	DF09	TYPE 2	A.112	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.102.2	D04	TYPE 2	A.112	TYPE 2	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.102.3	D06	TYPE 2	A.112	TYPE 2	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.102.4	D05	TYPE 2	A.112	TYPE 2	A2	2040	820				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.102.5	D06	TYPE 2	A.112	TYPE 2	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.102.6	D29	TYPE 2	A.112	TYPE 2	A2	2040	820				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.103.1	DF09	TYPE 2	A.114	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.103.2	D04	TYPE 2	A.114	TYPE 2	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.103.3	D06	TYPE 2	A.114	TYPE 2	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.103.4	D05	TYPE 2	A.114	TYPE 2	A2	2040	820				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.103.5	D06	TYPE 2	A.114	TYPE 2	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.103.6	D29	TYPE 2	A.114	TYPE 2	A2	2040	820				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.104.1	DF09	TYPE 5	A.116	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.104.2	D04	TYPE 5	A.116	TYPE 5	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.104.3	D28	TYPE 5	A.116	TYPE 5	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.104.4	D04	TYPE 5	A.116	TYPE 5	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.104.5	D21	TYPE 5	A.116	TYPE 5	S-A2	2040	920				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 1	A.105.1	DF09	TYPE 6	A.117	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.105.2	D04	TYPE 6	A.117	TYPE 6	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.105.3	D28	TYPE 6	A.117	TYPE 6	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.105.4	D04	TYPE 6	A.117	TYPE 6	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.105.5	D06	TYPE 6	A.117	TYPE 6	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 1	A.106.1	DF09	TYPE 7	A.115	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.106.2	D04	TYPE 7	A.115	TYPE 7	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.106.3	D28	TYPE 7	A.115	TYPE 7	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.106.4	D04	TYPE 7	A.115	TYPE 7	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.106.5	D21	TYPE 7	A.115	TYPE 7	S-A2	2040	920				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 1	A.107.1	DF09	TYPE 1	A.113	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.107.2	D04	TYPE 1	A.113	TYPE 1	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.107.3	D06	TYPE 1	A.113	TYPE 1	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.107.4	D28	TYPE 1	A.113	TYPE 1	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.108.1	DF09	TYPE 1	A.111	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.108.2	D04	TYPE 1	A.111	TYPE 1	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.108.3	D06	TYPE 1	A.111	TYPE 1	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.108.4	D28	TYPE 1	A.111	TYPE 1	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.109.1	DF09	TYPE 3	A.109	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.109.2	D04	TYPE 3	A.109	TYPE 3	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.109.3	D28	TYPE 3	A.109	TYPE 3	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.109.4	D04	TYPE 3	A.109	TYPE 3	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.109.5	D21	TYPE 3	A.109	TYPE 3	S-A2	2040	920				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 1	A.110.1	DF09	TYPE 1	A.108	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.110.2	D04	TYPE 1	A.108	TYPE 1	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.110.3	D06	TYPE 1	A.108	TYPE 1	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.110.4	D28	TYPE 1	A.108	TYPE 1	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.111.1	DF09	TYPE 4	A.107	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.111.2	D04	TYPE 4	A.107	TYPE 4	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.111.3	D28	TYPE 4	A.107	TYPE 4	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.111.4	D04	TYPE 4	A.107	TYPE 4	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.111.5	D28	TYPE 4	A.107	TYPE 4	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.112.1	DF09	TYPE 13	A.106	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.112.2	D04	TYPE 13	A.106	TYPE 13	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.112.3	D28	TYPE 13	A.106	TYPE 13	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.112.4	D05	TYPE 13	A.106	TYPE 13	A2	2040	820				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.112.5	D21	TYPE 13	A.106	TYPE 13	S-A2	2040	920				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 1	A.113.1	DF09	TYPE 8	A.105	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.113.2	D04	TYPE 8	A.105	TYPE 8	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.113.3	D28	TYPE 8	A.105	TYPE 8	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.113.4	D04	TYPE 8	A.105	TYPE 8	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.113.5	D28	TYPE 8	A.105	TYPE 8	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.114.1	DF09	TYPE 7	A.103	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.114.2	D04	TYPE 7	A.103	TYPE 7	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.114.3	D28	TYPE 7	A.103	TYPE 7	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.114.4	D04	TYPE 7	A.103	TYPE 7	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.114.5	D21	TYPE 7	A.103	TYPE 7	S-A2	2040	920				30	T3	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 1	A.115.1	DF09	TYPE 6	A.101	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.115.2	D04	TYPE 6	A.101	TYPE 6	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.115.3	D28	TYPE 6	A.101	TYPE 6	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.115.4	D06	TYPE 6	A.101	TYPE 6	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.115.5	D04	TYPE 6	A.101	TYPE 6	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.116.1	DF09	TYPE 9	A.102	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY		Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.116.2	D04	TYPE 9	A.102	TYPE 9	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.116.3	D28	TYPE 9	A.102	TYPE 9	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.116.4	D04	TYPE 9	A.102	TYPE 9	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.116.5	D04	TYPE 9	A.102	TYPE 9	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.116.6	D28	TYPE 9	A.102	TYPE 9	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.117.1	DF09	TYPE 10	A.104	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 1	A.117.2	D04	TYPE 10	A.104	TYPE 10	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.117.3	D06	TYPE 10	A.104	TYPE 10	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 1	A.117.4	D04	TYPE 10	A.104	TYPE 10	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.117.5	D05	TYPE 10	A.104	TYPE 10	A2	2040	820				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.117.6	D28	TYPE 10	A.104	TYPE 10	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.117.7	D29	TYPE 10	A.104	TYPE 10	A2	2040	820				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.117.8	D21	TYPE 10	A.104	TYPE 10	S-A2	2040	920				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 1	A.150.1	DS01	CORRIDOR	A.150	CORRIDOR	A8	2040	920	520	SM		0	ST3	2 SIDE	DC	SS		HOM					Protection. : Nil	0	Protection. : Nil	0		SMOKE DOOR. PULL HANDLE TO PULL SIDE ONLY. PUSH PLATE TO PUSH SIDE.
P3	ILA	ILA Level 1	A.151.1	DF02	STAIR 03	A.151	CORRIDOR	F5	2040	920		1HR		0	ST3	1 SIDE	DC	FS	ES		CR				Protection. : Nil	0	Protection. : Nil	0		
C1	ILA	ILA Level 1	A.152.1	DS01	CORRIDOR	A.152	CORRIDOR	A8	2040	920	520	SM		0	ST3	2 SIDE	DC	SS		HOM					Protection. : Nil	0	Protection. : Nil	0		SMOKE DOOR. PULL HANDLE TO PULL SIDE ONLY. PUSH PLATE TO PUSH SIDE.
P3	ILA	ILA Level 1	A.152.2	D15	CORRIDOR	A.152	HYD	A2	2040	920	920			20	ST1	1 SIDE							KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.152.3	DF14	CORRIDOR	A.152	COMMS	F5	2040	820	820	1HR		0	ST3	1 SIDE		FS					KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.152.4	DF08	CORRIDOR	A.152	CHUTE	F7	2040	720	720	2HR		0	ST3	1 SIDE	DC	FS							Protection. : Nil	0	Protection : DPR1	1200		
P3	ILA	ILA Level 1	A.153.1	DF15	ILA COMMUNAL	A.153	ELEC	F5	2040	720	720	1HR		0	ST3	1 SIDE		FS					KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.153.2	DF15	ILA COMMUNAL	A.153	ELEC	F5	2040	720	720	1HR		0	ST3	1 SIDE		FS					KEY	MM	Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 1	A.154.1	DF13	STAIR 04	A.154	CORRIDOR	F10	2040	920		1HR		0	ST3	1 SIDE	DC	FS	ES		CR				Protection. : Nil	0	Protection. : Nil	0		VISION PANEL
P3	ILA	ILA Level 1	A.156.1	DF13	STAIR 05	A.156	CORRIDOR	F10	2040	920		1HR		0	ST3	1 SIDE	DC	FS	ES		CR				Protection. : Nil	0	Protection. : Nil	0		VISION PANEL
C1	ILA	ILA Level 2	A.201.1	DF09	TYPE 10	A.210	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 2	A.201.2	D04	TYPE 10	A.210	TYPE 10	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.201.3	D06	TYPE 10	A.210	TYPE 10	S-A2	2040	1020				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
P3	ILA	ILA Level 2	A.201.4	D04	TYPE 10	A.210	TYPE 10	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.201.5	D05	TYPE 10	A.210	TYPE 10	A2	2040	820				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.201.6	D28	TYPE 10	A.210	TYPE 10	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.201.7	D29	TYPE 10	A.210	TYPE 10	A2	2040	820				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.201.8	D21	TYPE 10	A.210	TYPE 10	S-A2	2040	920				30	T3	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		CAVITY SLIDER
C1	ILA	ILA Level 2	A.202.1	DF09	TYPE 9	A.212	CORRIDOR	F5	2040	970		1HR	RW30	0	ST3	2 SIDE	DC	FS					KEY	R	Protection. : Nil	0	Protection. : Nil	0		FULLY REBATED SEAL
P3	ILA	ILA Level 2	A.202.2	D04	TYPE 9	A.212	TYPE 9	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.202.3	D28	TYPE 9	A.212	TYPE 9	A2	2040	920				30	T1	1 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.202.4	D04	TYPE 9	A.212	TYPE 9	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		
P3	ILA	ILA Level 2	A.202.5	D04	TYPE 9	A.212	TYPE 9	A2	2040	920				20	T1	2 SIDE									Protection. : Nil	0	Protection. : Nil	0		

Door Schedule Legend

All doors to be obtained from an approved manufacturer and to carry a 2 (two) year Warranty against warping or distortion.
Leading edges of pairs of doors are not to be rebated unless required for fire / smoke doors.

LEAF TYPES

A2 — **Flush panel door nom. 40mm thick, internal grade.**
Solid frame of ex. 38mm KDHW.
Solid MR particleboard core.
Faced with 4.8mm redicoat hardboard both sides, ready for paint finish.
KDHW edge strip to stile edges.

A4 — **Flush panel door nom. 40mm thick, Internal grade veneer faced**
Solid frame of ex. 38mm KDHW.
Solid MR particleboard core.
Faced with 4mm Victorian Ash timber veneer plywood on both sides.
KDHW edge strip to stile edges.

A5 — **Flush panel door min. 40mm thick**
Solid frame of ex. 38mm KDHW.
Solid MR particleboard core, minimum mass of door of 22kg/m2.
Faced with 4.8mm redicoat hardboard both sides, ready for paint finish.
KDHW strip to all edges.
Door grilles not permitted for acoustic reasons.

A8 — **Flush panel door nom. 40mm thick (min. 35mm thick), internal grade, Smoke Door.**
Solid frame of ex. 38mm KDHW.
Solid MR particleboard core.
Faced with 4.8mm redicoat hardboard both sides, ready for paint finish.
KDHW edge strip to stile edges.

A9 — **Flush panel door nom. 40mm thick, internal grade.**
WITH FACE FIXED INTERIOR FINISH. REFER ELEVATIONS AND SCHEDULE.
Solid frame of ex. 38mm KDHW.
Solid MR particleboard core.
Faced with 4.8mm redicoat hardboard both sides, ready for paint finish. And fixing of interior lining.
KDHW edge strip to stile edges.

C2 — **Flush panel door nom. 40mm thick, with viewing panel**
(For double doors, vision panel only in active leaf).
Solid frame of ex. 38mm KDHW.
Solid MR particleboard core.
Faced with 4.8mm redicoat hardboard both sides, ready for paint finish.
KDHW edge strip to stile edges.
Glazed viewing panel 200mm wide x 950mm high, set back 200mm from latch edge with bottom 900mm above floor level.
Viewing panel inset within thickness of door, rebated and glazed with 6.38mm laminated glass and 19 x 13mm square KDHW beads, to finish flush with face of door.

C4 — **Custom panel bedroom door. Solid Core door 40mm thick, internal grade.**
Custom panelling to match wall panelling details, refer door elevation

D1 — **Full glazed aluminium door with midrail**
refer Materials Schedule - Metalwork

D2 — **Full glazed aluminium door without midrail**
refer Materials Schedule - Metalwork

F5 — **Fire rated door, 60 minutes**
Pyropanel 60 minute Fire rated door and frame to achieve FRL - / 60 / 30.
Facing : MDF or hardboard. External Grade where noted.
Installation : in accordance with manufacturer's instructions.

F7 — **Fire rated door, 120 minutes**
Pyropanel 120 minute Fire rated door and frame to achieve FRL - / 120 / 30.
Facing : MDF or hardboard. External Grade where noted.
Installation : in accordance with manufacturer's instructions.

F10 — **Fire rated door, 60 minutes, vision panel**
Pyropanel 60 minute Fire rated door and frame to achieve FRL - / 60 / 30, with Vision Panel 600 H x 100 W, as required by FER.
Facing : MDF or hardboard. External Grade where noted.
Installation : in accordance with manufacturer's instructions.

F11 — **Fire rated door, 120 minutes, vision panel**
Pyropanel 120 minute Fire rated door and frame to achieve FRL - / 120 / 30. With Vision Panel 600 H x 100 W, as required by FER.
Facing : MDF or hardboard. External Grade where noted.
Installation : in accordance with manufacturer's instructions.

L — **Lotus 'Acoustic sliding Door'**
refer Meterials Schedule - Metalwork

PVC — **'Butcher style' PVC Door.**
TBC

S-## — **Denotes Sliding Door**
Leaf construction as noted above

Refer Materials Schedule - Section 08800 Glass & Glazing for Glass Types in glazed doors.

FRAME TYPES

AL1 — **Aluminium**
Aluminium frame with stop by fabricator to suit door, refer Materials Schedule - Metalwork - for frame details. Incorporates perimeter weather seals where shown AFS.

AL2 — **Aluminium**
Aluminium Frame flush/ no stops, to suit surface sliding door. Refer Materials Schedule - Metalwork - for frame details.

ST1 — **Steel**
Item : 1.2mm pressed zinc anneal steel frame.
Installation : Frames custom sized where required to be compatible with wall thickness and situation, including double skin walls and to be sealed to fit neatly with finished surfaces.
Finish : as specified in Section 09900 Painting.

ST3 — **Steel**
Proprietary steel frame supplied with Acoustic or Fire rated door. Custom sized where required to suit wall thickness.

T1 — **Timber**
refer Materials Schedule/Specification.

T3 — **Timber**
Timber framed cavity sliding unit to suit door.

ARCHITRAVES

2 SIDE — **ARCHITRAVES TO BOTH SIDES OF DOOR**
REFER MATERIAL SCHEDULE

1 SIDE — **ARCHITRAVES TO ONE SIDE OF DOOR**
REFER MATERIAL SCHEDULE.
- NO ARCHITRAVE TO BOH AREAS
- NO ARCHITRAVE TO TILED AREAS. ALLOW INSTEAD FOR POWDERCOATED ALUMINIUM ANGLE TO FINISH TILED EDGE.

\- — **NO ARCHITRAVE**

PRIVACY

PRI1 — **PRIVACY LATCH INTEGRATED IN DOOR HANDLE**
REFER SCHEULE

PRI2 — **PRIVACY LATCH WITH VACANT/ENGAGED SYMBOL**
REFER SCHEDULE

BAL 12.5 Rating

ALL EXTERNAL DOORS TO BE TIGHT FITTING AND PROVIDED WITH WEATHER SEALS TO THE FULL PERIMETER OF THE DOOR TO PREVENT EMBER ENTRY, IN ACCORDANCE WITH AS3959-2009.

General Notes

NOTE: NOT ALL CODES MAY BE USED

DOOR SCHEDULE TO BE READ IN CONJUNCTION WITH ARCHITECTURAL DRAWING AND SPECIFICATION PACKAGES.

THIS SPECIFICATION MUST BE CHECKED AGAINST THE FINAL FLOOR PLANS RELEVANT SPECIFICATIONS.

ALL DDA/NCC SAFETY DECALS TO GLAZING TO COMPLY WITH CLAUSE 6.6 OF AS1428.1

ALL DOOR FURNITURE TO BE MOUNTED AT 1000mm FROM FINISHED FLOOR LEVEL UNLESS OTHERWISE SPECIFIED

PROVIDE ESCAPE FUNCTION TO ESCAPE DOORS IN ACCODANCE WITH THE BCA

CHECK ALL FURNITURE WITH HARDWARE SUPPLIER REPRESENTATIVE INCLUDING CODES FOR LEFT AND RIGHT DOORS AND COORDINATION OF SCHEDULED HARDWARE WITH FINAL FLOOR PLAN

FURNITURE IS TO BE GENERALLY FITTED WITH CENTRE OF LEVER HANDLE 1000mm ABOVE FLOOR, UNLESS OTHERWISE SHOWN ON DRAWINGS OR SPECIFIED IN DOOR SCHEDULE

Keying

NOTE: ALL KEYS TO BE IN A GRAND MASTER KEY SYSTEM

MASTER KEYING REQUIRED FOR ALL LOCKABLE DOORS.

XXX KEYS TO BE PROVIDED TO EACH MASTER KEYING LEVEL. PRIOR TO PLACING ORDER FOR LOCK CYLINDERS, THE CONTRACTOR IS TO CHECK WITH THE ARCHITECT/ SUPERINTENDENT REGARDING THE KEYING SCHEDULE FOR THE GRAND MASTER KEY SYSTEM. A NUMBER OF DOORS ARE TO BE KEYED ALIKE AND/OR MAISON KEYED TO OTHER LOCKS AS SHOWN ON A FUTURE KEYING SCHEDULE.

CONTRACTOR TO ENSURE ALL LOCKS ARE COMPATIBLE WITH THE EXISTING MASTER LOCK SYSTEM.

CONTRACTOR TO PROVIDE ADEQUATE OPENING ALLOWANCE FOR BI-LOCK CYLINDER.

BUILDER TO ALLOW FOR THE SULLY, INSTALLATION AND REMOVAL OF ADEQUATE QUANTITIES OF CONSTRUCTION CYLINDERS.

FINAL DETAIL OF MASTERKEYING WILL BE CLARIFIED BY CLIENT PRIOR TO PLACEMENT OF ORDER

KEYS

MM	MAINTENANCE MGR
SS	SENIOR STAFF
S	CARE STAFF
AD	ADMIN STAFF
KS	KITCHEN
LN	LAUNDRY
R	RESIDENTS

Security

CARDREADER, REFER ELECTRICAL ENGINEER DRAWINGS/ SPECIFICATION

CODEPAD, REFER ELECTRICAL ENGINEER DRAWINGS/ SPECIFICATION

REQUEST TO EXIT BUTTON, REFER ELECTRICAL ENGINEER DRAWINGS / SPECIFICATION

BREAKGLASS, REFER ELECTRICAL ENGINEER DRAWINGS/ SPECIFICATION

REED SWITCH, REFER ELECTRICAL ENGINEER DRAWINGS/ SPECIFICATION

ACCESS GROUPS

S	ALL STAFF
SS	MEDICATION STAFF ONLY
V	ALL STAFF + VISITORS
R	ALL STAFF + ILA RESIDENTS
C	ALL STAFF + CONTRACTORS
MO	MANAGEMENT STAFF ONLY

Closers

ALL CLOSERS MUST CONFORM TO EUROPEAN NORM STANDARD 1154. ALL PRODUCTS WHERE POSSIBLE MUST ACHIEVE AN EN1 RATING AT THE LOWEST SETTING, UNLESS OTHERWISE SPECIFIED.

ALL CLOSERS TO PUBLIC AND TRAFFIC AREAS MUST BE CAM ACTION, UNLESS OTHERWISE SPECIFIED

Door Grilles and Undercuts

REFER TO MECHANICAL ENGINEERS DRAWINGS FOR DOOR UNDERCUTS LOCATIONS AND DOOR GRILLE DIMENSIONS.

UNDERCUTS TO BE 25MM U.N.O.

DOOR GRILLES TO BE POWDERCOAT FINISHED TO SCHEDULED COLOUR. REFER TO FINISHES SCHEDULE.

ALL FIRE DOOR TO HAVE A MAXIMUM UNDERCUT OF 10MM FOR COMPLIANCE WITH 1905.1

Door Protection

REFER TO ASC01 MATERIALS, PRODUCTS & FINISHES SCHEDULE FOR SPECIFICATION.

APPLIED DOOR PROTECTION DPR1 DENOTES ACROVYN 4000 RIGID SHEET IN COLOUR 378 BRUSHED NICKEL (C2C SILVER)

APPLIED DOOR PROTECTION DPR2 DENOTES ACROVYN 4000 RIGID SHEET IN COLOUR TO MATCH DOOR LEAF (TBC)

APPLIED DOOR PROTECTION CODE FOLLOWED BY HEIGHT ABOVE LOWER SECTION OF DOOR.

UNLESS NOTED OTHERWISE, DOOR PROTECTION SHALL BE APPLIED TO BOTH FACES OF EACH DOOR LEAF WHERE DP HAS BEEN IDENTIFIED.

Finishes

REFER TO ASC01 MATERIALS, PRODUCTS & FINISHES SCHEDULE FOR SPECIFCATION.

ALL SOLID DOORS TO BE PAINT FINISHED (TBC)

ALL ALUMINIUM DOORS WILL BE POWDERCOAT FINISHED AS SPECIFIED. ALL PRESSED METAL DOOR FRAMES TO BE PAINTED. ANY EXPOSED SECTIONS OF DOORS TO BE PAINT FINISHED.

ALL DOOR GRILLES WILL BE POWDER COAT FINISHED TO MATCH DOOR FINISH

FOR CONSTRUCTION

Revision/Issue

		Date
P1	Preliminary Door Issue for Review	2025.07.24
P2	Tender Pack - Doors and Windows	2025.09.15
P3	ISSUE FOR CONTRACT	2025.10.10
C1	ISSUE FOR CONSTRUCTION - DOOR SCHEDULE	2026.03.16

ClarkeHopkinsClarke

ClarkeHopkinsClarke

Melbourne | Wurundjeri
L9, Melbourne Connect
700 Swanston Street
Carlton VIC 3053
Telephone (03) 9419 4340
Email studio@chc.com.au
www.chc.com.au

Sydney | Gadigal Country
Suite 3, Ground Floor
91 Campbell Street
Surry Hills NSW 2010
Telephone (02) 9221 9200
Email studio@chc.com.au
www.chc.com.au

Scale	1 : 200 @ A1
Date	01/03/2024
Drawn	TM
Architect	EL

Project
Summerset Oakleigh
52 Golf Road, Oakleigh South, VIC

Drawing
Schedule - Doors - Sheet 2

Drawing No.
230185/A2911 C1

A1 Use figured dimensions in preference to scale. Verify dimensions at job before shop fabrication. Read drawing in conjunction with specification.

© ClarkeHopkinsClarke