



A&G COMMERCIAL DOORS AND FRAMES

PH: 9357 5885

Order Date

Due Date

Shop Drawing No

Customer

PO-number

Project

SO-number


Rating

111 Lorimer St

Non Fire rated

Hinges

2014



Return Leg

Girth

Reed Switch

Jambs	x	277.0	x	1.2	2	off
Head	x	277.0	x	1.2	1	off
Spreader	x	75	x	1.2 or 1.6	1	off

Notes

Smoke Corridor

Overall
Height

Overall Width

Reveal Width 1204

Reveal
Height
2212

Lock Type

STD

Striker Height

1032

Feet

Feet

Door Numbers

R1001.D1 RH
R1001.D2 LH
R1001.D12 LH
R1001.D13 RH

Backplate Hinges

Material type

100 x 75

Z/A

Qty of Hinges

4

Material Thickness

1.2

Fixings

Both sides

Head

STUD BRACKETS

5

Handing

Quantity

Customer Copy

Yes

Signature for approval

Date

15/07/2026



A&G COMMERCIAL DOORS AND FRAMES

PH: 9357 5885

Order Date

Due Date

Shop Drawing No

Customer

PO-number

Project

SO-number



Rating

111 Lorimer St

Non Fire rated

Hinges

2014



Return Leg

Girth

Reed Switch

Jambs	2390	x	247.0	x	1.2	2	off
Head	1720	x	247.0	x	1.2	1	off
Spreader	1616	x	75	x	1.6	1	off

Notes

COMMS

Door Numbers

R1001.D3

Backplate Hinges	Material type	Fixings	Both sides	Head	Handing
100 x 75	Z/A	STUD BRACKETS	5		DD
Qty of Hinges	Material Thickness			Quantity	
4	1.2			1	

Customer Copy

Yes

Signature for approval

Date

15/07/2026



A&G COMMERCIAL DOORS AND FRAMES

PH: 9357 5885

Order Date

Due Date

Shop Drawing No

Customer

PO-number

Project

SO-number


Rating

111 Lorimer St

Non Fire rated

Hinges

2014




Return Leg

Girth

Reed Switch

Overall
Height



Jambs	2390	x	277.0	x	1.2	2	off
Head	998	x	277.0	x	1.2	1	off
Spreader	894	x	75	x	1.2 or 1.6	1	off

Notes

ELEC

Door Numbers

R1001.D5 RH

Backplate Hinges	Material type	Fixings	Both sides	Head	Handing
100 x 75	Z/A	STUD BRACKETS	5		
Qty of Hinges	Material Thickness			Quantity	
4	1.2			1	

Customer Copy

Yes

Signature for approval

Date

15/07/2026



A&G COMMERCIAL DOORS AND FRAMES

PH: 9357 5885

Order Date

Due Date

Shop Drawing No

Customer

PO-number

Project

SO-number


Rating

111 Lorimer St

Non Fire rated

Hinges


2014



Return Leg

Girth

Reed Switch



Jambs	2390	x	247.0	x	1.2	2	off
Head	1720	x	247.0	x	1.2	1	off
Spreader	1616	x	75	x	1.6	1	off

Notes

ELEC

Door Numbers

R1001.D6

Backplate Hinges	Material type	Fixings	Both sides	Head	Handing
100 x 75	Z/A	STUD BRACKETS	5	3	DD
Qty of Hinges	Material Thickness			Quantity	
4	1.2			1	

Customer Copy

Yes

Signature for approval

Date

15/07/2026



A&G COMMERCIAL DOORS AND FRAMES

PH: 9357 5885

Order Date

Due Date

Shop Drawing No

Customer

PO-number

Project

SO-number


Rating

111 Lorimer St

Non Fire rated

Hinges


2014



Return Leg

Girth

Reed Switch



Jambs	2390	x	247.0	x	1.2	2	off
Head	1720	x	247.0	x	1.2	1	off
Spreader	1616	x	75	x	1.6	1	off

Notes

BIN CHUTE

Door Numbers

R1001.D8

Backplate Hinges	Material type	Fixings	Both sides	Head	Handing
100 x 75	Z/A	STUD BRACKETS	5	2	DD
Qty of Hinges	Material Thickness			Quantity	
4	1.2			1	

Customer Copy

Yes

Signature for approval

Date

15/07/2026



A&G COMMERCIAL DOORS AND FRAMES

PH: 9357 5885

Order Date

Due Date

Shop Drawing No

Customer

PO-number

Project

SO-number



Rating

111 Lorimer St

Non Fire rated

Hinges

2014



Return Leg

Girth

Reed Switch

Jambs	2390	x	247.0	x	1.2	2	off
Head	1720	x	247.0	x	1.2	1	off
Spreader	1616	x	75	x	1.6	1	off

Notes

HYD

Door Numbers

R1001.D9
R1001.D10

Backplate Hinges	Material type	Fixings	Both sides	Head	Handing
100 x 75	Z/A	STUD BRACKETS	5		DD
Qty of Hinges	Material Thickness			Quantity	
4	1.2			1	

Customer Copy

Yes

Signature for approval

Date

15/07/2026