

How to Setup & Run this Project


❖ Install NodeJs (Ignore If Already Installed)

1. Visit the official Node.js website i.e)
<https://nodejs.org/en/download/>
2. Download the Node.js installer
3. Run the installer.
4. Follow the prompts in the installer.


—Iirs! Pun Backend l'hen Ironl'end & 6dmin—

❖ Steps To Setup Backend Of The Project


1. Open Project Folder In VS Code
2. Open Integrated Terminal
 - Right Click on Sidebar > Select "Open In Integrated Terminal"
3. Type "**npm install**" and press Enter and Wait for Installation to be completed (requires Internet)
4. Setup The MongoDB
 - a. Open this link - [LINK](#)




b. After that Sign Up on the website.



c. Click on New Project Option



d. After Creating Project go to Database Section & Build a database



e. Select M0 & Your Region & Create Database

MongoDB

Deploy your database

Use a template below or set up [advanced configuration options](#). You can also edit these configuration options once the cluster is created.

M10 **\$0.10/hour**
 For production applications with sophisticated workload requirements.

STORAGE	RAM	vCPU
10 GB	2 GB	2 vCPUs

SERVERLESS **\$0.10/1M reads**
 For application development and testing, or workloads with variable traffic.

STORAGE	RAM	vCPU
Up to 1TB	Auto-scale	Auto-scale

M0 **FREE**
 For learning and exploring MongoDB in a cloud environment.

STORAGE	RAM	vCPU
512 MB	Shared	Shared

Provider: aws Google Cloud Azure

Region: ★ Recommended region ⓘ
🇮🇳 Mumbai (asia-south1) ★

Name: You cannot change the name once the cluster is created.

Tag (optional): Create your first tag to categorize and label your resources; more tags can be added later. [Learn more.](#)
 :

FREE **Create**


Free forever! Your M0 cluster is ideal for experimenting in a limited sandbox. You can upgrade to a production cluster anytime. [Get my database here](#)

[Access Advanced Configuration](#)

f. Setup Username & Password & Create User

Create a database user using a username and password. Users will be given the *read and write to any database* privilege by default. You can update these permissions and/or create additional users later. Ensure these credentials are different to your MongoDB Cloud username and password.

Username

Password 
 🔍 Autogenerate Secure Password 📋 Copy


Create User

Note: Do not use '@' symbol in the password


g. Now Click on Finish & Close

Finish and Close


h. Whitelist IP 0.0.0.0 & Click on Add Entry



i. Now Click on Connect



j. Now Select Compass Option



k. And Copy the Connection String

2. Copy the connection string, then open MongoDB Compass



Replace **<password>** with the password for the **greatstack** user.
When entering your password, make sure that any special characters are **URL encoded**.

1. And Paste It in db.js replace password with password you set previously in 4.F & save changes




```
1 import mongoose from "mongoose";
2
3 export const connectDB = async () =>{
4   await mongoose.connect('mongodb+srv://dev:password-here@cluster0.n4vpnwc.mongodb.net/food-del?authSource=admin').
5 }
```

Add your password here

Add project name

5. Now We have to Set Up stripe

- Open .env file in backend folder paste your stripe secret key in STRIPE_SECRET_KEY variable




```
1 JWT_SECRET="random#secret"
2 STRIPE_SECRET_KEY="sk_test_510kNYESFN2iTSc0TaXGoK9s6kwAW667unN3p3JyfQ"
```

Open .env file from backend folder

Add your Stripe Secret Key Here


6. To Run Backend use **npm run server** in Integrated Terminal




```
PS C:\Users\MI\Desktop\food-del-save\backend> npm run server
```

❖ Steps To Run Frontend & Admin Panel Of The Project


1. Open Project Folder In VS Code
2. Open Integrated Terminal in project directory
 - Right Click on Sidebar > Select "Open In Integrated Terminal"



3. Type "`npm install`" and press Enter and Wait for Installation to be completed (requires Internet)



4. After Installation You will See 'node_modules' Folder in the Sidebar
5. After that type "`npm run dev`" in terminal



A screenshot of a Visual Studio Code terminal window. The terminal has a dark background with light-colored text. At the top, there are tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL' (which is selected and underlined), and 'PORTS'. Below the tabs, the terminal shows a PowerShell prompt 'PS C:\Users\MI\Desktop\food-del-save\frontend>' followed by the command 'npm run dev' in yellow text. A white cursor is visible at the end of the command line.

6. Now Your Project Will Start In Your Default Web Browser