

Financial Intelligence Platform

Analyst Guide & Documentation

Comprehensive manual for navigating the dashboard, calling APIs, and generating reports.

1. Introduction

[illegible]

2. How to Use the Streamlit Screener

[illegible]

3. Navigating Dashboard Screens

[illegible]

4. Generating PDF Tearsheets

[illegible]

5. API Usage and Examples

The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema. The FastAPI backend powers the dashboard. You can access the API programmatically. Example cURL command: curl -X GET http://localhost:8000/api/v1/companies/TCS/profile Use the /api/v1/screener endpoint to run complex queries. Refer to docs/openapi.json for the full schema.

6. Troubleshooting Common Issues

[illegible]

7. Advanced Peer Comparison

[illegible]

8. Data Quality and Governance

[illegible]

9. Portfolio Aggregation Stats

[illegible]

10. Conclusion and Further Support

[illegible]