

Trained By: Amol Shinde

Trained By: Amol Shinde

- ## POSTMAN SCREENSHOTS

The image shows the Postman application interface. At the top, there's a workspace bar with 'My Workspace' and a search bar. Below that, a toolbar contains icons for collections, requests, environments, and flows. The main workspace is divided into three panes. The top pane shows a POST request to 'https://alignnovaw.onrender.com/api/signup'. The request body is a JSON object with the following fields: 'username' (kartik123), 'password' (password123), 'role' (patient), 'full_name' (Kartik Sakhuja), 'email' (kartik@example.com), and 'phone' (9325100298). The bottom pane shows the response, which is a 200 OK status with a JSON body containing 'access_token', 'token_type' (bearer), and 'role' (patient). The right sidebar contains a 'New Chat' section and an 'Inspect 500 response details' section. The 'Inspect' section has a '200 OK' status and a '7.95 s' duration. Below the response body, there's a 'JSON' tab and a 'Preview' button. The bottom status bar shows 'Connect Git', 'Console', 'Terminal', and '0' errors.

2. LOGIN (GET)

The screenshot shows the Postman interface for a GET request to `https://alignnovaw.onrender.com/api/me`. The request is configured with Bearer Token authorization. The response is a 200 OK status with a JSON body containing user information.

Request:

- Method: GET
- URL: `https://alignnovaw.onrender.com/api/me`
- Auth Type: Bearer Token
- Token: `JYV9GK1owH7LeR5Na0TgW1ufPhDZk`

Response:

```
{
  "username": "kartik123",
  "role": "patient",
  "full_name": "Kartik Sakhuja",
  "email": "kartik@example.com",
  "phone": "9325189298"
}
```

3. ME (GET)

The screenshot shows the Postman interface for a GET request to `https://alignnovaw.onrender.com/api/profile`. The request is configured with Bearer Token authorization. The response is a 200 OK status with a JSON body containing user information.

Request:

- Method: GET
- URL: `https://alignnovaw.onrender.com/api/profile`
- Auth Type: Bearer Token
- Token: `.....`

Response:

```
{
  "username": "kartik123",
  "role": "patient",
  "full_name": "Kartik Sakhuja",
  "email": "kartik@example.com",
  "phone": "9325189298"
}
```

4. PROFILE (GET)

The screenshot shows the Postman interface with a GET request to `https://alignnovaw.onrender.com/api/profile`. The request is successful, returning a 200 OK status. The response body is a JSON object containing user information:

```
{  "username": "kartik123",  "role": "patient",  "full_name": "Kartik Sakhuja",  "email": "kartik@example.com",  "phone": "9325188298"}
```

The interface also shows the left sidebar with 'My Collection' and 'ENVIRONMENTS' sections. The right sidebar contains a 'New Chat' section and a 'Compare responses' section.


5. DRIVES (GET)

The screenshot shows the Postman interface with a GET request to `https://alignnovaw.onrender.com/api/drives`. The request is successful, returning a 200 OK status. The response body is a JSON array containing three drive objects:


```
[  {    "id": 1,    "company": "Google",    "role": "Software Engineer",    "type": "Full-Time",    "eligibility": "7.8+ CGPA",    "package": "45 LPA",    "drive_date": "2025-07-15"  },  {    "id": 2,    "company": "Microsoft",    "role": "SDE-2",    "type": "Full-Time",    "eligibility": "7.5+ CGPA",    "package": "38 LPA",    "drive_date": "2025-07-26"  },  {    "id": 3,    "company": "Amazon",    "role": "SDE-1",    "type": "Full-Time",    "eligibility": "7.0+ CGPA",    "package": "32 LPA",    "drive_date": "2025-07-25"  }]
```

The interface also shows the left sidebar with 'My Collection' and 'ENVIRONMENTS' sections. The right sidebar contains a 'New Chat' section and a 'Fix profile URL mismatch' section.

6. DRIVES (POST) admin required since logged in as other role



6. SIGNUP (ADMIN) (POST)



7. DRIVES (POST):

The screenshot shows the Postman interface for a POST request to `https://alignnovaw.onrender.com/api/drives`. The request body is a JSON object:

```
1 {
2   "title": "VOIS India",
3   "location": "Pune",
4   "date": "29/02/2026"
5 }
```

The response is a 200 OK status with a JSON body:

```
1 {
2   "id": 7,
3   "company": "",
4   "role": "",
5   "type": null,
6   "eligibility": null,
7   "package": null,
8   "drive_date": null
9 }
```

8. APPLY (POST)

The screenshot shows the Postman interface for a POST request to `https://alignnovaw.onrender.com/api/apply`. The request is configured with Bearer Token authorization. The response is a 200 OK status with a JSON body:

```
1 {
2   "id": 7,
3   "user_id": 6,
4   "drive_id": 1,
5   "status": "submitted"
6 }
```

9. VIEW APPLICATIONS (GET)

The screenshot shows the Postman interface with a GET request to `https://alignnovaw.onrender.com/api/applications`. The request is successful, returning a 200 OK status. The response body is a JSON array of 3 application objects.

```
1 [
2   {
3     "id": 7,
4     "user_id": 6,
5     "drive_id": 1,
6     "status": "submitted",
7     "created_at": "2026-06-18T08:27:48.703255",
8     "company": "Google",
9     "role": "Software Engineer",
10    "student_name": "Admin User",
11    "student_email": "admin@example.com",
12    "student_phone": "9876543210"
13  },
14  {
15    "id": 2,
16    "user_id": 2,
17    "drive_id": 3,
18    "status": "approved",
19    "created_at": "2026-06-18T04:47:25.275087",
20    "company": "Amazon",
21    "role": "SDE-1",
22    "student_name": "Alice Demo",
23    "student_email": "alice@demo.local",
24    "student_phone": null
25  },
26  {
27    "id": 3,
28    "user_id": 3,
29    "drive_id": 2,
```

10. APPLICATIONS (GET)

The screenshot shows the Postman interface with a GET request to `https://alignnovaw.onrender.com/api/applications`. The request is successful, returning a 200 OK status. The response body is a JSON array of 3 application objects.

```
1 [
2   {
3     "id": 7,
4     "user_id": 6,
5     "drive_id": 1,
6     "status": "submitted",
7     "created_at": "2026-06-18T08:27:48.703255",
8     "company": "Google",
9     "role": "Software Engineer",
10    "student_name": "Admin User",
11    "student_email": "admin@example.com",
12    "student_phone": "9876543210"
13  },
14  {
15    "id": 2,
16    "user_id": 2,
17    "drive_id": 3,
18    "status": "approved",
19    "created_at": "2026-06-18T04:47:25.275087",
20    "company": "Amazon",
21    "role": "SDE-1",
22    "student_name": "Alice Demo",
23    "student_email": "alice@demo.local",
24    "student_phone": null
25  },
26  {
27    "id": 3,
28    "user_id": 3,
```