SepsiGuard AI


Sepsis Risk Assessment Report

Patient Information

Patient ID	QA-80-steps	**Age**	72 years
Report Date	06-10-2026	**Report Time**	13:46
Prediction Time	06-10-2026 13:46	**Input Source**	QA only

Sepsis Risk Assessment

Risk Score	Risk Level	AI Predicted Risk
99.7%	HIGH	High risk of sepsis



Current Clinical Measurements

Parameter	Value	Unit
Heart Rate	85.7	bpm
Respiratory Rate	21.93	breaths/min
Temperature	37.09	°C
Systolic Blood Pressure	106.28	mmHg
Diastolic Blood Pressure	76.25	mmHg
Oxygen Saturation (SpO2)	96.66	%
WBC	7.42	×10³/µL
Lactate	1.71	mmol/L
Creatinine	1.09	mg/dL
Platelets	244.14	×10³/µL
Bilirubin	1	mg/dL
Age	72	years

Observed Dataset Label

Observed Dataset Label: Positive. This is a stored dataset target and is separate from the AI Predicted Risk.

This model was trained with synthetic data. The output is an artificial software result and has no clinical meaning.

Complete Patient Time-Series Records

All 80 stored time-step records for patient QA-80-steps are listed below.

Time	HR (bpm)	RR	Temp (°C)	Sys BP (mmHg)	Dia BP (mmHg)	O□ sat. (%)	WBC (×10³/µL)	Lactate (mmol/L)	Creat. (mg/dL)	Platelets (×10³/µL)	Bili (mg/dL)	Age (years)
1	84.04	16.19	36.61	117.73	70.24	95.14	8.28	1.37	0.56	252.49	0.4	72
2	96.35	19.04	36.9	126.71	74.21	96.96	8.85	1.79	1.24	211.31	0.69	72
3	89.09	17.91	36.55	131.19	63.05	93.58	6.85	1.62	1.39	225.23	0.74	72
4	88.56	17.75	37.04	108.73	75.94	96.5	5.19	1.41	1.07	241.9	0.67	72
5	81.37	16.95	37.15	110.46	69.74	97.34	7.74	1.15	1.03	233.05	1.04	72
6	83.93	16.09	37.02	120.63	65.98	95.33	9.45	1.57	1.07	222.17	0.68	72
7	84.01	20.25	36.84	124.42	66.63	99.34	6.46	2.07	0.89	224.41	0.84	72
8	85.7	21.93	37.09	106.28	76.25	96.66	7.42	1.71	1.09	244.14	1	72
9	89.24	18.05	37.27	117.43	65.39	95.1	8.49	1.45	1.54	216.93	0.96	72
10	97.88	19.49	37.19	124.03	73.64	95.92	10.32	1.71	0.95	198.72	0.85	72
11	96.91	18.47	37.34	117.53	70.93	92.48	9.7	1.48	0.78	234.82	0.88	72
12	92.11	17.98	37.16	111.04	77.62	95.74	7.34	1.68	1.12	218.16	0.62	72
13	84.04	16.19	36.61	117.73	70.24	95.14	8.28	1.37	0.56	252.49	0.4	72
14	96.35	19.04	36.9	126.71	74.21	96.96	8.85	1.79	1.24	211.31	0.69	72
15	89.09	17.91	36.55	131.19	63.05	93.58	6.85	1.62	1.39	225.23	0.74	72
16	88.56	17.75	37.04	108.73	75.94	96.5	5.19	1.41	1.07	241.9	0.67	72
17	81.37	16.95	37.15	110.46	69.74	97.34	7.74	1.15	1.03	233.05	1.04	72
18	83.93	16.09	37.02	120.63	65.98	95.33	9.45	1.57	1.07	222.17	0.68	72
19	84.01	20.25	36.84	124.42	66.63	99.34	6.46	2.07	0.89	224.41	0.84	72
20	85.7	21.93	37.09	106.28	76.25	96.66	7.42	1.71	1.09	244.14	1	72
21	89.24	18.05	37.27	117.43	65.39	95.1	8.49	1.45	1.54	216.93	0.96	72
22	97.88	19.49	37.19	124.03	73.64	95.92	10.32	1.71	0.95	198.72	0.85	72
23	96.91	18.47	37.34	117.53	70.93	92.48	9.7	1.48	0.78	234.82	0.88	72
24	92.11	17.98	37.16	111.04	77.62	95.74	7.34	1.68	1.12	218.16	0.62	72
25	84.04	16.19	36.61	117.73	70.24	95.14	8.28	1.37	0.56	252.49	0.4	72
26	96.35	19.04	36.9	126.71	74.21	96.96	8.85	1.79	1.24	211.31	0.69	72
27	89.09	17.91	36.55	131.19	63.05	93.58	6.85	1.62	1.39	225.23	0.74	72
28	88.56	17.75	37.04	108.73	75.94	96.5	5.19	1.41	1.07	241.9	0.67	72
29	81.37	16.95	37.15	110.46	69.74	97.34	7.74	1.15	1.03	233.05	1.04	72
30	83.93	16.09	37.02	120.63	65.98	95.33	9.45	1.57	1.07	222.17	0.68	72
31	84.01	20.25	36.84	124.42	66.63	99.34	6.46	2.07	0.89	224.41	0.84	72
32	85.7	21.93	37.09	106.28	76.25	96.66	7.42	1.71	1.09	244.14	1	72
33	89.24	18.05	37.27	117.43	65.39	95.1	8.49	1.45	1.54	216.93	0.96	72
34	97.88	19.49	37.19	124.03	73.64	95.92	10.32	1.71	0.95	198.72	0.85	72
35	96.91	18.47	37.34	117.53	70.93	92.48	9.7	1.48	0.78	234.82	0.88	72
36	92.11	17.98	37.16	111.04	77.62	95.74	7.34	1.68	1.12	218.16	0.62	72
37	84.04	16.19	36.61	117.73	70.24	95.14	8.28	1.37	0.56	252.49	0.4	72
38	96.35	19.04	36.9	126.71	74.21	96.96	8.85	1.79	1.24	211.31	0.69	72
39	89.09	17.91	36.55	131.19	63.05	93.58	6.85	1.62	1.39	225.23	0.74	72
40	88.56	17.75	37.04	108.73	75.94	96.5	5.19	1.41	1.07	241.9	0.67	72
41	81.37	16.95	37.15	110.46	69.74	97.34	7.74	1.15	1.03	233.05	1.04	72
42	83.93	16.09	37.02	120.63	65.98	95.33	9.45	1.57	1.07	222.17	0.68	72
43	84.01	20.25	36.84	124.42	66.63	99.34	6.46	2.07	0.89	224.41	0.84	72

Time	HR (bpm)	RR	Temp (°C)	Sys BP (mmHg)	Dia BP (mmHg)	O□ sat. (%)	WBC (×10³/μL)	Lactate (mmol/L)	Creat. (mg/dL)	Platelets (×10³/μL)	Bili (mg/dL)	Age (years)
44	85.7	21.93	37.09	106.28	76.25	96.66	7.42	1.71	1.09	244.14	1	72
45	89.24	18.05	37.27	117.43	65.39	95.1	8.49	1.45	1.54	216.93	0.96	72
46	97.88	19.49	37.19	124.03	73.64	95.92	10.32	1.71	0.95	198.72	0.85	72
47	96.91	18.47	37.34	117.53	70.93	92.48	9.7	1.48	0.78	234.82	0.88	72
48	92.11	17.98	37.16	111.04	77.62	95.74	7.34	1.68	1.12	218.16	0.62	72
49	84.04	16.19	36.61	117.73	70.24	95.14	8.28	1.37	0.56	252.49	0.4	72
50	96.35	19.04	36.9	126.71	74.21	96.96	8.85	1.79	1.24	211.31	0.69	72
51	89.09	17.91	36.55	131.19	63.05	93.58	6.85	1.62	1.39	225.23	0.74	72
52	88.56	17.75	37.04	108.73	75.94	96.5	5.19	1.41	1.07	241.9	0.67	72
53	81.37	16.95	37.15	110.46	69.74	97.34	7.74	1.15	1.03	233.05	1.04	72
54	83.93	16.09	37.02	120.63	65.98	95.33	9.45	1.57	1.07	222.17	0.68	72
55	84.01	20.25	36.84	124.42	66.63	99.34	6.46	2.07	0.89	224.41	0.84	72
56	85.7	21.93	37.09	106.28	76.25	96.66	7.42	1.71	1.09	244.14	1	72
57	89.24	18.05	37.27	117.43	65.39	95.1	8.49	1.45	1.54	216.93	0.96	72
58	97.88	19.49	37.19	124.03	73.64	95.92	10.32	1.71	0.95	198.72	0.85	72
59	96.91	18.47	37.34	117.53	70.93	92.48	9.7	1.48	0.78	234.82	0.88	72
60	92.11	17.98	37.16	111.04	77.62	95.74	7.34	1.68	1.12	218.16	0.62	72
61	84.04	16.19	36.61	117.73	70.24	95.14	8.28	1.37	0.56	252.49	0.4	72
62	96.35	19.04	36.9	126.71	74.21	96.96	8.85	1.79	1.24	211.31	0.69	72
63	89.09	17.91	36.55	131.19	63.05	93.58	6.85	1.62	1.39	225.23	0.74	72
64	88.56	17.75	37.04	108.73	75.94	96.5	5.19	1.41	1.07	241.9	0.67	72
65	81.37	16.95	37.15	110.46	69.74	97.34	7.74	1.15	1.03	233.05	1.04	72
66	83.93	16.09	37.02	120.63	65.98	95.33	9.45	1.57	1.07	222.17	0.68	72
67	84.01	20.25	36.84	124.42	66.63	99.34	6.46	2.07	0.89	224.41	0.84	72
68	85.7	21.93	37.09	106.28	76.25	96.66	7.42	1.71	1.09	244.14	1	72
69	89.24	18.05	37.27	117.43	65.39	95.1	8.49	1.45	1.54	216.93	0.96	72
70	97.88	19.49	37.19	124.03	73.64	95.92	10.32	1.71	0.95	198.72	0.85	72
71	96.91	18.47	37.34	117.53	70.93	92.48	9.7	1.48	0.78	234.82	0.88	72
72	92.11	17.98	37.16	111.04	77.62	95.74	7.34	1.68	1.12	218.16	0.62	72
73	84.04	16.19	36.61	117.73	70.24	95.14	8.28	1.37	0.56	252.49	0.4	72
74	96.35	19.04	36.9	126.71	74.21	96.96	8.85	1.79	1.24	211.31	0.69	72
75	89.09	17.91	36.55	131.19	63.05	93.58	6.85	1.62	1.39	225.23	0.74	72
76	88.56	17.75	37.04	108.73	75.94	96.5	5.19	1.41	1.07	241.9	0.67	72
77	81.37	16.95	37.15	110.46	69.74	97.34	7.74	1.15	1.03	233.05	1.04	72
78	83.93	16.09	37.02	120.63	65.98	95.33	9.45	1.57	1.07	222.17	0.68	72
79	84.01	20.25	36.84	124.42	66.63	99.34	6.46	2.07	0.89	224.41	0.84	72
80	85.7	21.93	37.09	106.28	76.25	96.66	7.42	1.71	1.09	244.14	1	72

Clinical Trend Observations

Heart Rate increased from 84.04 to 85.7 bpm across the observed time steps.

Respiratory Rate increased from 16.19 to 21.93 breaths/min across the observed time steps.

Temperature increased from 36.61 to 37.09 °C across the observed time steps.

Systolic Blood Pressure decreased from 117.73 to 106.28 mmHg across the observed time steps.

Diastolic Blood Pressure increased from 70.24 to 76.25 mmHg across the observed time steps.

Oxygen Saturation (SpO2) increased from 95.14 to 96.66 % across the observed time steps.

WBC decreased from 8.28 to 7.42 ×10³/µL across the observed time steps.

Lactate increased from 1.37 to 1.71 mmol/L across the observed time steps.

Creatinine increased from 0.56 to 1.09 mg/dL across the observed time steps.

Platelets decreased from 252.49 to 244.14 ×10³/µL across the observed time steps.


Bilirubin increased from 0.4 to 1 mg/dL across the observed time steps.

Sepsis Risk Trend


Risk trend is unavailable because the model produces a final sequence-level prediction. Historical per-time-step risk scores are not generated.

Clinical Trend Analysis


Heart Rate Trend




Respiratory Rate Trend




Temperature Trend




Blood Pressure Trend




Oxygen Saturation Trend



WBC Trend




Lactate Trend




Creatinine Trend



Platelet Trend



Bilirubin Trend



AI Risk Assessment

The SepsiGuard GRU model analyzes the patient's sequential clinical measurements across the available time steps and generates an AI-based sepsis risk assessment.

Variable-level feature attribution is unavailable for this prediction. This report does not assign causality to individual measurements.

Model Information

Model Type	GRU (Gated Recurrent Unit)
Task	Sepsis Risk Prediction
Input Type	Longitudinal Clinical Time-Series
Input Variables	12: Heart Rate, Respiratory Rate, Temperature, Systolic Blood Pressure, Diastolic Blood Pressure, Oxygen Saturation (SpO2), WBC, Lactate, Creatinine, Platelets, Bilirubin, Age
Target	Observed sepsis label, when supplied with the dataset
Prediction Model Version	gru-20261006062211

Report Generated: 06-10-2026 13:46 | Patient ID: QA-80-steps | Number of Time Steps: 80 | Prediction Model: GRU

Disclaimer

This report contains an AI-generated risk assessment based on the clinical data provided to the SepsiGuard system. It is intended for educational and research purposes and is not a substitute for professional medical evaluation, diagnosis, or treatment.