Shopping Cart

Program:

```
<!DOCTYPE html>
<html lang="en">
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Embroidery E-Commerce</title>
<style>
body, h1, h2, p, u1, li {
margin: 0;
padding: 0;
:root {
--primary-color: #efbbff;
--secondary-color: #8B5D33;
--accent-color: #660066;
--checkout-button-color: #660066;
body {
font-family: Arial, sans-serif;
background-color: var(--primary-color);
header {
background-color: var(--accent-color);
color: #fff;
padding: 1rem 0;
display: flex;
justify-content: space-between;
align-items: center;
header h1 {
font-size: 2rem;
margin-left: 2rem;
nav ul {
list-style: none;
display: flex;
nav ul li {
margin-right: 20px;
nav ul li a {
text-decoration: none;
color: #fff;
font-weight: bold;
section {
padding: 2rem;
```

```
section h2 {
color: var(--accent-color);
.product-gallery {
display: flex;
flex-wrap: wrap;
justify-content: space-between;
.product {
background-color: #fff;
border: 1px solid #ddd;
padding: 20px;
margin: 10px;
text-align: center;
width: 300px;
.product img {
max-width: 100%;
height: 200px;
.product h3 {
color: var(--accent-color);
font-size: 1.2rem;
.product p {
color: var(--secondary-color);
font-weight: bold;
.product button {
background-color: var(--accent-color);
color: #fff;
border: none;
padding: 10px 20px;
margin-top: 10px;
cursor: pointer;
.cart-items {
border: 1px solid #ddd;
padding: 20px;
background-color: #fff;
margin: 10px 0;
.checkout-button {
background-color: var(--checkout-button-color);
color: #fff;
border: none;
padding: 10px 20px;
margin-top: 10px;
cursor: pointer;
footer {
background-color: var(--accent-color);
color: #fff;
text-align: center;
```

```
padding: 1rem 0;
</style>
</head>
<body>
<header>
<h1>Welcome to Embroidery Marketplace</h1>
<nav>
<l
<a href="signin.html">Sign in</a>
<a href="#home">Home</a>
<a href="#products">Products</a>
<a href="#cart">Cart</a>
</nav>
</header>
<section id="home">
<h2>Discover Exquisite Embroidery Creations</h2>
Explore our collection of hand-made Embroidery products.
</section>
<section id="products">
<h2>Featured Embroidered Products</h2>
<div class="product-gallery">
<div class="product">
<img src="boys1.jpg" alt="Product 1">
<h3>Embroidered Dresses for Boys</h3>
₹1500.00
<button>Add to Cart</putton>
</div>
<div class="product">
<img src="girls1.jpg" alt="Product 1">
<h3>Embroidered Dresses for Girls</h3>
₹2000.00
<button>Add to Cart</button>
</div>
<div class="product">
<img src="men1.jpg" alt="Product 2">
<h3>Embroidered Dresses for Men</h3>
₹5000.00
<button>Add to Cart</putton>
</div>
<div class="product">
<img src="women1.png" alt="Product 3">
<h3>Embroidered Dresses for Women</h3>
₹15000.00
<button>Add to Cart</putton>
</div>
<div class="product">
<img src="women2.png" alt="Product 1">
<h3>Embroidered Dresses for Women</h3>
₹3000.00
<button>Add to Cart/button>
</div>
<div class="product">
<img src="boys2.jpg" alt="Product 1">
```

```
<h3>Embroidered Dresses for Boys</h3>
₹1999.00
<button>Add to Cart</putton>
</div>
<div class="product">
<img src="girlss.jpg" alt="Product 1">
<h3>Embroidered Dresses for Girls</h3>
₹999.00
<button>Add to Cart</putton>
<div class="product">
<img src="boys3.png" alt="Product 1">
<h3>Embroidered Dresses for Boys</h3>
₹2500.00
<button>Add to Cart</putton>
</div>
</div>
</section>
<section id="cart">
<h2>Your Embroidery Shopping Cart</h2>
<div class="cart-items">
Cart is Empty!
</div>
Total: ₹0[Total Amount]
<button class="checkout-button">Proceed to Checkout</button>
</section>
<footer>
© 2023 Embroidery Marketplace. All rights reserved.
</footer>
<script>
    const addToCartButtons = document.querySelectorAll('.product button');
const cartItemsContainer = document.querySelector('.cart-items');
addToCartButtons.forEach(button => {
button.addEventListener('click', () => {
const product = button.parentElement;
const productName = product.querySelector('h3').textContent;
//const productPrice =
parseFloat(product.querySelector('p').textContent.slice())
const priceText = product.querySelector('p').textContent;
const price = parseFloat(priceText.replace('₹', '').replace(',', ''));
const cartItem = document.createElement('div');
cartItem.classList.add('cart-item');
cartItem.innerHTML = `
${productName}
$${price.toFixed(2)}
<button class="remove-item">Remove</button>
cartItemsContainer.appendChild(cartItem);
// Calculate and display updated total
const cartTotal = document.querySelector('#cart p');
const currentTotal = parseFloat(cartTotal.textContent.slice(7));
const newTotal = currentTotal + price;
cartTotal.textContent = `Total: $${newTotal.toFixed(2)}`;
});
```

```
});
// Remove item from cart
cartItemsContainer.addEventListener('click', event =>
{
   if (event.target.classList.contains('remove-item'))
   {
      const cartItem = event.target.parentElement;
      const itemPrice = parseFloat(cartItem.querySelector('p:nth-child(2)')).textContent
      const cartTotal = document.querySelector('#cart p');
      const currentTotal = parseFloat(cartTotal.textContent.slice(7));
      const newTotal = currentTotal - itemPrice;
      cartTotal.textContent = `Total: RS${newTotal.toFixed(2)}`;
      cartItem.remove();
   }
});
</script>
</body>
</html>
```

Output:







