# SYNTHETIC INFECTIOUS-DISEASE LAB REPORT

## *FICTIONAL DATA — NOT FOR CLINICAL USE*

| | |
|---|---|
| **Synthetic Patient ID** | SYN-00823 |
| **Report ID** | DEMO-00823 |
| **Report Date** | 2026-12-01 |
| **Report Type** | Synthetic communicable-disease research sample |

| Feature | Result | Unit / possible values |
|---|---|---|
| fever_duration_days | 7 | days |
| temperature_c | 39.4 | °C |
| wbc_count | 4517 | cells/uL |
| platelet_count | 393938 | cells/uL |
| hemoglobin | 13.5 | g/dL |
| neutrophil_percent | 44.6 | % |
| lymphocyte_percent | 16.7 | % |
| crp_mg_l | 116.6 | mg/L |
| procalcitonin_ng_ml | 1.47 | ng/mL |
| oxygen_saturation_percent | 85.3 | % |
| cough_duration_days | 49 | days |
| Dengue NS1 | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| Dengue IgM | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| Malaria antigen | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| Malaria blood smear | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| Typhoid blood culture | NEGATIVE | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| TB molecular test (GeneXpert) | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| Sputum AFB smear | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| SARS-CoV-2 PCR | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |
| Hepatitis B HBsAg | NOT_PERFORMED | POSITIVE / NEGATIVE / NOT_PERFORMED / INDETERMINATE |

Simulation note: all values, results and category labels are generated for software research. This document is not a real medical report. The assigned category is a synthetic target label, not a diagnosis.