```sql
Create table user(userID int  primary key,name varchar(255),tell
varchar(255),age int,birthday date,departmentID int,stationID int);

Create table department(departmentID int primary key,departmentName
varchar(255));

Create table department(stationID int primary key,stationName varchar(255));

Insert into user values(1,'田中 実'……);
.
.
.
Insert into department values(1,'開発部');
.
.
.
Insert into station values(1,'九段下');
.
.
.
```

```
Alter table user add foreign key(departmentID) references department(departmentID);
Alter table user add foreign key(stationID) references station(stationD);
```

```
 right syntax to use near 'stationID=1
update station set stationID = 6 stationID=1' at line 1
MariaDB [kadai9]> update station set stationID = 6 stationID = 1 ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'sta
MariaDB [kadai9]> select * from user;
+--------+-----------+---------------+-----+------------+--------------+-----------+
| userID | name      | tell          | age | birthday   | departmentID | stationID |
+--------+-----------+---------------+-----+------------+--------------+-----------+
|      1 | 田中 実   | 012-345-6789  |  30 | 1994-02-01 |            3 |         1 |
|      2 | 鈴木 茂   | 090-1122-3344 |  37 | 1987-08-12 |            3 |         4 |
|      3 | 鈴木 実   | 080-5566-7788 |  24 | 2000-12-24 |            2 |         5 |
|      4 | 佐藤 清   | 012-0987-6543 |  19 | 2005-08-01 |            1 |         5 |
|      5 | 高橋 清   | 090-9900-1234 |  24 | 2000-12-24 |            3 |         5 |
+--------+-----------+---------------+-----+------------+--------------+-----------+
5 rows in set (0.07 sec)

MariaDB [kadai9]> select * from station;
+-----------+-------------+
| stationID | stationName |
+-----------+-------------+
|         1 | 九段下      |
|         2 | 永田町      |
|         3 | 渋谷        |
|         4 | 神保町      |
|         5 | 上井草      |
+-----------+-------------+
5 rows in set (0.00 sec)

MariaDB [kadai9]> select * from department;
+--------------+----------------+
| departmentID | departmentName |
+--------------+----------------+
|            1 | 開発部         |
|            2 | 営業部         |
|            3 | 総務部         |
+--------------+----------------+
3 rows in set (0.00 sec)

MariaDB [kadai9]>
```