

Phase3-Lesson2-APITesting

NewImport

OverviewPostman CLI CGithub-APIlesson2-endprojectopenweatherGET Openweatherproject-variablesproject-variables

Collections

Apis

Environments

Monitors

History

lesson2-endproject / openweather

GET

{{Base_URL}}data/2.5/weather?q={{City}}&appid=b9f158355f08a65bf734c1e176f1e072

Send

Params

AuthorizationHeaders (7)BodyPre-request ScriptTestsSettings

Query Params

Key	Value	Description	Bulk Edit
<input checked="" type="checkbox"/> q	{{City}}		
<input checked="" type="checkbox"/> appid	b9f158355f08a65bf734c1e176f1e072		
Key	Value	Description	

BodyCookiesHeaders (9)Test Results

Status: 200 OKTime: 706 msSize: 787 BSave as example

PrettyRawPreviewVisualizeJSON

```
1
2
3  "coord": {
4    "lon": -0.1257,
5    "lat": 51.5085
6  },
7  "weather": [
8    {
9      "id": 800,
10     "main": "Clear",
11     "description": "clear sky",
12     "icon": "01d"
13   }
14 ]
```

Phase3-Lesson2-APITesting

NewImport

OverviewPostman CLI CGithub-APIlesson2-endprojectopenweatherGET Openweatherproject-variablesproject-variables

Collections

Apis

Environments

Monitors

History

project-variables

Filter variables

Variable	Type	Initial value	Current value	
<input checked="" type="checkbox"/> Base_URL	default	https://api.openweathermap.org/	https://api.openweathermap.org/	
<input checked="" type="checkbox"/> City	default	London	London	
Add new variable				

Use variables to reuse values and protect sensitive data

Store sensitive data in variable type secret to keep its values masked on the screen. Learn more about [variable type](#)

Work with the current value of a variable to prevent sharing sensitive values with your team. Learn more about [variable values](#)