





CSS Properties Table

A listing of most of the css properties



DHTML Pit Stop | CSS Index | CSS Properties | HTML List

Home/DHTML/CSS/Properties Table

Text Properties

Property	Property What it Does	
letter-spacing	Controls the amount of space between each letter in a section of text.	normal (default) number of pixels
line-height	Controls the amount of vertical space between lines of text	normal (default) number of pixels percentage
text-align	Controls the alignment for a section of text	browser decides (default) left right center
text- decoration	Controls what the text looks like	none (default) underline overline line-through blink
text-indent	Controls the indentation of the first line in a section of text	0 (default) number of pixels percentage
text-transform	Changes the case of a section of text	none (default) uppercase lowercase capitalize
vertical-align	Controls the vertical alignment of a section of text	baseline (default) sub super top text-top middle bottom text-bottom
word-spacing	Controls the amount of space between words (doesn't work as of yet)	normal (default) number of pixels

Font Properties

Property	What it Does	Possible Values	
font-family	IL ANTROIS THE TUNE OF TONE SHOWN ON THE NAME	browser decides (default) font family name	

>	font-size	Controls the size of the font	medium (default) number of pixels percentage
\geq	font-style	Controls the style of the font	normal (default) italic oblique
	font-size	Controls the size of the font	medium (default) number of pixels percentage
	font-variant	Controls the variant of the font	normal (default) small-caps
>	font-weight	Controls the boldness of the font	normal (default) lighter bold bolder 100 200 300 400 500 600 700 800 900

Color/Background Properties

	Property	What it Does	Possible Values
\Rightarrow	color	Controls the color of the text	browser decides (default) color name
	background- attachment	Controls the scrolling of the background	scroll (default) fixed
\ni	background-color	Controls the color of the background	transparent (default) color name
\geqslant	background-image	Allows you to set a background image	none (default) image url
	background-repeat	Allows different patterns of background repetition	repeat (default) repeat-x repeat-y no-repeat
\rightarrow	background-position	Controls the position of the background on the page	0% 0% (default) postion in pixels ie {20,20} percentage ie {5%,7%} top bottom left right center

Box Properties

Property	What it Does	Possible Values
		auto (default)

width	Controls the width of a section	number of pixels percentage
height	Controls the height of a section	auto (default) number of pixels percentage
border-color	Controls the border color of a section	default text color (default) color name
border-style	Controls the style of a border	none (default) solid double
border-width	Controls the width of a border	undefined (default) number of pixels thin medium thick
border-top-width	Controls the width of a border side	medium (default) number of pixels thin thick
border-left-width	Controls the width of a border side	medium (default) number of pixels thin thick
border-right-width	Controls the width of a border side	medium (default) number of pixels thin thick
border-bottom- width	Controls the width of a border side	medium (default) number of pixels thin thick
margin-top	Controls the width of a margin from the specified side	0 (default) number of pixels percentage
margin-left	Controls the width of a margin from the specified side	0 (default) number of pixels percentage
margin-right	Controls the width of a margin from the specified side	0 (default) number of pixels percentage
margin-bottom	Controls the width of a margin from the specified side	0 (default) number of pixels percentage
padding-top	Controls the amount of padding from the specified side	0 (default) number of pixels percentage
padding-left	Controls the amount of padding from the specified side	0 (default) number of pixels percentage
padding-right	Controls the amount of padding from the specified side	0 (default) number of pixels percentage



padding-bottom	Controls the amount of padding from the specified side	0 (default) number of pixels percentage
float	Controls the floating of a section	none (default) left right
clear	its sides	none (default) left right

Classification Properties

Property	What it Does	Possible Values
white-space	Controls the white space formatting of a section	normal (default) pre nowrap
display	Controls the display of a section	block (default) inline list-item none
visiblity	Controls the visibility of an element	inherit (default) visible hidden
z-index	Controls the layering of an element	auto (default) number

Partners

CoolHomepages | Web Design Library | Website Content

The tutorials and articles on these pages are © 1997-2005 by John Pollock and may not be reposted without written permission from the author, and may not be reprinted for profit.

Email: john@pageresource.com

Copyright © 1997-2005 The Web Design Resource. All rights reserved.