

LN-DIDS Scan Report a167c208

=== Running nmap on 172.20.10.7 ===

Starting Nmap 7.95 (<https://nmap.org>) at 2025-11-29 17:07 EST

Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn

Nmap done: 1 IP address (0 hosts up) scanned in 1.49 seconds

=== Running tcpdump on 172.20.10.7 ===

ERROR: tcpdump: wlan0: You don't have permission to perform this capture on that device

(socket: Operation not permitted)

=== Running whatweb on 172.20.10.7 ===

ERROR: /usr/bin/whatweb:257:in `require_relative': cannot load such file -- /usr/bin/lib/messages (LoadError)
from /usr/bin/whatweb:257:in `<main>'

=== Running wafw00f on 172.20.10.7 ===

```
■[1;97m_____
■[1;97m/  \
■[1;97m( W00f! )
■[1;97m\  ___/
■[1;97m,,  ■[1;92m__  ■[1;93m404 Hack Not Found
■[1;96m|`-.__  ■[1;92m/ /  ■[1;91m__  __
■[1;96m/"  _/  ■[1;92m/_/  ■[1;91m\ \  //
■[1;94m*===*  ■[1;92m/  ■[1;91m\ \_/_/  ■[1;93m405 Not Allowed
■[1;96m/  )__//  ■[1;91m\  /
■[1;96m| /  /---`  ■[1;93m403 Forbidden
■[1;96mV` \ |  ■[1;91m/_ \
■[1;96m`\  /_\_  ■[1;93m502 Bad Gateway  ■[1;91m/ /\ \  ■[1;93m500 Internal Error
■[1;96m`_____``-`  ■[1;91m/_/  \_\
```

■[1;96m~ WAFW00F : ■[1;94mv2.3.1 ~■[1;97m

The Web Application Firewall Fingerprinting Toolkit

■[0m

[*] Checking <https://172.20.10.7>

ERROR: ERROR:wafw00f:Something went wrong HTTPSPool(host='172.20.10.7', port=443): Max retries exceeded

ERROR:wafw00f:Site 172.20.10.7 appears to be down

=== Running nikto on 172.20.10.7 ===

- Nikto v2.5.0

Options:

- ask+ Whether to ask about submitting updates
- yes Ask about each (default)
- no Don't ask, don't send
- auto Don't ask, just send
- check6 Check if IPv6 is working (connects to ipv6.google.com or value set in nikto.conf)
- Cgidirs+ Scan these CGI dirs: "none", "all", or values like "/cgi/ /cgi-a/"
- config+ Use this config file
- Display+ Turn on/off display outputs:
 - 1 Show redirects
 - 2 Show cookies received
 - 3 Show all 200/OK responses
 - 4 Show URLs which require authentication
 - D Debug output
 - E Display all HTTP errors
 - P Print progress to STDOUT
 - S Scrub output of IPs and hostnames
 - V Verbose output
- dbcheck Check database and other key files for syntax errors
- evasion+ Encoding technique:
 - 1 Random URI encoding (non-UTF8)
 - 2 Directory self-reference (/./)
 - 3 Premature URL ending
 - 4 Prepend long random string
 - 5 Fake parameter
 - 6 TAB as request spacer
 - 7 Change the case of the URL
 - 8 Use Windows directory separator (\)
 - A Use a carriage return (0x0d) as a request spacer
 - B Use binary value 0x0b as a request spacer
- followredirects Follow 3xx redirects to new location
- Format+ Save file (-o) format:
 - csv Comma-separated-value
 - json JSON Format
 - htm HTML Format
 - nbe Nessus NBE format
 - sql Generic SQL (see docs for schema)
 - txt Plain text
 - xml XML Format
- (if not specified the format will be taken from the file extension passed to -output)
- Help This help information
- host+ Target host/URL
- id+ Host authentication to use, format is id:pass or id:pass:realm
- ipv4 IPv4 Only
- ipv6 IPv6 Only
- key+ Client certificate key file
- list-plugins List all available plugins, perform no testing
- maxtime+ Maximum testing time per host (e.g., 1h, 60m, 3600s)

- mutate+ Guess additional file names:
- mutate-options Provide information for mutates
- nointeractive Disables interactive features
- nolookup Disables DNS lookups
- nossll Disables the use of SSL
- noslash Strip trailing slash from URL (e.g., '/admin/' to '/admin')
- no404 Disables nikto attempting to guess a 404 page
- Option Over-ride an option in nikto.conf, can be issued multiple times
- output+ Write output to this file ('.' for auto-name)
- Pause+ Pause between tests (seconds)
- Plugins+ List of plugins to run (default: ALL)
- port+ Port to use (default 80)
- RSAcert+ Client certificate file
- root+ Prepend root value to all requests, format is /directory
- Save Save positive responses to this directory ('.' for auto-name)
- ssl Force ssl mode on port
- Tuning+ Scan tuning:
 - 1 Interesting File / Seen in logs
 - 2 Misconfiguration / Default File
 - 3 Information Disclosure
 - 4 Injection (XSS/Script/HTML)
 - 5 Remote File Retrieval - Inside Web Root
 - 6 Denial of Service
 - 7 Remote File Retrieval - Server Wide
 - 8 Command Execution / Remote Shell
 - 9 SQL Injection
 - 0 File Upload
 - a Authentication Bypass
 - b Software Identification
 - c Remote Source Inclusion
 - d Webservice
 - e Administrative Console
 - x Reverse Tuning Options (i.e., include all except specified)
- timeout+ Timeout for requests (default 10 seconds)
- Userdbs Load only user databases, not the standard databases
- all Disable standard dbs and load only user dbs
- tests Disable only db_tests and load udb_tests
- useragent Over-rides the default useragent
- until Run until the specified time or duration
- url+ Target host/URL (alias of -host)
- usecookies Use cookies from responses in future requests
- useproxy Use the proxy defined in nikto.conf, or argument http://server:port
- Version Print plugin and database versions
- vhost+ Virtual host (for Host header)
- 404code Ignore these HTTP codes as negative responses (always). Format is "302,301".
- 404string Ignore this string in response body content as negative response (always). Can be a regular expression
- + requires a value

ERROR: + ERROR: No host (-host) specified

=== Running sslscan on 172.20.10.7 ===

Version: ■[32m2.1.5■[0m

OpenSSL 3.5.4 30 Sep 2025

■[0m

ERROR: ■[31mERROR: Could not open a connection to host 172.20.10.7 (172.20.10.7) on port 443 (con

=== Running dnsrecon on 172.20.10.7 ===

ERROR: usage: dnsrecon [-h] [-d DOMAIN] [-iL INPUT_LIST] [-n NS_SERVER] [-r RANGE]

[-D DICTIONARY] [-f] [-a] [-s] [-b] [-y] [-k] [-w] [-z]

[--threads THREADS] [--lifetime LIFETIME]

[--loglevel {DEBUG,INFO,WARNING,ERROR,CRITICAL}] [--tcp]

[--db DB] [-x XML] [-c CSV] [-j JSON] [--iw]

[--disable_check_nxdomain] [--disable_check_recursion]

[--disable_check_bindversion] [-V] [-v] [-t TYPE]

dnsrecon: error: unrecognized arguments: 172.20.10.7

=== Running whois on 172.20.10.7 ===

#

ARIN WHOIS data and services are subject to the Terms of Use

available at: <https://www.arin.net/resources/registry/whois/tou/>

#

If you see inaccuracies in the results, please report at

https://www.arin.net/resources/registry/whois/inaccuracy_reporting/

#

Copyright 1997-2025, American Registry for Internet Numbers, Ltd.

#

NetRange: 172.16.0.0 - 172.31.255.255

CIDR: 172.16.0.0/12

NetName: PRIVATE-ADDRESS-BBLK-RFC1918-IANA-RESERVED

NetHandle: NET-172-16-0-0-1

Parent: NET172 (NET-172-0-0-0-0)

NetType: IANA Special Use

OriginAS:

Organization: Internet Assigned Numbers Authority (IANA)

RegDate: 1994-03-15

Updated: 2024-05-24

Comment: These addresses are in use by many millions of independently operated networks, which m

Comment:

Comment: These addresses can be used by anyone without any need to coordinate with IANA or an I
Comment:
Comment: These addresses were assigned by the IETF, the organization that develops Internet proto
Comment: <http://datatracker.ietf.org/doc/rfc1918>
Ref: <https://rdap.arin.net/registry/ip/172.16.0.0>

OrgName: Internet Assigned Numbers Authority
OrgId: IANA
Address: 12025 Waterfront Drive
Address: Suite 300
City: Los Angeles
StateProv: CA
PostalCode: 90292
Country: US
RegDate:
Updated: 2024-05-24
Ref: <https://rdap.arin.net/registry/entity/IANA>

OrgTechHandle: IANA-IP-ARIN
OrgTechName: ICANN
OrgTechPhone: +1-310-301-5820
OrgTechEmail: abuse@iana.org
OrgTechRef: <https://rdap.arin.net/registry/entity/IANA-IP-ARIN>

OrgAbuseHandle: IANA-IP-ARIN
OrgAbuseName: ICANN
OrgAbusePhone: +1-310-301-5820
OrgAbuseEmail: abuse@iana.org
OrgAbuseRef: <https://rdap.arin.net/registry/entity/IANA-IP-ARIN>

ARIN WHOIS data and services are subject to the Terms of Use
available at: <https://www.arin.net/resources/registry/whois/tou/>

If you see inaccuracies in the results, please report at
https://www.arin.net/resources/registry/whois/inaccuracy_reporting/

Copyright 1997-2025, American Registry for Internet Numbers, Ltd.
#

=== Running netcat on 172.20.10.7 ===
ERROR: no port[s] to connect to

