

T _T Run ID	T _T Module	T _T Form	T _T Route
QA-sample-qa-test-project-20260805-145451	Authentication	Staging login	/staging/login
QA-sample-qa-test-project-20260805-145451	Authentication	Staging login	/staging/login
QA-sample-qa-test-project-20260805-145451	Dashboard	Quick note (host page tab)	/staging
QA-sample-qa-test-project-20260805-145451	Dashboard	Quick note (host page tab)	/staging
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create

T _T Run ID	T _T Module	T _T Form	T _T Route
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer edit	/staging/customers/{customer_id}/edit
QA-sample-qa-test-project-20260805-145451	Customer	Customer edit	/staging/customers/{customer_id}/edit
QA-sample-qa-test-project-20260805-145451	Customer	Customer edit	/staging/customers/{customer_id}/edit
QA-sample-qa-test-project-20260805-145451	Customer	Customer edit	/staging/customers/{customer_id}/edit
QA-sample-qa-test-project-20260805-145451	Customer	Customer edit	/staging/customers/{customer_id}/edit
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product

T _T Run ID	T _T Module	T _T Form	T _T Route
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item

T _T Run ID	T _T Module	T _T Form	T _T Route
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item
QA-sample-qa-test-project-20260805-145451	Admin	Inventory adjustment	/staging/admin
QA-sample-qa-test-project-20260805-145451	Admin	Inventory adjustment	/staging/admin
QA-sample-qa-test-project-20260805-145451	Admin	Inventory adjustment	/staging/admin
QA-sample-qa-test-project-20260805-145451	Authentication	Staging login	/staging/login
QA-sample-qa-test-project-20260805-145451	Dashboard	Quick note (host page tab)	/staging
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Registration	Registration	/staging/forms/registration
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create and edit	/staging/forms/customer-create; /staging/customers/5/edit

T _T Run ID	T _T Module	T _T Form	T _T Route
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer edit	/staging/customers/5/edit
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Customer	Customer create	/staging/forms/customer-create
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Catalog	Product create	/staging/forms/product
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order

T _T Run ID	T _T Module	T _T Form	T _T Route
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order create	/staging/forms/order
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item
QA-sample-qa-test-project-20260805-145451	Orders	Order item create	/staging/forms/order-item
QA-sample-qa-test-project-20260805-145451	Admin	Inventory adjustment	/staging/admin
QA-sample-qa-test-project-20260805-145451	Admin	Inventory adjustment	/staging/admin
QA-sample-qa-test-project-20260805-145451	Admin	Inventory adjustment	/staging/admin
QA-sample-qa-test-project-20260805-145451	System-managed	Entity timestamps	N/A
QA-sample-qa-test-project-20260805-145451	Cross-form	All scoped forms	All routes

T _T Field	T _T Type / required	T _T Test scenario	T _T Value generated
username	string / required	Domain-valid reusable value	qa.staging.runner
password	string / required	Domain-valid reusable value	SAMPLE-QA-PASSWORD-NOT-SECRET
replay_token	hidden string / required	Domain-valid reusable value	fixture-fixed-token
note	string / required	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 quick note control
username	string 3–40 / required / unique	Domain-valid reusable value	qa_run_20260805_145451
email	EmailStr ≤254 / required / unique	Domain-valid reusable value	qa.run.20260805.145451@example.com
display_name	string ≤80 / optional	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451
role	enum / default qa_viewer	Domain-valid reusable value	qa_editor
full_name	string 2–100 / required	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 Taylor Example
email	EmailStr ≤254 / required / unique	Domain-valid reusable value	qa.customer.20260805.145451@example.com
phone	string pattern 7–24 / optional	Domain-valid reusable value	+1-555-0199
status	enum / default active	Domain-valid reusable value	active
address_line1	string 3–120 / required	Domain-valid reusable value	451 QA Test Pattern Lane

T _T Field	T _T Type / required	T _T Test scenario	T _T Value generated
address_line2	string ≤120 / optional	Domain-valid reusable value	Suite SAMPLE
city	string 2–80 / required	Domain-valid reusable value	Fiction Falls
postal_code	string 3–20 / required	Domain-valid reusable value	01451
notes	string ≤1000 / optional	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 fictional staging customer; no fulfillment
customer_id	integer path / required / existing	Domain-valid reusable value	5
full_name	string 2–100 / required	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 Phone Gap
email	EmailStr ≤254 / required / unique	Domain-valid reusable value	qa.phone.gap.145451@example.com
phone	string pattern / optional	Domain-valid reusable value	+1-555-0199
notes	string ≤1000 / optional	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 edit regression
sku	string 3–24 / required / unique	Domain-valid reusable value	QA-145451-VALID
name	string 2–120 / required	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 Validation Kit
category	enum / required	Domain-valid reusable value	test-kit
unit_price	decimal(10,2) / required	Domain-valid reusable value	24.95

T _T Field	T _T Type / required	T _T Test scenario	T _T Value generated
stock_quantity	integer 0–1,000,000 / default 0	Domain-valid reusable value	12
active	boolean / default true	Domain-valid reusable value	true
description	string ≤1000 / optional	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 reusable fictional validation kit for staging
customer_id	integer FK / required	Domain-valid reusable value	4
product_id	integer FK / required	Domain-valid reusable value	4
quantity	integer 1–100 / required	Domain-valid reusable value	2
shipping_address	string 1–200 / required	Domain-valid reusable value	451 QA Test Pattern Lane, Fiction Falls 01451
status	enum / default draft	Domain-valid reusable value	draft
shipping_method	enum / default standard	Domain-valid reusable value	standard
gift_message	string ≤240 / optional	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 sample only; do not fulfill
order_id	integer FK / required	Domain-valid reusable value	2
product_id	integer FK / required	Domain-valid reusable value	3
quantity	integer / required; positive and ≤stock	Domain-valid reusable value	1

T _T Field	T _T Type / required	T _T Test scenario	T _T Value generated
unit_price	decimal(10,2) ≥0 / required	Domain-valid reusable value	7.25
product_id	integer existing PK / required	Domain-valid reusable value	4
delta	integer / required	Domain-valid reusable value	0
reason	string / required	Domain-valid reusable value	QA-sample-qa-test-project-20260805-145451 safe no-op inventory verification
username, password	required	Missing mandatory credentials	[empty]
replay_token, note	hidden token; text	One-off retry control	QA-sample-qa-test-project-20260805-145451 quick note control
username, email	required	Missing mandatory fields	[empty]
username	3–40 unique	Minimum boundary	Qaa
username	3–40 unique	Maximum boundary	Qaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaa
username	3–40 unique	Invalid starting character	1qa_invalid
email	EmailStr unique	Malformed email	bad
email	unique	Duplicate email	qa.run.20260805.145451@example.com
display_name	≤80 optional	Unicode/punctuation	QA Renée O'Connor – 東京
role	enum	Outside allowed list	qa_admin
full_name	2–100	Min/max boundary	Al; 100-character tagged fictional name
full_name	2–100	Oversized	101-character run-tagged name (prefix + repeated X)
email	unique EmailStr	Duplicate customer email	qa.customer.20260805.145451@example.com
phone	optional pattern	Invalid characters	NOT-A-PHONE

T _T Field	T _T Type / required	T _T Test scenario	T _T Value generated
phone	optional pattern	Min/max pattern boundaries	5550199; +1 (555) 019-9451
email	EmailStr	Same malformed failure via second path	bad
status	enum	Outside allowed list	archived
address_line1, address_line2, city, postal_code	strings	Min/max boundary set	3/120-char line 1; 120-char line 2; 2/80-char city; 3/20-char postal text
address_line1, city, postal_code	required	Missing mandatory address	[empty]
notes	≤1000 optional	Extremely large text	1,001-character run-tagged text (prefix + repeated X)
notes	≤1000 optional	Unicode/special punctuation	QA sample: café, 東京, O'Connor & Co.
sku	3–24 unique	Min/max valid SKU	QA1; QA-145451-BOUNDARY-24XXX
sku	3–24 unique	Invalid characters	qa sku!*
sku	unique	Duplicate existing SKU	QA-145451-VALID
name	2–120	Length and oversized	2-char; 120-char tagged; 121-char negative
category	enum	Outside allowed list	medical
unit_price	decimal(10,2)	Positive/scale/upper bounds	0.01; 999999.99; 1.999 negative scale case
unit_price	decimal(10,2)	Negative price bypass	-3.25
stock_quantity	0–1,000,000	Bounds and negative	0; 1000000; -1
active	boolean	Inactive UAT item	false
description	≤1000 optional	Inert HTML reflection	<b data-qa-oracle='GAP-04'>SAMPLE TEST MARKUP
description	≤1000	Max and oversized	1,000-character tagged; 1,001-character negative
customer_id, product_id	integer FKs	Incorrect relationship references	customer_id=999999 or product_id=999999

T _T Field	T _T Type / required	T _T Test scenario	T _T Value generated
quantity	1–100 and ≤stock	Schema boundaries	1; 100 only with existing stock ≥100
quantity	stock business rule	Exceeds existing stock	13 against product ID 4 stock 12
shipping_address	1–200 required	Required empty	[empty string]
shipping_address	1–200	Min/max/oversized	1-char; 200-char fictional; 201-char negative
status, shipping_method	enums	Safe UAT alternative	draft + pickup
gift_message	≤240 optional	Unicode/max boundary	QA café – 東京; 240-character tagged message
order_id, product_id	integer FKs	Nonexistent product probe	product_id=999999
order_id, product_id	unique pair	Duplicate pair	order_id=2, product_id=3
quantity	positive and ≤stock	Negative quantity	-7
unit_price	decimal ≥0	Zero, representative upper, and negative	0.00; 999999.99 representative positive; -0.01
delta	integer	Final stock negative	-13 against product 4 stock 12
product_id	integer existing PK	Nonexistent product	999999
reason	required string	Missing reason	[empty]
created_at, last_seeded_at	datetime / server managed	Future/expired date cases	2099-01-01; 2000-01-01
unrestricted text fields	per-field limits	Unicode/special character rendering	QA café, 東京, O'Connor & Co.

T _T Expected output	T _T Output / actual	T _T Validation type	Dataset category
Customer created	Created as customer ID 4	Client + server / schema	happy path
Customer created	Created as customer ID 4	Client + server / schema	happy path
Customer created	Created as customer ID 4	Client + server / schema	happy path
Customer created	Created as customer ID 4	Client + server / schema	happy path
Existing tagged customer updated	Update redirect; no new record	Client + server / schema	happy path
Valid name retained	Update redirect	Client + server / schema	happy path
Valid email retained	Update redirect	Client + server / schema	happy path
Valid correction accepted	Prepared; live negative retest used NOT-A-PHONE	Client + server / schema	happy path
Notes accepted	Update redirect	Client + server / schema	happy path
Product created	Created as product ID 4	Client + server / schema	happy path
Product created	Created as product ID 4	Client + server / schema	happy path
Product created	Created as product ID 4	Client + server / schema	happy path
Product created	Created as product ID 4	Client + server / schema	happy path

T _T Expected output	T _T Output / actual	T _T Validation type	Dataset category
Product created	Created as product ID 4	Client + server / schema	happy path
Product created	Created as product ID 4	Client + server / schema	happy path
Product created; text safely escaped	Created as product ID 4	Client + server / schema	happy path
Order created for existing customer	Order and auto item created	Client + server / schema	happy path
Order item references existing product	Order and auto item created	Client + server / schema	happy path
Order and item created	Order and auto item created	Client + server / schema	happy path
Order created	Order and auto item created	Client + server / schema	happy path
Safe draft order created	Order and auto item created	Client + server / schema	happy path
Order created	Order and auto item created	Client + server / schema	happy path
Order created	Order and auto item created	Client + server / schema	happy path
Item created on existing order	Created; relational trace via parent	Client + server / schema	happy path
Item created for existing product	Created	Client + server / schema	happy path
Item created	Created	Application business rule	happy path

T _T Expected output	T _T Output / actual	T _T Validation type	Dataset category
Item created	Created	Client + server / schema	happy path
Adjustment targets existing product	Accepted	Client + server / schema	happy path
No-op succeeds without stock change	Accepted; updated=stock	Client + server / schema	happy path
Reason accepted	Accepted; no net mutation	Client + server / schema	happy path
Client blocks	Not executed; positive login established	Client required	negative
First 503 then successful retry per fixture	Immediate retry-success response; token already consumed; not persistent	Server transient control	regression
Client blocks	Please fill out this field for both inputs	Client required	negative
Accept length 3	Not executed	Server length/pattern	boundary
Accept length 40	Not executed	Server length/pattern	boundary
Reject pattern	Not executed	Server format	negative
Reject EmailStr	Pydantic email error rendered twice; HTTP 200 path	Server format/consistency	regression
Reject uniqueness	Not executed	DB uniqueness	negative
Accept within length	Not executed	Length/encoding	UAT
Reject	Not executed; select constrains	Allowed list	negative
Accept lengths 2 and 100	Not executed	Server length	boundary
Reject >100	Not executed	Server length	negative
Reject uniqueness	email must be unique; no record	Server/DB uniqueness	negative
Reject ^\\+?[0-9 ()-]{7,24}\$	Saved on create ID 5; same value accepted on edit	Schema format	regression

T _T Expected output	T _T Output / actual	T _T Validation type	Dataset category
Accept valid 7–24 characters	Not executed	Format/length	boundary
Consistent error/status with Registration	Edit: Enter a valid customer contact email, HTTP 422, repeated; Registration: Pydantic text, HTTP 200	Error consistency	regression
Reject	Not executed; select constrained	Allowed list	negative
Accept exact limits	Not executed	Server length	boundary
Reject	Not executed	Client/server required	negative
Reject >1000	Not executed	Server length	negative
Accept and safely display	Not executed	Encoding/output	UAT
Accept lengths 3 and 24	Not executed	Format/length	boundary
Reject regex	Not executed	Server format	negative
Reject uniqueness	Not executed	DB uniqueness	negative
Accept 2/120; reject 121	Not executed	Server length	boundary
Reject	Not executed; select constrained	Allowed list	negative
Accept positive 2-decimal bounds; reject >2 decimals	Not executed	Range/precision	boundary
Reject ORM positive rule	Saved twice under PRICE1/PRICE2; dashboard displayed -3.25	ORM schema rule	regression
Accept bounds; reject -1	Not executed	Schema/DB check	boundary
Accept inactive	Not executed	Boolean	UAT
Escape as text on dashboard	Saved twice and rendered as actual bold DOM element	Output escaping/security	regression
Accept 1000; reject 1001	Not executed	Server length	boundary
Reject before persistence	Not executed	Referential integrity	negative

T _T Expected output	T _T Output / actual	T _T Validation type	Dataset category
Accept if stock sufficient	Not executed	Schema/application	boundary
Reject before order/item persistence	Accepted twice; valid-FK orders/items created	Application business rule	regression
Reject min_length=1	Accepted twice; success redirect, empty address saved	Schema required/length	regression
Accept 1/200; reject 201	Not executed	Server length	boundary
Accept	Not executed	Allowed list	UAT
Accept/escape	Not executed	Length/encoding	boundary
Reject; never save orphan	Not executed; potential GAP-03 unconfirmed	Referential integrity	negative
Reject composite duplicate	Not executed	DB uniqueness	negative
Reject business rule	Accepted twice on existing tagged orders 3/4 with product 2	Application business rule	regression
Accept nonnegative values within Numeric(10,2); reject negative	Not executed	Schema/DB check	boundary
Reject adjustment	adjustment would make stock negative; no mutation	Application guard	negative
Reject without mutation	Not executed	Referential lookup	negative
Reject	Not executed	Client required	negative
Not user-editable; do not inject	Not executed	Date/system-managed	boundary
Accept within applicable limit; escape HTML	Not executed except inert HTML regression	Encoding/output	UAT

T _T Dataset class	T _T Rule / source at pinned commit	T _T Relationship / condition
Reusable valid	app/main.py @ 84d392e; README dedicated fictional credential	Dedicated staging identity; no production access
Reusable valid	app/main.py @ 84d392e; README public sample credential	Staging-only, deliberately fictional; not personal
Reusable valid	app/main.py @ 84d392e; app/templates/staging.html @ 84d392e	Tab does not change URL
Reusable valid	app/main.py @ 84d392e; app/templates/staging.html @ 84d392e	No persistent business record
Reusable valid	app/schemas.py @ 84d392e RegistrationCreate; app/models.py @ 84d392e	Starts with letter; unique per run
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e unique	Fictional example.com; unique
Reusable valid	app/schemas.py @ 84d392e	Run tag
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	qa_viewer or qa_editor
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	Tagged fictional customer
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e unique	Fictional, unique
Reusable valid	app/schemas.py @ 84d392e phone regex	Optional; pattern when supplied
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e CustomerStatus	active, inactive, suspended
Reusable valid	app/schemas.py @ 84d392e	Fictional address

T _T Dataset class	T _T Rule / source at pinned commit	T _T Relationship / condition
Reusable valid	app/schemas.py @ 84d392e	Optional
Reusable valid	app/schemas.py @ 84d392e	Fictional location
Reusable valid	app/schemas.py @ 84d392e	Leading zero retained as text
Reusable valid	app/schemas.py @ 84d392e	Run tag
Reusable valid	app/main.py @ 84d392e; app/models.py @ 84d392e PK	Customer ID 5 created this run
Reusable valid	app/schemas.py @ 84d392e; app/main.py @ 84d392e	Existing tagged customer
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	Existing tagged customer ID 5
Reusable valid	app/schemas.py @ 84d392e phone regex	Reusable correction value; existing ID 5
Reusable valid	app/schemas.py @ 84d392e; app/main.py @ 84d392e	Run tag
Reusable valid	app/schemas.py @ 84d392e regex; app/models.py @ 84d392e unique	Uppercase letters/digits/hyphen
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	Tagged fictional test-kit
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e ProductCategory	office/electronics/home/test-kit
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e @validates >0	Satisfies stricter positive ORM rule

T _T Dataset class	T _T Rule / source at pinned commit	T _T Relationship / condition
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e check >=0	Available stock for valid order
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	Active catalog item
Reusable valid	app/schemas.py @ 84d392e; app/templates/staging.html @ 84d392e	Run tag
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e FK	Tagged customer ID 4
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e FK	Tagged active product ID 4, stock 12
Reusable valid	app/schemas.py @ 84d392e; app/main.py @ 84d392e stock rule	$2 \leq \text{stock } 12$
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	Fictional; no fulfillment integration
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	draft/pending/paid/shipped/cancelled; use draft
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	standard/express/pickup
Reusable valid	app/schemas.py @ 84d392e	Run tag; draft only
Reusable valid	app/models.py @ 84d392e OrderItem. order_id FK; app/main.py form	Tagged parent order ID 2; child has no tag text field
Reusable valid	app/models.py @ 84d392e OrderItem. product_id FK; app/main.py form	Existing seeded product; unique pair
Reusable valid	README.md and docs/intentional_validation_gaps.json @ 84d392e; app/main.py bypass	Within existing product stock

T _T Dataset class	T _T Rule / source at pinned commit	T _T Relationship / condition
Reusable valid	app/models.py @ 84d392e Numeric(10,2) and ck_order_item_nonnegative_price; app/main.py form	Two decimals
Reusable valid	app/main.py @ 84d392e; app/models.py @ 84d392e PK	Tagged product ID 4
Reusable valid	app/main.py @ 84d392e final-stock guard	Stock stays 12
Reusable valid	app/main.py @ 84d392e; app/templates/staging.html @ 84d392e	Reason not persisted; target product tagged
Negative - do not reuse	app/templates/staging.html @ 84d392e required inputs	No business record
Manual review	app/main.py @ 84d392e planted one-off control	No persisted record
Negative - do not reuse	app/templates/staging.html @ 84d392e; app/schemas.py @ 84d392e	No record
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e DB check	Fresh unique name
Reusable valid	app/schemas.py @ 84d392e	Fresh unique name
Negative - do not reuse	app/schemas.py @ 84d392e ^[a-zA-Z][a-zA-Z0-9_-]+\$	No FK
Negative - do not reuse	app/schemas.py @ 84d392e; app/main.py @ 84d392e	No record
Negative - do not reuse	app/models.py @ 84d392e Registration.email unique	Existing run registration
Reusable valid	app/schemas.py @ 84d392e	Fictional name
Manual review	app/schemas.py @ 84d392e qa_viewer qa_editor	No privilege should result
Reusable valid	app/schemas.py @ 84d392e	Fresh unique email
Negative - do not reuse	app/schemas.py @ 84d392e; app/models.py @ 84d392e String(100)	No external action
Negative - do not reuse	app/models.py @ 84d392e; app/main.py @ 84d392e	Existing customer ID 4
Negative - do not reuse	app/schemas.py @ 84d392e CustomerCreate phone validator	Tagged customer; no orphan

T _T Dataset class	T _T Rule / source at pinned commit	T _T Relationship / condition
Reusable valid	app/schemas.py @ 84d392e regex	Optional when blank
Negative - do not reuse	app/schemas.py @ 84d392e; app/main.py @ 84d392e handlers	Failed save on tagged customer
Manual review	app/schemas.py @ 84d392e; app/models.py @ 84d392e	No relationship change
Reusable valid	app/schemas.py @ 84d392e CustomerCreate	Fresh unique email; fictional address
Negative - do not reuse	app/schemas.py @ 84d392e; app/templates/staging.html @ 84d392e	No record expected
Negative - do not reuse	app/schemas.py @ 84d392e	No external action
Reusable valid	app/schemas.py @ 84d392e; app/templates/staging.html @ 84d392e	Fictional only
Reusable valid	app/schemas.py @ 84d392e regex/uppercase	Fresh unique SKU
Negative - do not reuse	app/schemas.py @ 84d392e ^[A-Z0-9][A-Z0-9-]{2,23}\$	No FK
Negative - do not reuse	app/models.py @ 84d392e	Existing product ID 4
Manual review	app/schemas.py @ 84d392e	Fresh SKU per case
Manual review	app/schemas.py @ 84d392e; app/models.py @ 84d392e	No FK
Manual review	app/schemas.py @ 84d392e; app/models.py @ 84d392e @validates >0	Fresh SKU
Negative - do not reuse	app/models.py @ 84d392e @validates >0; app/schemas.py @ 84d392e ge0	Contained products; unique SKU differs only for retest
Manual review	app/schemas.py @ 84d392e; app/models.py @ 84d392e check >=0	Fresh SKU
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	Do not order inactive item
Negative - do not reuse	app/templates/staging.html @ 84d392e; app/schemas.py @ 84d392e	Inert only; no script/network/orphan
Manual review	app/schemas.py @ 84d392e	Fresh SKU
Manual review	app/models.py @ 84d392e FKs; app/main.py @ 84d392e	Would risk orphan if planted gap exists

T _T Dataset class	T _T Rule / source at pinned commit	T _T Relationship / condition
Reusable valid	app/schemas.py @ 84d392e; app/main.py @ 84d392e	Resolve active product with sufficient stock
Negative - do not reuse	app/main.py @ 84d392e stock rule	Existing customer 4/product 4
Negative - do not reuse	app/schemas.py @ 84d392e; app/models.py @ 84d392e; app/main.py @ 84d392e sentinel then raw persist	Existing FKs
Manual review	app/schemas.py @ 84d392e	Existing FKs; draft
Reusable valid	app/schemas.py @ 84d392e; app/models.py @ 84d392e	No fulfillment; existing FKs
Reusable valid	app/schemas.py @ 84d392e	Existing FKs; draft
Manual review	app/models.py @ 84d392e; migration 001; app/main.py @ 84d392e	Would intentionally risk orphan
Negative - do not reuse	app/models.py @ 84d392e UniqueConstraint	Existing pair
Negative - do not reuse	app/main.py @ 84d392e; no DB quantity check	Existing FKs; pair changed for uniqueness
Manual review	app/models.py @ 84d392e Numeric(10,2) and CheckConstraint unit_price >= 0	Existing unique pair
Negative - do not reuse	app/main.py @ 84d392e	Stock remains 12
Manual review	app/main.py @ 84d392e; app/models.py @ 84d392e	No record
Negative - do not reuse	app/templates/staging.html @ 84d392e; app/main.py @ 84d392e	Use delta 0
Manual review	app/models.py @ 84d392e; migration	No scoped user date field
Reusable valid	app/schemas.py @ 84d392e; app/templates/staging.html @ 84d392e	Never use in restricted SKU/username

T _T	Execution & safety disposition	Generation date
	Executed in verified staging where noted; regenerate unique values and resolve live FK IDs before reuse	8/5/2026
	Executed in verified staging where noted; regenerate unique values and resolve live FK IDs before reuse	8/5/2026
	Executed in verified staging where noted; regenerate unique values and resolve live FK IDs before reuse	8/5/2026
	Executed in verified staging where noted; regenerate unique values and resolve live FK IDs before reuse	8/5/2026
	Planned client-only rejection	8/5/2026
	Executed; excluded from gaps	8/5/2026
	Executed safely	8/5/2026
	Planned reusable boundary	8/5/2026
	Planned reusable boundary	8/5/2026
	Planned safe rejection	8/5/2026
	Executed safely twice	8/5/2026
	Planned rejection	8/5/2026
	Planned reusable UAT	8/5/2026
	Manual review/API harness; do not bypass UI	8/5/2026
	Planned reusable boundaries	8/5/2026
	Planned safe rejection	8/5/2026
	Executed safely	8/5/2026
	Executed/retested; GAP-02 / TCW-98	8/5/2026

T	Execution & safety disposition	Generation date
	Planned reusable boundaries	8/5/2026
	Executed twice; GAP-07 / TCW-102	8/5/2026
	Manual review/API harness	8/5/2026
	Planned reusable set	8/5/2026
	Planned safe rejection	8/5/2026
	Planned safe rejection	8/5/2026
	Planned reusable UAT	8/5/2026
	Planned reusable boundaries	8/5/2026
	Planned safe rejection	8/5/2026
	Planned safe rejection	8/5/2026
	Separate positive and negative before use	8/5/2026
	Manual review/API harness	8/5/2026
	Separate positive and negative before use	8/5/2026
	Executed/retested; GAP-06 / TCW-101	8/5/2026
	Separate positive and negative	8/5/2026
	Planned reusable UAT	8/5/2026
	Executed/retested; GAP-04 / TCW-99	8/5/2026
	Separate positive and negative	8/5/2026
	Manual review only; user safety rule	8/5/2026

T _T Execution & safety disposition	Generation date
Planned reusable relational boundaries	8/5/2026
Executed/retested; also seen in GAP-05 / TCW-100	8/5/2026
Executed/retested; GAP-01 / TCW-97	8/5/2026
Separate positive and negative	8/5/2026
Planned reusable UAT	8/5/2026
Planned reusable boundary	8/5/2026
Manual review only; no Jira/confirmed severity	8/5/2026
Planned safe rejection	8/5/2026
Executed/retested; GAP-05 / TCW-100	8/5/2026
Separate positive and negative	8/5/2026
Executed safely; rejected	8/5/2026
Manual review before probe	8/5/2026
Planned client rejection	8/5/2026
Manual review/API fixture design only	8/5/2026
Reusable only in unrestricted text	8/5/2026

 Run date	T↑ Run identifier	T↑ Project / repository
8/5/2026 0:00:00	QA-sample-qa-test-project-20260805-145451	sample-qa-test-project — https://github.com/kashyapempiricinfotech-sys/sample-qa-test-project

T _T Requested branch	T _T Exact commit SHA	T _T Run status
agent/qa-validation-fixture	84d392ec8f0d30da10fccdbf00ea2bcfae3922c5	Completed

T₁ Staging verification

README local 127.0.0.1:8000/staging path and /staging/login; visible STAGING / SAMPLE QA / FICTIONAL DATA ONLY / NOT PRODUCTION banner; /api/environment staging, production=false, sample_only=true; /health staging. Dedicated fictional qa.staging.runner credential. qa-oracle-v2 clean seed and deterministic baseline; no prior Run Log row; no destructive reset.

T₁ Workflow stage stopped

Completed – Teams notification sent

Tf	Failure / blocker reason	Tf	Forms discovered	Forms tested	Forms skipped due to cap
	No workflow blocker. Partial Jira attachment limitation: TCW-97 and TCW-99 verified; Chrome extension file-URL permission blocked later uploads. Representative evidence is embedded in the QA report.	9		9	0 — no forms exceeded cap

Records created in staging	T _T Validation gaps confirmed	T _T Jira issues created	T _T Google Sheet
21	6 – Critical 1; High 3; Medium 1; Low 1	6	Open Test Data Repository

T_T QA report

[Open QA report](#)

T_T Jira issues

[TCW-97](#)

[TCW-98](#)

[TCW-99](#)

[TCW-100](#)

[TCW-101](#)

[TCW-102](#)

T_T Notes

Teams live post verified: <https://teams.microsoft.com/l/message/19%3A9c29be8b2fb04439b5c43db35349671d%40thread.tacv2/1785923481168?groupId=3518d9d6-5c77-42fa-9459-8f9d17045638&tenantId=ad8b1651-7782-4309-a773-8b4fddfeab9f&createdTime=1785923481168&parentMessageId=1785923481168>

GAP-03 nonexistent-product probe was not submitted because orphan creation is prohibited; manual review, excluded from confirmed totals.

CONTROL-01 excluded. 91 dataset rows.