


Setting up an Integration Point Profile for Trace Data Sources

- Trace Agent needs to run at least one cycle successfully before load file templates show up in folder "DataTransfer\Import\LoadFileTemplates\"
 - Setting "Run Option = Continuous" on any Trace workspace will accomplish this.
 - Specifically, it is the Data Retrieval task that needs to succeed at least once.
- Set up an Integration Point **Profile** in the "Trace Workspace"
 - Name: Field Mapping for Microsoft Exchange Emails
 - Import Source: Choose the load file template that you need.



- File Encoding:
 - Newline should be (ASCII:010). Keep everything else as is.

File Encoding

File Encoding:	Unicode (UTF-8)	▼
Column:	□ (ASCII:020)	▼
Quote:	␣ (ASCII:254)	▼
Newline:	(ASCII:010)	▼
Multi-Value:	; (ASCII:059)	▼
Nested Value:	\ (ASCII:092)	▼

- Settings:
 - Map Fields
 - You may need to manually map Control Number, and a few other fields.
 - Overwrite: Append/Overlay
 - Multi-Select Field Overlay Behavior: Use Field Settings
 - Encoding for undetectable files: Unicode (UTF-8)

Settings

Overwrite: Append/Overlay ▼

Multi-Select Field
Overlay Behavior: Use Field Settings ▼

Copy Native Files: ☐ Physical files
☒ Links Only
☐ No

Native File Path: Native File Path ▼

Use Folder Path Information: ☐ Yes
☒ No

EXTRACTED TEXT

Cell Contains File Location: ☒ Yes
☐ No

Extracted Text ▼

Encoding for undetectable files: Unicode (UTF-8) ▼