R0.72Y | full Fourier row and forced-transfer boundaries

Exact algebra, exact lift-up counterexample, and normalized forcing-rate guide

A Exact complete-row structure

The scalar invariant row closes; orthogonality alone does not close the full row.

Complete Fourier-Leray row

u_d = -L u - P_j(
i c W u + Lambda W_x u_2 e_3)
div_j u = 0
L pi = 2 i c W_x u_2

pressure factor 2: CLOSED

exact

mu > 0: Orr-Sommerfeld / Squire

q_d = (-L-i c W) q
- i c W_xx L^-1 q
eta_d = (-L-i c W) eta
+ i xi Lambda W_x L^-1 q

q → eta (lift-up forcing)

STRONG FULL-ROW A2: OPEN

Scalar invariant polarization

u = g (gamma,0,-xi) / sqrt(mu)
g_d = (A_beta^2-mu-i c W) g
scalar A2 embedding: CLOSED

K_z=0 exact lift-up

u_3 = -Lambda d exp(-xi^2 d)
x W_x(d,x) u_2(0)
uniform strict contraction: FALSE

Velocity recovery is exact only for mu > 0; the mu=0 row is checked directly.

Direct-sum orthogonality removes row-count loss only after a uniform row bound; it does not create that bound.

B Exact zero-coupling lift-up

Energy ratio from the closed formula; line at 1 means no growth.

EXACT COUNTEREXAMPLE - NOT A STABILITY PROOF



R(d)=exp(-2 xi^2 d)[1+Lambda^2 d^2(e^-2d+e^-8d)/8]

C Scalar forced-transfer powers

Normalized operator-rate guide; constants are suppressed.

EXACT RATE GUIDE - ANALYTIC PROOF ELSEWHERE



No fitted exponents. Standard endpoint alpha-gain is FALSE.